

# SONA VISION



## SONA ELECTRONICS, L.L.C.

WORLDWIDE LEADER IN MANUFACTURING AND  
DISTRIBUTION OF CONSUMER ELECTRONICS

P.O. Box 5370, Concord, NC 28027, USA

Tel: 704.721.7800

Toll Free: 1.866.766.2353

Fax: 704.721.7803

info@sona-vision.com

www.sona-vision.com



***SONA VISION***

# HEADREST MONITORS

## SE•560

### 5.6" Stand Alone or Headrest Monitor



- Best Mobile Video system with FAA approval
- Excellent Industry Design Tooling
- Thinnest Type, Highest Brightness among industry
- High resolution picture quality
- Compact design suitable for mounting into headrest
- Reverse Mirror function for rear view camera
- Earphone
- Video System: NTSC / PAL dual system
- 2 Video Inputs
- Audio Output
- Left/Right x 2 (Stereo)
- Wireless Remote Control
- Operating Temperature 0 ~ + 65 °C
- Storage Temperature -25 ~ + 70 °C
- Special Reverse Mirror for parking
- Dimension... 140 (L) x 117 (W) x 13 (D) mm

## SE•700

### 7" Stand Alone or Headrest Widescreen (16:9) TFT Monitor



- Amorphous Active Matrix TFT
- Compact Design
- 2 Video Inputs
- OSD On Screen Display
- NTSC/PAL Auto Switching
- Headrest Shroud or Mounting Stand Kit Included
- Independent Color Video Display System
- Full Function Remote
- Compact Size
- Bright Picture
- Adjustable Brightness, Contrast, Color, Tint and Sharpness
- Universal Installation
- Resolution: 1440 (H) x 234 (V) dots
- Dimensions: 178 (L) x 135 (W) x 28 (D) mm

## SE•701BR

### 7" Wide Screen (16:9) TFT Slim Design Headrest Monitor



- Amorphous Active Matrix TFT
- Built-in Auto On/Off Signal Switch
- Very Slim and Compact Design
- Compact Headrest Shroud
- 2 Video Inputs
- OSD On Screen Display
- NTSC System
- High Resolution Picture
- Slim Headrest Shroud Kit Included
- Mounting Stand Included
- Independent Color Video Display System
- Bright Picture
- Low Reflection Panel
- Universal Installation
- Easy Installation
- Resolution: 1440 (H) x 234 (V) dots
- Dimensions: 178 (W) x 112 (H) x 27 (D) mm

# ROOF MOUNT MONITORS

## SV•700

### 7" Wide Screen (16:9) Swivel TFT Roof Mount Video Monitor



- Smallest Roof Mount Monitor in the World
- Amorphous Active Matrix TFT
- Full Swivel to either direction
- 2 Video Inputs
- OSD On Screen Display
- NTSC/PAL Auto Switching
- Built-in Dual Dome Lights
- Independent Color Video Display System
- Full Function Remote
- High Resolution Picture
- Compact Size
- Reverse Image Picture
- Adjustable Brightness, Contrast, Color, Tint and Sharpness
- Universal Console Installation
- Resolution: 1440 (H) x 234 (V) dots
- Dimensions: 200 (L) x 170 (W) x 38 (D) mm



## SV•104F

### 10.4" Wide Screen TFT Roof Mount SWIVEL Video Monitor with built in IR Transmitter



- Amorphous Active Matrix TFT
- Full Swivel of monitor to either direction
- Built-in IR Transmitter
- 2 Video Inputs
- OSD On Screen Display
- NTSC/PAL Auto Switching, SECAM Available
- Built-in Dual Dome Lights
- Overhead Console Bracket
- Multi-Language Menu Support
- RCA Jack for Easy Installation
- Independent Color Video Display System
- Full Function Remote
- High Resolution Picture, Non Reflective TFT
- Very Compact Size
- Reverse Image Picture
- Adjustable Brightness, Contrast, Color, Tint and Sharpness
- Universal Console Installation
- Low Power Consumption
- Safety Certification: UL, FCC, CE, TUV
- Resolution: 800 (H) x 3 (RGB) x 600 (V) dots
- Dimensions: 268 (H) x 265 (W) x 40.8 (D) mm

## SV•1240

### 12.4" Wide Screen (4:3) Swivel TFT Roof Mount Video Monitor with IR Transmitter



- Amorphous Active Matrix TFT
- Built-in IR Transmitter
- Full Swivel to either direction
- 2 Video Inputs
- OSD On Screen Display
- NTSC/PAL Dual System
- Built-in Dual Dome Lights
- Overhead Console Bracket
- Independent Color Video Display System
- Full Function Remote
- High Resolution Picture
- Small Foot Print and Light Weight
- Adjustable Brightness, Contrast, Color, Tint and Sharpness
- Universal Console Installation
- Low Power Consumption
- Resolution: 800 (H) x 600 (V) = 480,000 dots
- Dimensions: 340 (H) x 310 (W) x 50 (D) mm

## SN•350RM

### 3.5" Swivel Roof Mount TFT-LCD Monitor



- HannStar New panel (wide angle view)
- TFT- LCD Color Monitor
- Automatic reverse trigger
- Screen Size: 3.5 inches
- Resolution(HxV): 480x234 dots
- CCFT Backlight
- 2 video inputs
- NTSC/PAL
- Adjustable Brightness and View
- Normal and/or mirror image
- Dimensions(LxHxD): 125mm\*120mm\*80mm
- Easy Installation
- Flip Down or Stand Alone Available

## SV•850

### 8.5" Wide Screen Swivel Video Monitor



- Amorphous Active Matrix TFT Color Monitor
- Japanese Sharp High Quality Panel
- Built-in IR Transmitter for wireless headphones
- Light Weight/Slim Design
- High Resolution Picture (800x600 Dots)
- NTSC/PAL Auto Switch Format
- On Screen Display (OSD)
- Wide Angle Viewing
- Swivel 45 degrees left and right
- Dual Built-in Dome Lights
- Credit Card Size Remote
- Used as Monitor, Car Navigation System or Video Game Console
- 2 Video Inputs for DVD, VHS, GPS, Video Games
- Overhead flip-down with complete mounting hardware
- Contrast ratio: 300:1
- Brightness: 500cd/M2 (NITS)
- Dimensions: 215x218x35 MM

## SV•114F 11.4" Wide Screen TFT ROOF MOUNT SWIVEL VIDEO MONITOR



- Amorphous Active Matrix TFT
- 2 Video Inputs
- OSD On Screen Display
- NTSC/PAL Auto Switching, SECAM
- Built-in Dual Dome Lights
- Overhead Console Bracket
- Multi-Language Menu Support
- Composite Video (RCA Jack) x 2
- Independent Color Video Display System
- Full Function Remote
- High Resolution Picture, Non Reflective TFT
- Very Compact Size
- Adjustable Brightness, Contrast, Color, Tint and Sharpness
- Universal Console Installation
- Low Power Consumption
- Resolution: 800 (H) x 600 (V) =480,000 dots
- Dimensions: 268 (H) x 265 (W) x 40.8 (D) mm



# ROOF MOUNT MONITORS

## SV•154F

15.4" Wide Screen (4:3) TFT ROOF MOUNT SWIVEL VIDEO MONITOR with built in IR TRANSMITTER



- Amorphous Active Matrix TFT
- Built-in IR Transmitter
- 2 Video Inputs
- OSD On Screen Display
- NTSC/PAL Auto Switching, SECAM Available
- Built-in Dual Dome Lights
- Overhead Console Bracket
- Multi-Language Menu Support
- RCA Jack for Easy Installation
- Independent Color Video Display System
- Full Function Remote
- High Resolution Picture, Non Reflective TFT
- Very Light Weight
- Reverse Image Picture
- Adjustable Brightness, Contrast, Color, Tint and Sharpness
- Universal Console Installation
- Low Power Consumption
- Safety Certification: UL, FCC, CE, TUV
- Resolution: 1280 (H) x 3 (RGB) x 768 (V) dots
- Dimensions: 328 (H) x 418 (W) x 38 (D) mm

## SE•5" or 7" Sun Visor

TFT LCD Sun Visor Monitor with light and mirror



- OSD
- 1 video and 1 audio input
- All Function Remote Control
- PAL/NTSC System
- Resolution: 1440x234
- Compact Size

# COMBO UNITS

## SMD•850

8.5" TFT LCD Flip-down Monitor with DVD Player/TV Combo

- 8.5" Sharp diagonal screen
- Audio and Video input
- NTSC/PAL Color System (SECAM optional)
- High Resolution Picture (1440x234 dots)
- Swivel Right and Left
- Built-in Speaker, TV Tuner, and FM Modulator
- DVD, VCD, CD, MP3, CD-R, CD-RW compatible
- Full Function Remote Control, OSD Menu
- Adjustable Brightness, Contrast, Color, Tint and Sharpness
- IR Headphone Transmitter Built-in
- Earphone cable and TV Antenna included
- Dimensions: 11.02x9.055x1.575 inches



## SMD•104 COMBO

10.4" TFT Monitor with DVD Player

- Amorphous Active Matrix TFT
- Full Swivel of Monitor to either direction
- Built-in FM Modulator
- Built-in IR Transmitter
- Wide Screen (Wide: 16:9 or 4:3)
- OSD On Screen Display
- NTSC/PAL
- Built-in Dual Dome Lights
- Mirror Function
- Noise Reduction Feature
- Overhead Console Bracket
- Multi-Language Menu Support
- Independent Color Video Display System
- Full Function Remote
- High Resolution Picture
- Anti-Glare Surface Treatment
- Very Light Weight and Compact Design
- Reverse Image Picture
- Adjustable Brightness, Contrast, Color, Tint and Sharpness
- Universal Console Installation
- Resolution: 800 RGB (W) x 480 (H)
- Safety Certifications: UL, FCC, CE, TUV



## SID•720

7.2" TFT Motorized In-Dash Monitor with DVD and Tuner

- Fully Motorized, Fully Automatic
- Built-in TV Tuner
- Switchable PAL/NTSC System
- Built-in AM/FM Stereo Receiver
- CD Changer Controller
- Audio CD/DVD/VCD/SVCD/MP3 Compatible
- Single DIN & Single Harness Mounting
- 200 Watt (50W x 4CH) & Center 20 Watt
- Clock Display
- AV1, AV2, AV3 (Navigation System), AUX
- Antenna Provided
- Electronic Volume, Bass, Treble, Balance, Woofer Center
- Last Position Memory
- Anti-Shock/Anti-skip Mechanism
- Multi-Audio/Subtitles/Angle
- Full Remote Control
- Picture Reversal for rear camera



### DVD Features

- Compatible for FCD/MP3/CD/CD-R/CD-RW
- Side Vacuum Loader DVD
- Auto Single DVD Play
- Electronic Digital Anti-shock
- Soft Touch Front Panel Controls
- Jumbo LCD Back Lit Display
- High Resolution Output

# SONA PACKAGES

## SVP•700SV

SV•700, SD•700, SI•IR 1600,  
2 Headphones, SI•FM Modulator



- 7" Roof Mount Swivel TFT Monitor
- Smallest Roof Mount in the World
- Amorphous Active Matrix TFT
- Full Swivel of monitor to either direction
- Built-in Dome Lights
- Universal Console Installation
- Multi-Angle Viewing
- 2 Video Inputs
- IR Transmitter
- Infrared Wireless Headphones
- Full Function Remote
- FM Modulator
- OSD On Screen Display
- NTSC/PAL Auto Switching
- Anti-Reflective Glass
- Reverse Image Picture
- Compact Size
- High Resolution Picture
- In-dash DVD Player with multi-angle mounting, 500 line resolution, Last Position Memory, Digital Anti-Shock, Auxiliary Outputs on front

## SVP•154SV

SV•154F, SD•700, 2 Headphones, SI•FM Modulator



- 15.4" Roof Mount TFT Monitor
- Amorphous Active Matrix TFT
- Multi-Angle Viewing
- 2 Video Inputs
- Built-in IR Transmitter
- Infrared Wireless Headphones
- Full Function Remote
- FM Modulator
- OSD On Screen Display
- NTSC/PAL Auto Switching
- Anti-Reflective Glass
- Reverse Image Picture
- Very Light Weight
- High Resolution Picture
- Safety Certification: UL, FCC, CE, TUV
- In-dash DVD Player with multi-angle mounting, 500 line resolution, Last Position Memory, Digital Anti-Shock, Auxiliary Outputs on front

## SVP•850SV

SV•850ESV, SD•700, SI•IR 1600,  
2 Headphones, SI•FM Modulator



- 8.5" Roof Mount Swivel TFT Monitor
- Amorphous Active Matrix TFT
- Built-in Dome Lights
- Japanese Sharp Panel
- Multi-Angle Viewing
- 2 Video Inputs
- IR Transmitter
- Infrared Wireless Headphones
- Full Function Remote
- FM Modulator
- OSD On Screen Display
- NTSC/PAL Auto Switching
- Anti-Reflective Glass
- Reverse Image Picture
- Compact Size
- High Resolution Picture
- Safety Certification: UL, FCC, CE, TUV
- In-dash DVD Player with multi-angle mounting, 500 line resolution, Last Position Memory, Digital Anti-Shock, Auxiliary Outputs on front

## SVP•2x560SE

SE•560, SD•700, SI•IR 1600,  
2 Headphones, SI•FM Modulator



- Two 5.6" Headrest/Stand Alone Wide Screen (16:9) TFT Monitors
- Amorphous Active Matrix TFT
- Compact Headrest Shroud
- Universal Console Installation
- Multi-Angle Viewing
- 2 Video Inputs
- IR Transmitter
- Two Infrared Wireless Headphones
- Full Function Remote
- FM Modulator
- OSD On Screen Display
- NTSC/PAL Auto Switching
- Anti-Reflective Glass
- Compact Size
- Bright Picture
- In-dash DVD Player with multi-angle mounting, 500 line resolution, Last Position Memory, Digital Anti-Shock, Auxiliary Outputs on front

## SVP•104SV

SV•104F, SD•700, 2 Headphones, SI•FM Modulator



- 10.4" Roof Mount Swivel TFT Monitor
- Amorphous Active Matrix TFT
- Full Swivel of monitor to either direction
- Built-in Dome Lights
- Multi-Angle Viewing
- 2 Video Inputs
- Built-in IR Transmitter
- Infrared Wireless Headphones
- Full Function Remote
- FM Modulator
- OSD On Screen Display
- NTSC/PAL Auto Switching
- Anti-Reflective Glass
- Reverse Image Picture
- Compact Size
- High Resolution Picture
- In-dash DVD Player with multi-angle mounting, 500 line resolution, Last Position Memory, Digital Anti-Shock, Auxiliary Outputs on front

## SVP•1240SV

SV•1240, SD•700, 2 Headphones, SI•FM Modulator



- 12.4" Roof Mount Swivel TFT Monitor
- Amorphous Active Matrix TFT
- Full Swivel of monitor to either direction
- Built-in Dome Lights
- Multi-Angle Viewing
- 2 Video Inputs
- Built-in IR Transmitter
- Infrared Wireless Headphones
- Full Function Remote
- FM Modulator
- OSD On Screen Display
- NTSC/PAL
- Anti-Reflective Glass
- Reverse Image Picture
- Compact Size
- High Resolution Picture
- In-dash DVD Player with multi-angle mounting, 500 line resolution, Last Position Memory, Digital Anti-Shock, Auxiliary Outputs on front

# SONA PACKAGES

## SVP•2x701BRSE SE•701BR, SD•700, SI•IR 1600, 2 Headphones, SI•FM Modulator



- Two 7" Headrest/Stand Alone Wide Screen (16:9) TFT Monitors
- Amorphous Active Matrix TFT
- Compact Headrest Shroud
- Universal Console Installation
- Multi-Angle Viewing
- 2 Video Inputs
- IR Transmitter
- Two Infrared Wireless Headphones
- FM Modulator
- Auto Picture Focus
- NTSC System
- Anti-Reflective Glass
- Compact Size
- Independent Color Video Display System
- In-dash DVD Player with multi-angle mounting, 500 line resolution, Last Position Memory, Digital Anti-Shock, Auxiliary Outputs on front

## SVP•2x700SE SE•700, SD•700, SI•IR 1600, 2 Headphones, SI•FM Modulator



- Two (2) - 7" Headrest/Stand Alone Wide Screen (16:9) TFT Monitors
- Amorphous Active Matrix TFT
- Compact Headrest Shroud
- Universal Console Installation
- Multi-Angle Viewing
- 2 Video Inputs
- IR Transmitter
- Two Infrared Wireless Headphones
- Full Function Remote
- FM Modulator
- OSD On Screen Display
- NTSC/PAL Auto Switching
- Anti-Reflective Glass
- Reverse Image Picture
- Compact Size
- Independent Color Video Display System
- In-dash DVD Player with multi-angle mounting, 500 line resolution, Last Position Memory, Digital Anti-Shock, Auxiliary Outputs

# SONA VISION

## DVD PLAYERS

### SD•700

DVD, VCD, DVCD, SVCD, CD, MP-3, CDR, CD-RW Player



- Slot Loading DVD for Multiple Angle Mounting
- In-Dash, Floor & Under Dash Mounting Brackets
- Last Position Memory
- Dolby Pro-logic/DTS Compatible
- Remote Control
- Front Panel AV RCA Inputs
- Auxiliary Audio Output on Mini-Plugs
- S/Video Output
- NTSC/PAL
- Electronically switch from Handheld Remote to Video Games or Camcorders
- Dolby Coaxial Digital Output for SPDIF/RAW or SPDIF/PCM
- Front Panel Infrared Remote Eye
- 19" Infrared Remote Eye
- OSD On Screen Display
- Digital Anti-Shock
- Built-in Screen Saver
- Jumbo LCD Back Lit Display
- Multi Function I/R Remote Control
- 500 Line High Resolution Output
- Multi-Language Menu in 6 Languages
- Four Speed Disc Scan (2 x 4 x 6 x 8 x)
- Frame-by-Frame and Slow Motion Feature
- Dimensions: 178 x 168 x 50 mm

### SD•700T

DVD, VCD, DVCD, SVCD, CD, MP-3, CDR, CD-RW Player  
(This is the same DVD player as the SD•700, but with a built-in Tuner option.)



- Slot Loading DVD for Multiple Angle Mounting
- Built-in Tuner
- In-Dash, Floor & Under Dash Mounting Brackets
- Last Position Memory
- Dolby Pro-logic/DTS Compatible
- Remote Control
- Front Panel AV RCA Inputs
- Auxiliary Audio Output on Mini-Plugs
- S/Video Output
- NTSC/PAL
- Electronically switch from Handheld Remote to Video Games or Camcorders
- Dolby Coaxial Digital Output for SPDIF/RAW or SPDIF/PCM
- Front Panel Infrared Remote Eye
- 19" Infrared Remote Eye
- OSD On Screen Display
- Digital Anti-Shock
- Built-in Screen Saver
- Soft Touch Front Panel Controls
- Jumbo LCD Back Lit Display
- Multi Function I/R Remote Control
- 500 Line High Resolution Output
- Multi-Language Menu in 6 Languages
- Four Speed Disc Scan (2 x 4 x 6 x 8 x)
- Frame-by-Frame and Slow Motion Feature
- Dimensions: 178 x 168 x 50 mm



# ACCESSORIES

## SI•IR1600

### Two Wireless Infrared Headphones with IR Transmitter



- Frequency Response: 20 Hz - 23Hz
- High Frequency Modulation
- Infrared Wavelength: 8445 mm +/-5mm
- Impedance: 32 Ohm +/- 6.4 Ohm
- Effective Range: 10 yards
- Power Source: 2 x AAA batteries
- FM Frequency System Carrier
- Auto Mute Feature on Receiver
- Auto Power Off Volume Control and On/Off Power Switch
- Adjustable Headphone Straps
- Contoured and Designed for Perfect Comfort
- Studio Quality Sealed Ear Piece
- Compatible with DVD/VHS Players

## SI•IRHT

### Single Wireless Infrared Headphone with IR Transmitter



- Frequency Response: 20 Hz - 23Hz
- High Frequency Modulation
- Infrared Wavelength: 8445 mm +/-5mm
- Impedance: 32 Ohm +/- 6.4 Ohm
- Effective Range: 10 yards
- Power Source: 1 x AAA batteries
- FM Frequency System Carrier
- Auto Mute Feature on Receiver
- Auto Power Off Volume Control and On/Off Power Switch
- Adjustable Headphone Straps
- Contoured and Designed for Perfect Comfort
- Studio Quality Sealed Ear Piece
- Compatible with DVD/VHS Players

## SI-IRH

### Single Wireless Infrared Headphone



- Power Source: 1 x AAA batteries
- Auto Mute Feature on Receiver
- Auto Power Off Volume Control and On/Off Power Switch
- Adjustable Headphone Straps
- Contoured and Designed for Perfect Comfort
- Studio Quality Sealed Ear Piece
- Compatible with DVD/VHS Players

## SI•IRT100

### IR Wireless Transmitter



- Frequency Response: 20 Hz - 23Hz
- High Frequency Modulation
- Infrared Wavelength: 8445 mm +/-5mm
- Impedance: 32 Ohm +/- 6.4 Ohm
- Effective Range: 10 yards
- FM Frequency System Carrier
- Studio Quality Enhanced Performance
- Compatible with DVD/VHS Players

## SC•40B

### B/W CMOS MINI CAMERA



- TV system: CCIR/EIA
- Resolution: 240 Lines
- Minimum illumination: 0.5LUX/F=1.2
- Visual angle: 69 degrees
- 12 Volt DC Power consumption
- Professional design applicable for any vehicle
- Wide-angle view image function

## SC•600C

### COLOR CMOS MINI CAMERA



- TV system: PAL/NTSC
- Resolution: 380TV lines
- Minimum illumination: 3LUX/F=1.2
- 12 VDC power consumption
- Professional design applicable for any vehicle
- Wide-angle view image function

## SI•FMM

### Digital PLL Wired FM Modulator



- 2 Frequency Settings Via Slide Switch
- Ground Loop Isolator Circuit
- Auto-switch antenna signal
- Integrated Anti-Howling System
- Shielded Metal Housing for Noise Rejection

## SI•RFW2000

### Wireless 4 Channel FM Modulator



- Connects to VCD, DVD, CD, MP3 players or other audio sources
- Transmits sound to car radio or home stereo
- No messy wiring: live video on TFT-LCD Monitor
- Four channels at 87.7, 88.1, 88.3, and 88.7 MHz
- Stereo audio input
- Operating distance is 30+ feet

## STV•860

### Digital TV Tuner Interface



- Built in high performance PLL FM transmitter
- Built in high performance diversity antenna control circuit for better TV reception
- Infrared remote control
- CATV: 181 channels.
- Five bands FM transmitter frequency control
- Recall : Last channel and volume level memory
- Direct channel selector
- Ten stations memory
- Stereo broadcast reception for NTSC system
- Return function : recall last 2 stations to select
- Last Memory
- OSD
- Two stereo A/V input
- One stereo A/V output



# ACCESSORIES

## MVA3 MULTI-VIDEO AMPLIFIER



- Maintains video levels when using more than one LCD screen for given video signal.
- One video input and 7 balanced outputs
- Small compact size: 1" x 25" x 3.5"

## SI•MVA4 One In & Four Output Video Signal Amplifier/Booster



- Four Individual Output Trimmer Gain Controls
- Shielded Metal Housing for Noise Rejection
- Video Output Gain Control
- One RCA video input
- On/Off Power LED Indicator

## SI•MV404 Digital Video Switcher



- Audio Video Distribution Center
- 4 Inputs to 4 Output Switching Device
- 4 Input to 2 Output Switching Device
- Can Independently switch between 4 different sources to four different monitors
- Highest quality video components to prevent any degradation in the video quality.
- Each video source and corresponding audio (stereo included) is individually controlled.
- All four different Source Selectors have indicators as to which source is being viewed.

## SI•400GPI 600 Watt 12 Volt Power Inverter



- Dual Output 110 Volts
- AC to DC Power Inverter
- 12 V Input
- Thermal Protection
- Short Circuit Protection
- Great Use for Video Games

## SI•150GPI Power Inverter and Game Plate Combo



- AC to DC Power Inverter
- 150 Watt Continuous Power
- Game Port Connector/Adapter
- 12 V Input/110V Output (x2)
- Over/Under Voltage Protection

## SI•GP100 Game Plate Control



- On/Off Power Switch
- Gold Plated RCS/s
- Injection Molded Housing
- Easy Snap-on Mounting System

## SDA•50 Internal Car Antenna



- High Sensitivity/Gain Conductor
- Has Superior Signal Strength
- Equipped with High Gain Conductor
- Small Size
- Can be Mounted on windows of any size
- Compact Design, Easy to Hide, Easy to Install

## SDA•100 Diversity Antenna with Booster



- Channel : VHF 1-12 Ch HF 13-62 Ch
- Power Source:DC13.2 V (10.8- 16V)
- Antenna terminal: 3.5
- Cable 75 Ohm
- High Sensitivity Type
- High Gain Conductor/VHF-UHF
- Booster Included
- Indoor type Diversity Antenna which allows for simple and easy installation
- Flexible Antenna element for ease of installation

## STV•100 Amplified Antenna for TV



- Reception Channels: FM (60-100MHZ)
- VHF (Ch. 2 - Ch. 13)
- UHF (Ch. 14 - Ch. 62)
- High Sensitivity Type
- High Gain Conductor / VHF-UHF
- Indoor type Diversity Antenna which allows for simple and easy installation
- Flexible Antenna element for ease of installation

## SA•MB100 Universal Mounting Bracket for Monitors \* Fully adjustable.



## SSSA•GN100 Universal Mounting Bracket for Monitors \* Flexible 16" Gooseneck



## SA•GN200 Universal Mounting Bracket for Monitors Flexible 21" Gooseneck




# SPEAKERS

## FEATURES

- Superior quality at cost sensitive price points
- Coaxial high-power speakers
- Injected carbon PP cones
- Kapton-Glass Fiber
- Stontium magnet rubber edges
- Various popular sizes available: 4", 4"x6", 5.25" 6.5", 6"x9", 5"x7"



**SV-SPEAKER4030 - 4"**



**SV-SPEAKER4630 - 4x6"**



**SV-SPEAKER5530 - 5.25"**



**SV-SPEAKER5730 - 5x7"**



**SV-SPEAKER6530 - 6.5"**





# SONA VISION



## SONA ELECTRONICS, L.L.C.

WORLDWIDE LEADER IN MANUFACTURING AND  
DISTRIBUTION OF CONSUMER ELECTRONICS

P.O. Box 5370, Concord, NC 28027, USA

Tel: 704.721.7800

Toll Free: 1.866.766.2353

Fax: 704.721.7803

info@sona-vision.com

www.sona-vision.com





## Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>