# **KV-40XBR800**

## **KV-36XBR800**

FD Trinitron® WEGA® Hi-Scan® TV



## **KEY FEATURES**

- FD Trinitron® Picture Tube
- Hi-Scan 1080i<sup>™</sup> Display
- DRC™ MultiFunction V1 Circuitry
- CineMotion™ Reverse 3-2 Pulldown Technology
- MemoryStick® Media Playback (JPEG)\*
- MID™-X (Multi Image Driver-X)
- Flexible Twin-View<sup>™</sup> Two Tuner Picture and Picture
- HD Detailer™ Wideband Video Amplifier
- DVI-HDTV Interface

## **ADDITIONAL FEATURES**

#### **General Features**

- 3D Digital Comb Filter
- ClearEdge VM™ Wideband Velocity Modulation
- 720p Input Capable (Converted to 1080i)
- Auto 16:9 Enhanced Mode (ID-1 Detection 480i/480p)
- 2 HD Capable Component Video Input (Y/Pb/Pr)
- TruSurround® SRS (7.5xx2/15w Subwoofer)
- MemoryStick Media Playback (JPEG)\*
- DVI-HDTV Interface
- Auto SAP
- Auto Mute (Tuner)
- Simulated Surround Sound
- TruSurround® SRS 3D Audio Effect

- Steady Sound® Auto Volume Control
- Fixed/Variable Audio Out
- Speakers On/Off
- Auto Channel Program
- Caption Vision (CC)
- Channel Fix
- · Channel Label
- Channel Skip/Add
- Clock/Timer (Two Event)
- Demo Mode
- Energy Star® Compliant
- Favorite Channel With Preview
- Picture Freeze
- Channel Jump
- On Screen Display English/Spanish/French
- Program Palette™ Presets
- Sleep Timer
- Speed Surf™ Channel Selection
- · V Chip Parental Control

Hi-Scan

**VEGA** 













- Processor Circuitry
- Magnetic Quadra Pole

Dynamic Focus<sup>™</sup> Circuitry

Auto Pedestal Clamp

Auto White Balance

Dynamic Picture™

Tilt CorrectionTrinitone® Color

Video Label

XDS Banner

- Temperature
   Vertical Aperture
- Compensation
   Auto 16:9 Enhanced Mode
- S Video Detection
- Composite Video Input: 3 Rear/ 2 Front
- S Video Input: 2 Rear/1 Front
- RF Input: 2 Rear
- Monitor Out: 1 Rear



## **KV-40XBR800**

## **KV-36XBR800**

FD Trinitron® WEGA® Hi-Scan® TV



## **KEY TECHNOLOGY**



**Hi-Scan 1080i™ Display** Sony's Hi-Scan1080i™ TV's accept the full 1080 interlaced scanning lines (1080i) or 720 progressive scan (720p) from an external HDTV receiver or a compatible high definition digital satellite receiver. It also accepts 480 progressive (480p) scanning lines from compatible DVD video sources.

**Digital Reality Creation (DRC™)-Multifunction V1 Circuitry** The latest version of DRC™ circuitry minimizes the visibility of scanning lines to create a beautiful, smoother picture, while also offering user control over detail and communicate the necessary levels to allow for a customized picture that is optimized for signal quality, viewing conditions and personal preference

**CineMotion™ Reverse 3-2 Pulldown Technology** Is a fixed algorithm irrespective of source which preserves the integrity of movie film frames to create the best possible image

**DVI HDTV Interface (Digital Visual Interface)** Has been added for the latest generation in high definition television connectivity. A single wire delivers a full digital uncompressed HD signal that can be received from a DVI set top box.

Multi Image Driver (MID™-X) With Sony's Twin View™ 2
Tuner Picture and Picture you can watch 2 full motion pictures
side by side. Together, Twin View tuner, and Sony's proprietary
Multi Image Driver-X allows you to view analog along side of
HDTV at the same time on the same screen. Also, with MID™-X
both picture images are improved to 480 progressive image quality.







## **ADDITIONAL FEATURES**

## **Specifications**

## **Inputs and Outputs**

- Composite Video Input: 3 Rear/ 2 Front
- S Video Input: 2 Rear/1 Front
- RF Input: 2 Rear
- Monitor Out: 1 Rear
- DVI-HDTV Interface

#### General

 Power Requirements: AC120V, 60Hz

#### Accessories

#### **Supplied Accessories**

- Instruction Manual
- Remote Control (RM-Y187)
- AA Battery x 2

#### **Optional Accessories**

Television Stand:
 KV-40XBR800 SU-40XBR8
 KV-36XBR800 SU-36XBR8

# Weights & Measures (Approx)

- Dimensions (W x H x D): KV-40XBR800 -
  - 43 1/8 x 33 x 26 1/8 (1093x836x663mm)
- KV-36XBR800 -
- 40 1/8 x 31 1/8 x 25 1/8 1020x790x639mm)
- Weight: KV-40XBR800: 304lbs (138kg).
   KV-36XBR800: 235lbs 14oz (107kg)

©2002 Sony Electronics Inc. All rights reserved. Reproduction in whole or in part without written permission is prohibited. Sony, CineMotion, Hi-Scan, Memory Stick, Hi-Scan1080i, DRC, Digital Reality Creation, Trinitron, HD Detailer, ClearEdge XBR, and WEGA are trademarks of Sony. Dolby Digital is a registered trademark of Dolby Laboratories Licensing Corporation. dts is a registered trademark of Digital Theater Systems, Inc. All other trademarks and loose are properly of their respective owners.

Detailed, Olea Edge Apr., and WEDA are trademinated of only, solidy original as a regulated watermark and ologo are property of their respective owners.

\*All Sony digital still cameras and camcorders except models DSCD-700, DSCD-770, DCR-TRV900, and DSR-PD100A store images on a Memory Stick in the DCF file format, which is required for playback on these televisions. If the image file is renamed or manipulated, the DCF file format must be restored before playback is possible. Images captured on all other digital still cameras and camcorders will need to be formatted on a PC to the DCF file format (with third party software not supplied with the television) before they can be viewed.

Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com