Safety Regulations

You are cautioned that any changes or modifications not expressly approved in this manual could void your authority to operate this equipment.

To reduce the risk of fire or electric shock, do not expose this apparatus to rain or moisture.

To avoid electrical shock, do not open the cabinet. Refer servicing to qualified personnel only.

CAUTION:

As the laser beam used in the DRU-170C is harmful to the eyes, do not attempt to disassemble the cabinet. Refer servicing to qualified personnel only.

The use of optical instruments with this product will increase eye hazard.

The use of controls or adjustments or performance of procedures other than those specified herein may result in hazardous radiation exposure.

This label is located on the top of the drive unit enclosure.

Dieses Etikett befindet sich an der Oberseite des Laufwerksgehäuses.

CAUTION	CLASS 3B VISIBLE AND INVISIBLE LASER RADIATION WHEN OPEN. AVOID DIRECT EXPOSURE TO THE BEAM.	
ATTENTION	RADIATIONS LASER VISIBLES ET INVISIBLES DE CLASSE 3B EN CAS D'OUVERTURE. EVITER TOUTE EXPOSITION DIRECTE AU FAISCEAU.	
VARO!	AVATTUNA LUOKAN 3B NÄKYVÄÄ JA NÄKYMÄTÖNTÄ LASERSÄTEILYÄ. VÄLTÄ SUORAA ALTISTUMISTA SÄTEELLE.	
VARNING	KLASS 3B SYNLIG OCH OSYNLIG LASERSTRÅLNING NÄR DENNA DEL ÄR ÖPPNAD. UNDVIK ATT DIREKT EXPONERA DIG FÖR STRÅLNINGEN.	
ADVARSEL	SYNLIG OG USYNLIG LASERSTRÅLING AF KLASSE 3B VED ÅBNING. UNDGÅ DIREKTE UDSÆTTELSE FOR STRÅLING.	
ADVARSEL	SYNLIG OG USYNLIG LASERSTRÅLING I KLASSE 3B NÅR DEKSEL ÅPNES. UNNGÅ DIREKTE EKSPONERING FOR STRÅLEN.	
VORSICHT	KLASSE 3B SICHTBARE UND UNSICHTBARE LASERSTRAHLUNG WENN GEÖFFNET. DIREKTEN KONTAKT MIT DEM STRAHL VERMEIDEN.	
警 告	通电状态下存在3B类可见/不可见激光辐射 避免直接暴露在发射器光束下	

The DRU-170C is classified as a CLASS 1 LASER PRODUCT. The CLASS 1 LASER PRODUCT label is located at the top of the enclosure.

Bei diesem DRU-170C handelt es sich um ein Laser-Produkt der Klasse 1. Das Etikett mit der Aufschrift LASER KLASSE 1 PRODUKT befindet sich an der Oberseite des Gehäses

CLASS 1 LASER PRODUCT LASER KLASSE 1

LUOKAN 1 LASERLAITE

KLASS 1 LASER APPARAT

- Power-Burn and **Power-Burn** are trademarks of Sony Corporation.
- Pentium is a registrated trademark of Intel Corporation.
- · Microsoft, MS, MS-DOS, Windows, and Windows Vista are registered trademarks of Microsoft Corporation.
- · Other system and product names used herein are registered trademarks or trademarks of their respective manufacturers, although the TM and ® marks are not used in the text.

Before using this device, be sure to read the end-user license agreements for the software provided with your computer.

- Our product warranty is valid only when the supplied accessories (including software) are used in the specified or recommended system environment, in accordance with the documentation, and applies only to this DVD/CD rewritable drive. Our customer service and user support apply only under these product warranty conditions.
- Please note that we cannot accept responsibility for failure of the computer or other devices, incompatibility with special hardware, operating problems caused by improper installation of software, loss of data, discs or other accidental or incidental damage that might occur when using this product.
- The guarantee and user support for this product are valid only within the countries or sales regions specified on the warranty card.
- Copyright laws prohibit the copying in part or in full of the supplied software and documentation, or
- loaning the software, without obtaining permission of the copyright holder. We cannot accept responsibility for any direct or indirect financial damage or loss of profit that might
- occur when using the supplied software. The supplied software can only be used with this product.
- Specifications of the supplied software may be changed without notice in the interest in product improvement.

DVD/CD Rewritable Drive

Product Information

Included Documents

- ☐ Quick Start Guide
- ☐ Electronic manual on the software disc
- ☐ Warranty card (for US and Canada) **☐** Product Information (this document)

DRU-170C

© 2006 Sony Corporation Printed in China P/N: 78199E00003WA

Please refer to this manual together with the "ATAPI Interface Drive User's Guide" in the attached Software Disc, which carries more detailed information.

Reportez-vous au présent manuel ainsi qu'au document intitulé "Lecteur d'interface ATAPI - Guide de l'utilisateur" contenu sur le disque du logiciel accompagnant ce produit pour plus de détails.

Deutsch

Einzelheiten entnehmen Sie bitte diesem Handbuch sowie der "Laufwerk mit ATAPI-Schnittstelle -Anwenderanleitung" auf der mitgelieferten Software-Disc.

Consulte este manual junto con la "Unidad de interfaz ATAPI - Guía del usuario" del disco de software suministrado, que contiene información más detallada.

Fare riferimento al presente manuale insieme a "Guida dell'utilizzatore dell'unità disco con interfaccia ATAPI" nel disco del software allegato, nel quale sono contenute informazioni più dettagliate.

Português

Consulte este manual juntamente com o "Guia do Utilizador do Drive de Interface ATAPI" incluído no disco de software fornecido, para obter informações mais detalhadas.

Nederlands

Raadpleeg deze handleiding alsook de "ATAPI Station-interface -Gebruikershandleiding" op de bijgevoegde Software Disc, die meer gedetaileerde informatie bevat.

Förutom denna bruksanvisning finns mer information i "Brukanvisning för enhet med ATAPI gränssnitt" på den medföljande programskivan.

付属のソフトウェアディスクに収録されている「ATAPIインターフェースドライブ ユーザーズガイド」には、 より詳細な情報を掲載しています。


中文繁體

請參考本使用說明書及隨同軟體光碟一起提供的載有更多資訊的"ATAPI界面驅動器用戶指南"。

中文简体

请参考本使用说明书及随同软件光盘一起提供的载有更多信息的 "ATAPI接口驱动器用户指南"

자세한 내용은 본 사용설명서와 함께 부속된 소프트웨어 디스크의 "ATAPI 인터페이스 드라이브 사용자 가이드" 도 참조하여 주십시오.



Introduction

This product offers the following features.

- ☐ An internal DVD/CD rewritable drive with ATAPI (EIDE) interface for computers.
- ☐ Can be used horizontally or vertically. ☐ The drive can write to DVD+R Double Layer and DVD-R Dual Layer discs.
- ☐ You can write at a maximum of 18× when using high speed DVD+R, DVD-R discs.
- ☐ The drive can write to DVD-RAM discs.
- ☐ Features the **Power-Burn** technology to prevent buffer underrun

System Requirements

The drive should be used with a system that meets the following requirements¹⁾.

- □ PC/AT-compatible computer
- ☐ CPU: Pentium III, 800 MHz or higher (Pentium 4, 2.0 GHz or higher recommended)
- ☐ 256 MB RAM (512 MB RAM for Windows Vista) or more
- 1 GB (10 GB for DVD creation) free hard disk space
- One available EIDE (ATAPI) interface connection with DMA capability²⁾
- One empty 5-inch half-height drive bay One available internal +12 V/+5 V power connector3)
- ☐ Operating system: Windows 2000 Professional SP4 (referred to as Windows 2000 SP4), Windows XP Home Edition SP2/ Windows XP Professional SP2 (referred to as Windows XP SP2), or Windows Vista Home Basic/Windows Vista Home Premium/Windows Vista Business/ Windows Vista Ultimate
- 1) The above requirements the minimum necessary requirements to write to disc normally. Under actual operating conditions, the requirements imposed by your software must also be met. For details, refer to your software documentation.
- 2) The drive does not support connection to an ATAPI interface card. Connect the drive to the IDE (ATAPI) interface connector of your computer's motherboard
- 3) The drive consumes a lot of power when operating at high speeds. You should therefore make sure that the rated power output of the power outlet where you connect all your drives is sufficient to power all the drives, including this one. For details about each drive's power consumption rating, refer to their documentation.

Package Contents

Please verify that the package includes the following accessories with the drive when

If any of these items appears to be missing or damaged, please contact your supplier.

• Drive



- Screws $(\times 4)$
- Product Information (this document)
- Quick Start Guide
- Software disc
- Warranty card (for US and Canada)

independently

Make sure that you back up the supplied software disc on another disc because the software disc is not distributed

Please Record Responsibly

Before copying anything onto a disc, please be sure that you are not violating copyright laws. Most software companies allow you to make a backup or archive copy of software. Check your software's license agreement for details.

DVD region codes

The playback of DVD-Video (DVD discs) is protected and controlled by a region code setting. For the drive to play back DVD-Video, the region code on the DVD disc, the region code of the drive, and the region code of the DVD-Video software must all match.

With this drive, the region code can be set up to five times, including the initial assignment (RPC phase 2 standard). After setting the region code five times, the setting becomes permanent and can no longer be changed. From this point on, you are only able to play

back DVD-Video whose region code matches the one set the fifth time.

Do not attempt to make unauthorized changes to the region code. Any problems resulting from doing so are not covered by the warranty.

You can change the region code of the drive on it's properties dialog box accessible from the Device

Precautions for Use

Avoiding condensation problems

As much as possible, avoid sudden temperature changes. Do not attempt to use the drive immediately after moving it from a cold to a warm location, or raising the room temperature suddenly, as condensation may form within the drive. If the temperature changes suddenly while using the drive, stop using it but keep the power on for at least an hour.

Attention Regarding DualDisc Software

A DualDisc is a two sided disc product which mates DVD recorded material on one side with digital audio material on the other side.

However, since the audio material side does not conform to the Compact Disc (CD) standard, playback on this product is not guaranteed.

Specifications

Compatible discs	Read	Write
	(max.)	(max.)
DVD+R	16×-CAV	18×-CAV
DVD+R Double Layer	12×-CAV	$8 \times - ZCLV$
DVD+RW	13×-CAV	$8 \times - ZCLV$
DVD-R	16×-CAV	18×-CAV
DVD-R Dual Layer	12×-CAV	$8 \times - ZCLV$
DVD-RW	13×-CAV	6×
DVD-RAM $(5\times)^{1)}$	$5 \times$	
DVD-RAM $(12\times)^{1)}$	12×-PCAV	12×-PCAV
DVD-ROM	16×-CAV	_
DVD-Video	16×-CAV	_
CD-R	48×-CAV	$48 \times -CAV$
CD-RW	40×-PCAV	$4\times$
CD-RW(High Speed)	40×-PCAV	10×
CD-RW(Ultra Speed)	40×-PCAV	24×-ZCLV
CD-RW(Ultra Speed Plus)	40×-PCAV	32×-ZCLV
CD-ROM	48×-CAV	_
$CD-DA^{2)}$	10×-CAV	_
CD-DA (DAE)	40×-PCA	V –
Disc diameters		
DVD 12 cm	✓	✓
8 cm ³⁾	✓	_
CD 12 cm	✓	~

¹⁾ Use a non-cartridge-type disc or a cartridge from which the

 $^{^{2)}\,\}mbox{This}$ product is designed to playback discs that conform to the Compact Disc (CD) standard. Recently, various music discs encoded with copyright protection technologies are marketed by some record companies. Please be aware that among those discs, there are some that do not conform to the CD standard and may not be playable by this product. When you use this unit as an audio CD player, please use compact discs with the following mark.



³⁾ With 8 cm discs, you must place the drive horizontally.

Drive

Data transfer rate

8 cm³⁾

DVD: 24.9 MB/s (18× speed⁴⁾) CD: 7.2 MB/s (48× speed4))

Access time

Average random stroke Approx. 160 ms (DVD) Approx. 140 ms (CD)

Buffer under-run error protection

Power-Burn technology

Operating Environment

5 to 40 °C

Power and Miscellaneous

Power source

DC +5 V 1.6 A max. DC +12 V 1.8 A max.

Approx. $146 \times 41.3 \times 170 \text{ mm (W}\times\text{H}\times\text{D)}$ (excluding front panel)

Weight Approx. 0.7 kg (drive only)

Laser

CD

Wavelength: 783 nm

Output power (max): 100 mW (CW)

DVD

Wavelength: 658 nm

Output power (max): 100 mW (CW)

Interface

Drive interface

ATAPI (EIDE)-compliant

Buffer capacity

2 MB

Drive product number (Inquiry)

SONY DVD RW AW-G170A

Design and specifications are subject to change without notice.

Product and Support Information

Sony Global Sites Information (As of February, 2007)

Product purchased in the USA:* http://sony.storagesupport.com/

Product purchased in Canada: http://www.sony.ca/

Product purchased in Singapore: http://www.sony-asia.com/storage/ **About the Bundled Writing Software**

Detailed information about the supplied writing software is available on the Web sites of the software manufacturers and software distributors. (Accessible from the links in each software application)

Technical Support

Please consult the Sony global sites listed before calling with questions about using this product, or with technical questions about the drive or the supplied software. If using telephone or e-mail support, please have the following information available:

- Model number: DRU-170C
- Serial number
- Date and place of purchase
- Computer maker and model number • Computer specifications (CPU speed, memory size, OS version, etc.)
- Writing software used (version, etc.)

Local technical support is only available in the specified sales regions. The customers in these regions should be provided with a warranty card for this product. For contact information, refer to the warranty card.

Note that technical support conditions may vary according to the locality, and that charges and/ or limited service may apply in some regions.

⁴⁾ Maximum data transfer rate depends on the capabilities of the host computer.

^{*} Local Web sites for computer peripheral products

Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com