

# DPF-D1010

Beautifully display your favorite photos with the easy-to-use 10"1 LED backlit digital photo frame. View your photos as single images or as a slideshow using fun transition effects. There's room to store up to 200 of your best photo memories.



## **Bullets**

- Display your photos on the 10"1 WVGA LCD (16:10)
- Remote control
- 128MB<sup>2</sup> internal memory (save up to 200 2MP photos)
- LED backlight
- Mini USB-B<sup>3</sup> for PC connection and transfers
- Multi card/USB slots (MS, MS Duo, SD, SDHC)<sup>4</sup>
- Remote control
- Variety of slide show and transition options
- Auto image rotation based on frame orientation
- Clock, calendar, and index mode
- Multiple Auto Power On/Off settings
- Sony® logo On/Off setting

## **Features**

## 10"1 LCD

Enjoy your favorite memories of family and friends in vibrant color and crisp detail on the 10"1 LCD. The screen's 800 x 480 resolution and 16:10 aspect ratio make your photos come to life.

### Remote control

Convenient operation using the included remote control.

## 128MB<sup>2</sup> memory

Your kid's entire Little League season. Your cross-country road trip. With space for up to 200 photos, the frame has enough room for many memorable events.

### PC connection

Don't keep your favorite pictures and movies hidden away on your computer. Put them out where everyone can see and enjoy them. The frame connects directly to your PC via a mini USB<sup>3</sup> cord for quick and easy transfers of your photo memories.

## Multi-card slots

Simply plug in a USB thumb drive or camera memory card directly into the frame. You can start enjoying your photos in seconds. Compatible with Memory Stick, Memory Stick Duo, SD, and SDHC<sup>4</sup> memory cards. function

#### LED backlight

LED backlight to save energy

## **Slideshows**

Display your photos as single images, or as engaging slideshows with your choice of creative transition effects. The thumbnail index view lets you quickly scroll through all your shots to find just the ones you're looking for.

#### Image rotation



Whether you choose to display your frame vertically or horizontally, the Auto Orientation sensor will rotate your photos into portrait or landscape format — automatically.)

## Clock and calendar modes

The frame makes a beautiful — and practical — addition to your living room, office or kitchen. Clock and calendar functions show the current date or time right along with your pictures.

# Multi auto timer

Multiple power On/Off settings

## Sony® logo

Sony® backlight logo can be turned on or off

# **Specifications**

| Optics/Lens                            |  |  |
|--|--|--|
| Pixels                                 | Max pixels<br>available to<br>decode and print:<br>48 mega pixels  |  |
| Dimensions (Approx.)                   |  |  |
| Dimensions<br>(Approx.)                | Photo Frame:<br>Approx. W:11,54<br>x H:7.68 x D:1.06"<br>(W:293 x H:195<br>x D:26.9mm);<br>Including Stand:<br>Approx. W:11,54<br>x H:7.68 x D:4.6"<br>(W:293 x H:195 x D:<br>116.91mm)" |  |
| Weights and                            | Measurements   |  |
| Weight<br>(Approx.)                    | 22.2oz (629.3g)<br>without AC<br>adaptor   |  |
| Power                                  |  |  |
| Power<br>Consumption<br>(in Operation) | approx. 10.0W<br>(max) including<br>the AC adaptor   |  |
| AC Power                               | AC100-240V<br>(50/60Hz),<br>0.3A(MAX)  |  |
| Power<br>Requirements                  | DC12V, 1.5A  |  |
| Inputs and C                           | Outputs  |  |
| USB Port(s)                            | - USB Mini-B/USB-A<br>(Hi-speed)br-  |  |
| General                                |  |  |
| Action Buttons                         | Power; Up and<br>Down arrows;<br>Enter; Menu, View<br>Mode; Back   |  |
| Function                               | Delete, Zoom (-),<br>Zoom (+), Rotate<br>image, Auto<br>Touch Up, Image<br>display setting(Fit<br>to screen/Full<br>Image), and<br>Placement   |  |
| Operating C                            | onditions  |  |
| Storage<br>Temperature                 | -20 degrees C -<br>+60 degrees C   |  |
| Hardware                               |  |  |

| Media &<br>Modes<br>Supported        | Compatible Memory Card: Memory Stick; Memory Stick PRO; Memory Stick PRO; Memory Stick PRO Duc; HighSpeed Memory Stick; HighSpeed Memory Stick; HighSpeed Memory Stick Duc; Memory Stick Micro (M2)(with optional adaptor); MagicGate Memory Stick; MagicGate Memory Stick Duc; Memory Stick PRO-HG Duo (8-bit parallel transfer of "Memory Stick PRO-HG Duo" is not supported); SD card; mini SD card(with optional adaptor); micro SD card(with optional adaptor); SDHC card; mini SDHC card(with optional adaptor); micro SDHC card(with optional adaptor); MMC; RS-MMC (with optional adaptor); MMC; RS-MMC (with optional adaptor); MMC; RS-MMC (with optional adaptor); MMC Plus |
|--------------------------------------|--|
| Output(s)                            |  |
| System<br>Requirements               | Microsoft®<br>Windows 7,<br>Windows Vista®<br>SP2, Windows® XP<br>SP3 , pre-installed<br>Macintosh Mac<br>OS X (10.4 or later)   |
| Memory                               |  |
| User Memory<br>Capacity<br>(Approx.) | Internal Memory<br>Capacity: 128MB;<br>Capacity for<br>photo image<br>area: 80MB;<br>Maximum number<br>of photo stored:<br>200; Ability to copy<br>from memory<br>card to internal<br>memory and<br>internal memory<br>to memory card.   |
| Display                              |  |
| Aspect Ratio                         | 16:10  |

| Format(s)<br>Supported | JPEG, TIFF (Exif Ver<br>2.21 compatible,<br>BMP (1, 4, 8, 16,<br>24, 32 bit Windows<br>format) and RAW<br>(preview only: SRF,<br>SR2, ARW) |  |
|------------------------|--|--|
| Panel Type             | LCD Panel size:10"<br>(panel diagonal)   |  |
| Playback               | Still Image<br>Playback;<br>Slideshow<br>Playback (10  |  |
| Resolution             | WVGA 800 x 480   |  |
| Screen Size            | 10″¹   |  |
| System Requirements    |  |  |
| Processor              | Windows PC or compatible*  |  |
|                        | Macintosh  |  |
| USB Port               | Macintosh  To connect to a computer, optional USB cable required. (Mini B, within 2m)  |  |
| USB Port Accessories   | To connect to<br>a computer,<br>optional USB cable<br>required. (Mini B,   |  |



- 1. Viewable area, measured diagonally.
- 2. These numbers are approximate and may vary. Actual usable memory capacity is 80MB because a portion of memory is used for data management purposes.
- 3. USB input requires optional USB cable, sold separately.
- 4. Some cards required an adaptor, sold separately.

© 2010 Sony Electronics Inc. All rights reserved. Reproduction in whole or in part without written permission is prohibited. Features and specifications are subject to change without notice. All Weights and measures are approximate. Sony, Memory Stick, Memory Stick Duo and S-Frame are trademarks of Sony. All other trademarks are trademarks of their respective owners. Lamp in this product contains mercury. Disposal of these materials may be regulated due to environmental considerations. For disposal or recycling information, please contact your local authorities or the Electronic Industries Alliance(www.eiae.org). / Updated: January 18, 2012

Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com