SONY


System

Operating Instructions

DVD Home Theatre

4-299-353-12(1)

WARNING To reduce the risk of fire or electric shock, do not expose this apparatus to rain or moisture To reduce the risk of fire or electric shock, do not expose this apparatus to dripping or splashing, and do not place objects filled with liquids, such as vases, on the apparatus. To reduce the risk of fire, do not cover the ventilation opening of the apparatus with newspapers, tablecloths, curtains, etc. Do not place the naked flame sources such as lighted candles on the apparatus. As the main plug is used to disconnect the



sunshine, fire or the like. The unit is not disconnected from the mains as long as it is connected to the AC outlet. even if the unit itself has been turned off. To prevent injury, this apparatus must be securely attached to the floor/wall in accordance with the installation instructions Indoor use only.

CAUTION

The use of optical instruments with this product will increase eye hazard.

Playable Discs

DVD

CD

©2012 Sony Corporation Printed in China

GB

DAV-TZ140

HOMI

Trademarks

Thomson.

This system incorporates with Dolby* Digital and Dolby Pro Logic adaptive matrix surround decoders. * Manufactured under license from Dolby

Laboratories. Dolby, Pro Logic, and the double-D symbol are trademarks of Dolby Laboratories.

This system incorporates High-Definition Multimedia Interface (HDMI™) technology. HDMI, the HDMI Logo, and High-Definition Multimedia Interface are trademarks or registered trademarks of HDMI Licensing LLC in the United States and other countries.

"PlayStation" and "PS3" are registered trademarks of Sony Computer Entertainment Inc.

"BRAVIA" is a trademark of Sony Corporation.

MPEG Layer-3 audio coding technology and patents licensed from Fraunhofer IIS and

Windows Media is either a registered trademark or trademark of Microsoft Corporation in the United States and/or other countries. This product contains technology subject to certain intellectual property rights of Microsoft. Use or distribution of this technology outside of this product is prohibited without the appropriate license(s) from Microsoft.

ABOUT MPEG-4 VISUAL: THIS PRODUCT IS LICENSED UNDER THE MPEG-4 VISUAL PATENT PORTFOLIO LICENSE FOR THE PERSONAL AND

NONCOMMERCIAL USE OF A CONSUMER FOR DECODING VIDEO IN COMPLIANCE WITH THE MPEG-4 VISUAL STANDARD ("MPEG-4 VIDEO") THAT WAS ENCODED BY A CONSUMER ENGAGED IN A PERSONAL AND NONCOMMERCIAL ACTIVITY AND/OR WAS OBTAINED FROM A VIDEO PROVIDER LICENSED BY MPEG LA TO PROVIDE MPEG-4 VIDEO. NO LICENSE IS GRANTED OR SHALL BE IMPLIED FOR ANY OTHER USE. ADDITIONAL INFORMATION INCLUDING THAT RELATING TO PROMOTIONAL, INTERNAL AND COMMERCIAL USES AND LICENSING MAY BE OBTAINED FROM MPEG LA, LLC. SEE http://www.mpegla.com/

All other trademarks are trademarks of their respective owners.

About these Operating

Instructions

DVD-RW/DVD-R

automatically.

• DVD-R/DVD-RW/DVD+R/DVD+RW in VR (Video Recording) mode "DVD" may be used as a general term for a • CPRM (Content Protection for Recordable DVD VIDEO, DVD+RW/DVD+R, and Media)-compatible DVD-R/RW containing content flagged as "Copy once."

The system enters standby mode Notes on discs

This product is designed to playback discs When the system is in pause, stop, open, or that conform to the Compact Disc (CD) no disc mode, the system will enter standby standard. DualDiscs and some music discs mode automatically after 30 minutes. encoded with copyright protection technologies do not conform to the Compact Disc (CD) standard. Therefore, these discs

CLASS 1 LASS 1 LASER PRODUC UOKAN 1 LASERLAITE ASER product. ASS 1 LASERAPP This marking is located on the rear exterior.

For European models

Notice for customers: The following information is only applicable to equipme sold in countries applying EU directives. The manufacturer of this product is Sony Corporation, 1-7-1 Konan Minato-ku Tokyo, 108-0075 Japan. The Authorized Representative for EMC and product safety is Sony Deutschland GmbH, Hedelfinger Strasse 61, 70327 Stuttgart, Germany. For any service or guarantee matters please refer to the addresses given in separate service or guarantee documents.

This appliance

classified as a

This equipment has been tested and found to comply with the limits set out in the EMC Directive using a connection cable shorter than 3 meters. (European models only)

For the customers in the USA

Owner's Record The model and serial numbers are located on the rear exterior of the unit. Record these numbers in the space provided below. Refer to them whenever you call upon your Sony dealer regarding this product.

Model No. DAV-TZ140 Serial No.

2

available

switch.

DVD-VIDEO

DVD-R/DVD-RW

DVD+R/DVD+RW

CD-DA (Music CD)

DVD-ROM

CD-ROM

CD-R/CD-RW

VIDEO CD

Super VCD

A CD or DVD will not play if it has not been

correctly finalized. For more information,

with the recording device.

Blu-ray Discs

HD DVDs

• DVD-RAMs

DVD Audio discs

• Super Audio CDs

• Data track of CD-Extras

Audio material side on DualDiscs

may not be compatible with this product.

• PHOTO CDs

Discs that cannot be played

refer to the operating instructions supplied

The following FCC statement applies only to the version of this model manufactured for sale in the USA. Other versions may not comply with FCC technical regulations.

Note on playback operations of a DVD

Some playback operations of a DVD may be

Since this system plays a DVD according to

designed, some playback features may not be

the disc contents the software producers

The playback picture and sound may be

momentarily interrupted when the layers

Your system has a region code printed on the

rear of the unit and will only play a DVD

VIDEO (playback only) labeled with an

You can play only the first session of a

Note about double-layer DVDs

Region code (DVD VIDEO only)

identical region code or

multisession disc

Note about Multi Session CD

intentionally restricted by software producers.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user

is encouraged to try to correct the interference by one or more of the following measures: - Reorient or relocate the receiving antenna - Increase the separation between the

equipment and receiver. - Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

- Consult the dealer or an experienced radio/ TV technician for help. CAUTION

NOTE:

You are cautioned that any changes or modifications not expressly approved in this manual could void your authority to operate this equipment. Important Safety Instructions

1) Read these instructions. 2) Keep these instructions. 3) Heed all warnings. 4) Follow all instructions. 5) Do not use this apparatus near water. 6) Clean only with dry cloth.

7) Do not block any ventilation openings Install in accordance with the manufacturer's instructions.

Playable Types of Files

Video File format Extensions ".mp4," ".m4v" MPEG4 Video1 Xvid Video² ".avi" Music File format Extensions MP3 (MPEG1 Audio ".mp3" Layer 3)3 WMA⁴⁾ ".wma" AAC 5 ".m4a" Photo File format Extensions JPEG ".jpg," ".jpeg," ".jpe" 1) AVC is not compatible. 2) Unavailable on US models. 3) MP3PRO format is not compatible 4) WMA DRM, WMA Lossless or WMA PRO format are not compatible. 5) AAC DRM and AAC Lossless formats are not supported. Note · Some files may not play depending on the format, the encoding, or recording condition • Some USB devices may not work with this system.

• The system supports ISO 9660 Level 1/

- Level 2, or Joliet in DATA CD.

- The system supports FAT12, FAT16, and
- FAT32 in USB device.
- The system can recognize the following files or folders in DATA DVD, DATA CD and USB device: - up to 300 folders - up to 648 files

8) Do not install near any heat sources such as radiators, heat registers, stoves, or other apparatus (including amplifiers) that produce heat.

9) Do not defeat the safety purpose of the polarized or grounding-type plug. A polarized plug has two blades with one wider than the other. A grounding type plug has two blades and a third grounding prong. The wide blade or the third prong are provided for your safety. If the provided plug does not fit into your outlet, consult an electrician for replacement of the obsolete outlet. 10) Protect the power cord from being walked on or pinched particularly at plugs, convenience receptacles, and the point where they exit from the apparatus. 11) Only use attachments/accessories specified by the manufacturer. 12) Use only with the cart, stand, tripod,

bracket, or table specified by the manufacturer, or sold with the apparatus. When a cart is used, use caution when moving the cart/apparatus combination to avoid injury from tip-over.



of time

3

13) Unplug this apparatus during lightning storms or when unused for long periods 14) Refer all servicing to qualified service personnel. Servicing is required when the apparatus has been damaged in any way, such as power-supply cord or plug is

This symbol is intended to alert the user to the presence of uninsulated -**o** "dangerous voltage" within the on the packaging indicates that the battery product's enclosure that may be of sufficient provided with this product shall not be

Europe Only

treated as household waste.

This symbol is intended to alert the user to the presence of important operating and maintenance (servicing) instructions in the literature accompanying the appliance

For North American, Mexican,


magnitude to constitute a risk of electric

and Brazilian models

/7\

shock to persons.

For the customers in Europe, **Russia and Australia**



This symbol on the product or on its packaging indicates that this product shall not be treated as household waste. Instead it shall be handed over to the applicable collection point for the recycling of electrical and electronic equipment. By ensuring this product is disposed of correctly, you will help prevent potential negative consequences for the environment and human health, which could otherwise be caused by inappropriate waste handling of this product. The recycling of materials will help to conserve natural resources. For more

detailed information about recycling of this

Office, your household waste disposal service

or the shop where you purchased the product.

product, please contact your local Civic

Applicable accessories: Remote Control

Unpacking

Main unit (1)

Checking the supplied items

battery. The recycling of the materials will help to conserve natural resources. In case of products that for safety, performance or data integrity reasons require a permanent connection with an incorporated battery, this battery should be replaced by qualified service staff only. To ensure that the battery will be treated properly, hand over the product at end-of-life to the applicable collection point for the recycling of electrical and electronic equipment. For all other batteries, please view the section on how to remove the battery from the product safely. Hand the battery over to the applicable collection point for the recycling of waste batteries. For more detailed information about recycling of this product or battery, please

Disposal of waste batteries (applicable in the Europear

Union and other European

This symbol on the battery or

countries with separate

collection systems)

On certain batteries this symbol might be

used in combination with a chemical symbol.

The chemical symbols for mercury (Hg) or

more than 0.0005% mercury or 0.004% lead.

By ensuring these batteries are disposed of

correctly, you will help prevent potentially

negative consequences for the environment


and human health which could otherwise be

caused by inappropriate waste handling of the

lead (Pb) are added if the battery contains

contact your local Civic Office, your household waste disposal service or the shop where you purchased the product.

Remote commander



damaged, liquid has been spilled or


has been dropped.

objects have fallen into the apparatus, the

moisture, does not operate normally, or

apparatus has been exposed to rain or

- the memory capacity of the USB device that you are using is very large. - the memory of the USB device that you



(remote) (1) • FM wire antenna (aerial) (1) • R6 (size AA) batteries* (2) • Subwoofer (1) Video cord** (1) • High Speed HDMI cable** (1) • Operating Instructions

4


Speakers (5)

(this manual) * U.S. models only

** High Speed HDMI cable and video cord are included only in certain areas.

Preparing the remote control

Insert two R6 (size AA) batteries by matching the \oplus and \odot ends on the batteries to the markings inside the compartment



8

Connecting the Speakers

Caution Do not use any speakers other than those supplied with this system

5

Connecting your TV

Depending on the jacks on your TV or set-top box, select the video and audio connection method.

When connecting a TV and set-top box/PlayStation®3 The TV bes AU

*1 Supplied only in certain areas. This is the basic connection via video cord (yellow) *2 Supplied only in certain areas. Picture quality will be improved compared to a

jacks, TV sound does not output via this

Connecting the FM wire antenna

Speakers on a Wall

Caution Contact a screw shop or installer for Depth of fastened screw

12

When Installing the


2 Fasten the screws to the wall, then hang the speaker on the wall.


7

video cord.


(aerial)

• The system supports UDF (Universal Disk Format) in DATA DVD.





 $\overline{}$



information regarding the wall material or screws to be used. • Use screws that are suitable for the wall material and strength. As a plaster board

wall is especially fragile, attach the screws securely to a beam. Install the speakers on a vertical and flat wall where reinforcement is applied. • Sony is not responsible for accidents or


damage caused by improper installation, insufficient wall strength or improper screw installation, natural calamity, etc.


1 Prepare screws (not supplied) that are suitable for the hole on the back of each speaker. See the illustrations below

4 mm (3/16 inch) 30 mm (1 3/16 inches)

Hole on the back of the speaker

5 mm (7/32 (7/32 inch) - 10 mm (13/32 inch)





Note Find a location and an orientation that provide good reception, and then set up the antenna • Set up the antenna away from the AC power cord (mains lead), other cables, and metal objects such as windows.

11

15

Color System Setup

1 Connect the AC power cord (mains lead). 2 Turn on the power of the main unit and TV.



- 3 Press FUNCTION repeatedly or DVD/ CD to switch the function to DVD/CD. Playback starts automatically if a disc with an auto playback function is loaded. Press twice to stop playback.
- 4 Switch the input selector on your TV to display "Home Theatre System."
- 5 Press SETUP in stop mode. The Setup Menu appears.
- 6 Press ←/→ repeatedly to select [Preference Page], then press 🕀. 7 Press ↑/↓ repeatedly to select [TV
- Type], then press (+) 8 Press ↑/↓ repeatedly to select [PAL]
- or [NTSC] from the displayed list, then press 🕀 9 Press SETUP to turn off the Setup
- Menu. Note
- The display on the TV screen may be interrupted momentarily after changing the color system as described above.

1 2 FUNCTION 1 I/U (on/standby) Selects the playback source. Turns on the unit, or sets it to standby mode 3 VOLUME -/+ Adjusts the system's volume 2 Play operation buttons ▲ (open/close) 4 🖞 (USB) port Opens or closes the disc tray. Used for connecting a USB device (play) 5 Disc tray Starts or re-starts playback (resume play). (stop) 6 Front panel display Stops playback and remembers the stop 7 🖪 (remote sensor)


point (resume point). The resume point for a title/track is the last point you played.

Rear panel

Parts and Controls

Front panel

SONY



3

SONY
TUNING- TUNING+ SHIFT
PRESET- PRESET+
SETUP ODISPLAY
VOLUME
DVD DVD MENU MUTING
REPEAT SURROUND EQ PROGRAM O SLEEP AUDIO SUBTITLE ANGLE
4 5 6 TV/ CABLE AUDIO ^o IN FUNCTION 7 8 9
1 2 3 DVD/CD FM USB

Remote control

SHIFT Press and hold this button to use buttons with purple text labels. TV INPUT* Switches the TV's input source between the TV signal and other input sources

14

AV SYSTEM

Turns on the system or sets it to standby
mode.
Function selection buttons
Select the playback source.
DVD/CD
FM
USB
TV/CABLE
FUNCTION
Selects the functions in sequence.
REPEAT
Activates repeat/shuffle playback mode.
SURROUND
Selects surround audio output mode.
EQ
Selects equalizer mode.
AUDIO
Selects the audio format/track and FM mode.
SUBTITLE
Selects the subtitle language when
multilingual subtitles are available.
ANGLE
Switches to other viewing angles when multi-
angles are recorded on a DVD VIDEO.
Number buttons
Enter the title/chapter numbers, preset radio
stations, etc.
PROGRAM
Activates program play and presets radio
stations.
SLEEP
Sets the sleep timer.
DVD TOP MENU
Opens the DVD's Top Menu

BRAVIA Sync

ONE-TOUCH PLAY

I/也 (on/standby)

Activates One-Touch Play

Turns on the TV or sets it to standby mode

TV I/() (on/standby)*

JVD MENU Opens or closes the DVD's menu MUTING Turns off the sound temporarily. (↑/↓/→) Moves the highlight to a displayed item. (ENTER) Enters the selected item. VOLUME +/-Adjusts the volume SETUP Opens or closes the setup menu. DISPLAY Opens or closes the Display Menu. TIME Switches time information during playback. Playback operation buttons I (previous/next) ✓</> → (fast reverse/fast forward) ✓I/I► (slow) Activates slow reverse/slow forward when ✓ is pressed in pause mode. (pause) ► (play) (stop) **Radio operation buttons** PRESET +/-TUNING +/-Works with Sony TVs only. Depending on your TV, you may not be able to use some of the button Note AUDIO IN This button does not work.

Opens the DVD's Top Menu

Continued -----

16

Playing a Disc


1 Press DVD/CD. You can also select this function by


pressing FUNCTION repeatedly. 2 Press ≜ to open the disc tray.

3 Place a disc on the tray, then press ▲.



With the label side up.





3 Press ↑/↓ to select a folder, then press 🕀 and select a file.

Playing Files on a Disc/USB

You can also select the function by

Place a disc on the tray by pressing \triangleq to

Connect a USB device to the ψ (USB)

pressing FUNCTION repeatedly.

Device

1 Press DVD/CD or USB.

2 Load the source.

For a disc

port.

DVD/CD: For a disc.

open/close the disc tray.

For a USB device

• USB: For a USB device.

4 Press ► to start playback. 5 Press VOLUME +/- to adjust the

Note

17

panel display.

or track.

repeatedly.

• Do not remove the USB device during operation. To avoid data corruption or damage to the USB device, turn the system off when connecting or removing the USB device.

Convenient Functions

About the Control for HDMI function ("BRAVIA" Sync)

To view information about the You can control a TV compatible with the Control for HDMI function by connecting it disc to the system via an HDMI cable. You can check the playing time and remaining time of the current title, chapter,

Available features One-Touch Play

With one touch of ONE-TOUCH PLAY on the remote control, the system and your TV automatically turn on and the TV's input is switched to the system; playback of a disc starts automatically. • System Power Off When you turn the TV off by using the I/\bigcirc button on the TV's remote control or TV I/⁽¹⁾ on the system's remote control, the system turns off automatically. System Audio Control You can switch the audio output to either

the TV speakers or this system's speakers via the TV's menu.

Sleep timer

You can set the system to turn off at a preset time, so you can fall asleep listening to music.

Press and hold SHIFT, then press SLEEP. Each time you press this button, the minute

display (the remaining time) changes by 10 minutes. A countdown of the last 20 seconds until the

unit turns off appears in the front panel display.

To check the remaining time

Press and hold SHIFT and SLEEP for 3 seconds. The remaining time until the unit turns off appears in the front panel display.



Precautions

On placement • At high volume, over long periods of time, the cabinet becomes hot to the touch. This

 Do not use cleaning discs or disc/lens cleaners (including wet or spray types). These may cause the apparatus to malfunction

susceptible to this.

On moving the system

On handling discs

(mains).

the car.

On cleaning discs

cleaning cloth.

Before moving the system, make sure that

there is no disc inserted, and remove the AC

power cord (mains lead) from the wall outlet

• To keep the disc clean, handle the disc by

• Do not expose the disc to direct sunlight or

heat sources such as hot air ducts, or leave

it in a car parked in direct sunlight as the

temperature may rise considerably inside

its edge. Do not touch the surface.

• Before playing, clean the disc with a

Wipe the disc from the center out.

• Do not use solvents such as benzine,

thinner, commercially available cleaners, or

anti-static spray intended for vinyl LPs.

• Do not stick paper or tape on the disc.

On cleaning discs, disc/lens cleaners

To cancel the sleep timer function Press and hold SHIFT, then press SLEEP

Press and hold SHIFT, then press TIME

press TIME while playing the disc, the

Each time you press and hold SHIFT, then

displayed item changes depending on the

- You can make various adjustments to items repeatedly until "OFF" appears in the front such as picture and sound Displayed items vary depending on the country model.
 - The default setting is underlined. 1 Press DVD/CD, then eject the disc.
 - 2 Press SETUP. The setup menu appears
 - 3 Press ←/→ to select one of the setup menu categories, then press (+) 4 Press ↑/↓ to select a setup item, then
 - press → or (+). 5 Select the option you wish to change and press 🕀 to confirm and go back

Other Playback Operations

Press ANGLE during playback to select the

Press SUBTITLE during playback to select

the desired subtitle language. (This applies to

Press AUDIO repeatedly during playback

formats (PCM, Dolby Digital, or MPEG

multilingual tracks, you can also change

- With a VIDEO CD or CD, you can select

the sound from the right or left channel

channel through both the right and left

and listen to the sound of the selected

To play a VIDEO CD with PBC

When you start playing a VIDEO CD with

PBC (Playback control) functions, the menu

In stop mode, press and hold SHIFT, then

Using the Setup Display

press the number buttons to select the track

audio), you can change the audio format. If

desired angle. (This applies to DVD VIDEOs

To change angles

To display subtitles

To change the sound

to select the desired audio signal.

- When the system is playing a DVD

VIDEO recorded in multiple audio

the DVD VIDEO is recorded with

DVD VIDEOs only.)

the language

speakers.

functions

for your selection appears.

number vou want.

To play without using PBC

only.)

To search for a title/chapter/

1 Press T DISPLAY during play.

2 Press ↑/↓ to select an option, then

number buttons to jump to the

1 Press 🖱 DISPLAY during play.

The Display Menu appears on the TV

Press and hold SHIFT, then press the

The selection display appears on the TV

number buttons to select the desired

The selection display appears on the TV

number buttons to select the desired

2 Press and hold SHIFT, then press the

To play in programmed order

Select the tracks to play in the order you want

The Program Menu display appears on

2 Press and hold SHIFT, then press the

3 Press ←/↑/↓/→ to select [Start] to play

[4:3 Letter Box]: Displays a wide picture with

[4:3 Pan Scan]: Displays a full-height picture

on the entire screen, with trimmed sides.

[OSD Lang] (On-Screen Display)

TV screen.

cable

cable.

[Off]: Off.

connection

automatically

[HDMI Audio]

[Control for HDMI]

You can switch the display language on the

This function is available when you connect

the system and a TV that is compatible with

[On]: You can operate mutually between

the Control for HDMI function via an HDMI

components that are connected via an HDMI

This setting is only required if you are using

[Off]: Turns off HDMI audio output. You can

[All]: The HDMI audio output format will be

same as the audio stream being played. If the

plavback audio format is not supported, the

audio output will be changed to PCM

[PCM]: HDMI audio output will be

downmixed to linear PCM (2-channel).

still enjoy sound output via the speaker

the HDMI OUT jack for an audio

black bands on the top and bottom

number buttons to select the desired

1 Press and hold SHIFT, then press

2 Press and hold SHIFT, then press the

When playing a video/music/photo file

1 Press 🖱 DISPLAY during play.

track/scene, etc.

press (+).

desired option

When playing a CD

track.

screen.

number.

(only for CDs).

track

18

PROGRAM.

the TV screen.

the program.

When playing a DVD/VCD

to the previously selected item. 6 Press SETUP to turn off the menu. Setup categories Selected category





Selected setting Options

General Setup Page

[TV Display] [16:9]: Select this when you connect a widescreen TV or a TV with a wide mode



This system can only play back a standard

circular discs (e.g., card, heart, or star shape)

circular disc. Using neither standard nor

Do not use a disc that has a commercially

available accessory attached, such as a label



Troubleshooting

If you experience any of the following difficulties while using the system, use this troubleshooting guide to help remedy the

problem before requesting repairs. Should

any problem persist, consult your nearest

Note that if service personnel changes some

To play repeatedly/shuffle, etc.

Press REPEAT repeatedly to select the desired playback mode. The selected mode appears in the front panel display. "REP CHP": Repeats the current chapter. • "REP TT": Repeats the current title. • "REP ALL": Repeats all titles. • "REP TRK": Repeats the current track. • "REP OFF": The system returns to normal playback mode. • "SHUFFLE": Plays the contents once in random order until all the contents have been played. • "SHUF REP": Repeats shuffle play. • "FOLDER": Plays the current folder.

- order • "SINGLE": Plays the current file. "REP ONE": Repeats the current file.
- Note
- "REP FLD": Repeats the current folder.
 - The selectable modes and their order differ
- - depending on the disc or file.
- "RANDOM": Plays all files in random
- recommended for action or shooting games, etc. To select a surround setting Press SURROUND to display the current mode. While the current mode is displayed. press SURROUND repeatedly to select the

19

comedies.

selected mode appears in the front panel display • "MULTI" (A.F.D. MULTI): When the source is 2 channel, sound is output from

desired surround audio output mode. The

Selecting the Sound Effect

To select an equalizer setting

the current mode is displayed, press EQ

the front panel display.

Press EQ to display the current mode. While

repeatedly until the desired mode appears on

• "AUTO": Automatically selects the movie

or music sound mode based on the disc

• "MOVIE": Enjoyable, powerful bass and

• "MUSIC": Well-balanced low and high

recommended for watching dramas or

• "GAME": Enhanced low and high range;

range; recommended for music.

• "TV": Clear, mid-range vocals;

sound effects; recommended for movies

- all speakers. • "STÂNDARD" (A.F.D. STANDARD): The system discriminates the sound format of the source and presents sound as it was
- recorded/encoded. • "DOLBY PL" (PRO LOGIC): Performs Dolby Pro Logic decoding
- "2CH ST" (2CH STEREO): All formats are downmixed to 2 channels. Note
- Depending on the playback stream, the surround settings may not be effective.

[SR]: Adjusts the sound level of right surround speaker. It is possible to adjust the parameter from -6.0 dB to +6.0 dB. [SL]: Adjusts the sound level of left surround speaker. It is possible to adjust the parameter from -6.0 dB to +6.0 dB. [SW]: Adjusts the sound level of subwoofer. It is possible to adjust the parameter from -6.0 dB to +6.0 dB.

[Distance] If you move one of the speakers, be sure to set the parameters of the distance from the listening position to speakers. [L/R]: Adjusts the distance of the left/right speakers. It is possible to adjust the parameter from 1.0 m to 7.0 m (3 to 23 ft). [C]: Adjusts the distance of the center speaker. This parameter can be set between 1.6 m (5 ft) shorter and equal to the L/R channel setting. [SL/SR]: Adjusts the distance of the left/right surround speaker. This parameter can be set between 5.0 m (16 ft) shorter and equal to

[On]: Activates the surround speakers

[On]: The speakers emit the test tone.

[Off]: Deactivates the surround speakers.

The speakers will emit a test tone to set the

[Off]: The speakers do not emit the test tone

• To adjust the volume of all speakers, press

• Press $\leftarrow / \uparrow / \downarrow / \Rightarrow$ repeatedly to select the

speaker and the desired level or distance.

VOLUME +/- on the unit or on the remote

[On]: Enters standby mode automatically when in stop, pause, no disc, or eject mode the L/R channel setting. for more than 30 minutes [Center Speaker] [Off]: The unit does not enter standby mode [On]: Activates the center speaker [Off]: Deactivates the center speaker.

Speaker Setup Page

[Screen Saver]

[Last Memory]

minute

[Off]: Off.

memory.

unit.

Note

disc is deleted.

[Auto Standby]

automatically

Picture

There is no picture.

connected securely.

[On]: The screen saver image appears if you

do not operate the system for about 15

This system recalls the point where you

stopped the disc the last time it was played

and resumes playback from that point the

[On]: The system stores the resume points in

[Off]: The system does not store the resume

resume point only for the current disc in the

• When the resume playback memory is full,

the resume playback point for the earliest

points in memory. Playback restarts at the

next time you insert the same disc.

[Level] You can adjust the sound level of all the speakers and the subwoofer. [L]: Adjusts the sound level of left speaker. It s possible to adjust the parameter from -6.0 dB to +0.0 dB. [C]: Adjusts the sound level of center speaker. It is possible to adjust the parameter from -6.0 dB to +6.0 dB. [R]: Adjusts the sound level of right speaker.

It is possible to adjust the parameter from -6.0 dB to +0.0 dB.

23

Operation

holes of the system?

[Sur. Speaker]

[Test Tone]

Level

Tip

control.

"PROTECT" appears in the front panel The video connecting cords are not display.

• Connect all channels to their

corresponding SPEAKERS terminals

• After checking the above items and fixing

any problems, turn on the system.

If the cause of the problem cannot be

found even after checking all the above

items, consult vour nearest Sonv dealer

A disc cannot be ejected and "LOCKED"

appears in the front panel display.

· Contact your Sony dealer or local

authorized Sony service facility.

Radio stations cannot be tuned in.

• Check that the antenna (aerial) is

(aerial) if necessary.

A disc does not play.

match the system.

connected securely. Adjust the antenna

(aerial) or connect an external antenna

• The region code on the DVD does not

Moisture has condensed inside the unit

Using a Tuner

To preset radio stations

You can preset 20 FM stations. You can then tune in any of those stations simply by selecting the corresponding preset number 1 Press FM.

- 2 Press and hold TUNING +/- for 2 seconds to start tuning until you find the desired radio station. "SEARCH +" or "SEARCH -" appears in the front panel display until a radio station with sufficient signal strength is found.
- 3 Press and hold SHIFT, then press PROGRAM.
- "P 01" flashes in the front panel display. 4 Press and hold SHIFT, then press the
- number buttons to select a preset number
- 5 Press 🕀 to store the station frequency.

To select a preset radio station 1 Press FM.

2 Press PRESET +/- to select a preset

number. You can also select a preset number by pressing and holding SHIFT, then pressing the number buttons.

If an FM program is noisy, you can select monaural reception. There will be no stereo effect, but reception will improve.

Press AUDIO. "STEREO": Stereo reception. "MONO": Monaural reception.

Video Setup Page

[HDMI Resolution]

20

1 Press ↑/↓ to select a rating level from

number buttons to enter your 6-digit

the factory defaults, except for your password

The default password is "000000." To change

1 Press and hold SHIFT, then press the

3 Press and hold SHIFT, then press the

number buttons to enter the new 6-

digit password again in the [Confirm

PWD] section to confirm your entry.

number buttons to enter "000000" or

your last set 6-digit password in the

for the [Password] and [Parental] items.

Press (+) to confirm the default reset.

Password Setup Page

[Old Password] section.

4 Press [OK] to exit the menu.

1 to 8 or [Off], then press (+)

password.

[Password]

the passwor

section

24

USB device

display.

"OVERLOAD" appears in the front panel

 Ψ (USB) port. Make sure there is no

The USB device (audio file/JPEG image

• Files that are encrypted or protected by

passwords, etc., cannot be played.

• There is no playable file in the USB

• Remove the USB device from the

problem with the USB device.

file) cannot be played.

device.

2 Press and hold SHIFT, then press the You can select the type of video signal that is output from the HDMI OUT jack [Auto]: The system outputs the optimal video [Default] signal for the connected TV. [480p/576p]: The system outputs 720 × 480p* This feature enables you to reset all the setup or $720 \times 576p^*$ video signals menu options and your personal settings to

[720p]: The system outputs 1280 × 720p* video signals. [1080i]: The system outputs 1920 × 1080i* video signals.

> [1080p]: The system outputs 1920 × 1080p? video signals

* i: interlace, p: progressive

Preference Page [TV Type] The TV type default setting varies depending

on the area. [PAL]: For a PAL-system TV.

2 Press and hold SHIFT, then press the [NTSC]: For an NTSC-system TV. number buttons to enter a new 6-[Audio] digit password in the [New Password]

You can select the preferred audio language for DVDs with multiple sound tracks. [Subtitle]

You can switch the language of the subtitles

You can restrict playback of DVDs that have

ratings. Scenes may be blocked or replaced

A JPEG image file cannot be played.

• It is larger than 2,048 (width) × 1,536

(height) in normal mode, or more than

2,000,000 pixels in progressive format

which is mainly used on Internet Web

You can switch the language for a disc's

recorded on a DVD VIDEO.

[Disc Menu]

[Parental]

with different scenes

menu.

is not a malfunction. However, touch the cabinet should be avoided. Do not place the system in a confined space where ventilation is poor as this may cause overheating.

• Do not install the system near heat sources such as radiators or air ducts, or in a place subject to direct sunlight, excessive dust, mechanical vibration, or shock. • Do not install the system in an inclined

position. It is designed to be operated in a horizontal position only. • Do not place heavy objects on the system.

On operation

• If the system is brought directly from a cold to a warm location, or is placed in a very damp room, moisture may condense on the lenses inside the unit. Should this occur, the system may not operate properly. In this case, remove the disc and leave the system turned on for about half an hour until the moisture evaporates.

 If anything falls into the cabinet, unplug the unit and have it checked by qualified personnel before operating it any further On cleaning

• Clean the cabinet, panel, and controls with

a soft cloth slightly moistened with a mild detergent solution. Do not use any type of abrasive pad, scouring powder, or solvent such as alcohol or benzine.

If you have any questions or problems concerning your system, please consult your nearest Sony dealer.

25

Specifications

AUDIO POWER SPECIFICATIONS for the U.S. models POWER OUTPUT AND TOTAL HARMONIC DISTORTION: (FTC) Front L + Front R rated 30 watts per rated output. **Amplifier Section** POWER OUTPUT (rated) 30 W + 30 W (at Front L + Front R THD) POWER OUTPUT (reference): Front L/Front R/ channel at 8 ohms 1 kHz) Subwoofer 50 W (at 8 ohms,

Inputs

On your TV's color IMPORTANT NOTICE

Caution: This system is capable of holding a still video image or on-screen display image on your television screen indefinitely. If you leave the still video mage or on-screen display image displayed on your TV for an extended period of time you risk permanent damage to your television screen. Projection televisions are especially

Due to the slim type of main unit design, you may feel some heat on the top of the unit. This is normal. Please consult your nearest

may cause a malfunction.

On heat radiation

or ring.

Center

parts during repair, these parts may be retained Sony dealer if you have any questions. Power

The power is not turned on.

Sonv dealer.

• Check that the AC power cord (mains lead) is connected securely.

Sound

The sound doesn't output from the surround speakers.

• Press SURROUND repeatedly and select "MULTI" (A.F.D. MULTI) to output sound from all speakers. (Depending on the media, sound may not be output from the surround speakers.)

The [Speaker Setup Page] items cannot

be changed. • Press DVD/CD, then eject the disc.

There is no sound. Severe hum or noise is heard.

 Remove the speaker cords from the SPEAKERS terminals, straighten and extend the contact area of each speaker cord, then reconnect the speaker cords to the SPEAKERS terminals • Clean the disc.

The sound loses stereo effect when you

play a VIDEO CD or CD.

26

• Set the audio setting to [Stereo] by pressing AUDIO.

Dimensions (approx.) 340 mm × 56 mm ×

 $325 \text{ mm} (13^{1/2} \text{ in } \times$

 The unit is not connected to the correct TV input jack. • The system is not selected via the video input of the TV.

correctly. • Press 1/⁽¹⁾ to turn off the system, and check the following items after "STANDBY" disappears: • Check the output method on your system.

- Are the + and - speaker cords short-Even though you set the aspect ratio in circuited? [TV Display] of [General Setup Page], the Is anything blocking the ventilation picture does not fill the TV screen.

• The aspect ratio on the disc is fixed. Color irregularity occurs on the TV screen

The system's speakers contain magnet parts, so magnetic distortion may occur. When color irregularity occurs on the TV

- screen, check the following items. • Install the speakers at least 0.3 meters (1.0 ft) from your TV set. • If the color irregularity persists, turn off
- the TV set once, then turn it on after 15 to 30 minutes. • Reposition the speakers farther away
- from your TV set. The [TV Type] setting does not match your TV.

[TV Type] can be reset according to the following procedure: 1. Press **≜** to take out the disc 2. Press 💬 DISPLAY. 3. Press 🕂

[TV Type] will be reset.

and may cause damage to the lenses. Remove the disc and leave the unit turned on for about half an hour.

A DATA CD/DATA DVD cannot be played. • The DATA CD is not recorded in ISO

9660 Level 1/Level 2, or Joliet. • The DATA DVD is not recorded in UDF (Universal Disk Format).

A video file cannot be played. • The video file resolution is larger than 720 (width) × 576 (height)

The name of a folder or file is not

displayed correctly. • The system can only display numbers and letters of the alphabet. Other characters are displayed as [_].

A disc does not start playing from the beginning.

• Resume Play has been selected. During stop, press \blacksquare and then start plavback.

• Program play has been selected. During stop, press **and then start playback**. • Shuffle play has been selected. During stop, press \blacksquare and then start playback.

The system does not work normally.

• Disconnect the AC power cord (mains lead) from the wall outlet (mains), then reconnect after several minutes.

The Control for HDMI function does not

work. • Set the [Control for HDMI] setting in

- [General Setup Page] to [On]. Make sure that the connected componen is compatible with the Control for HDMI function.
- Check the connected component's setting for the Control for HDMI function. Refer to the operating instructions supplied with the component.

27

31

28

32

CD/DVD System Laser Diode Properties With 8 ohms loads, both channels driven from 180 - 20.000 Hz; 7 mm aperture. **USB** Section channel minimum ♥ (USB) port: RMS power, with no Maximum current: more than 1% total Tuner Section harmonic distortion System from 250 milli watts to Tuning range 8 ohms, 1 kHz, 1% Other models Antenna **Video Section** Center/Surround L/ Output Surround R: 50 W (per Speakers 100 Hz) Front SS-TS121 TV/CABLE : Pin jack Mass (approx.)

29

Emission Duration: Continuous Laser Output*: Less than 44.6 µW * This output is the value measurement at a distance of 200 mm from the objective lens surface on the Optical Pick-up Block with 500 mA PLL quartz-locked digital synthesizer North American and Brazilian models: 87.5 MHz - 108.0 MHz (100 kHz step) 87.5 MHz - 108.0 MHz (50 kHz step) FM lead antenna VIDEO: Pin jack HDMI OUT: HDMI 19-pin Dimensions (approx.) 83 mm × 119 mm × $100 \text{ mm} (3 ^{3}/_{8} \text{ in} \times$ $4^{3}/_{4}$ in × 4 in) (w/h/d) incl. projecting parts 0.35 kg (13 oz)

SS-CT121 Dimensions (approx.) 83 mm \times 119 mm \times 100 mm (3 $^{3}/_{8}$ in \times $4^{3}/_{4}$ in × 4 in) (w/h/d) incl. projecting parts Mass (approx.) 0.43 kg (16 oz) Surround SS-TS121 Dimensions (approx.) 83 mm \times 119 mm \times $100 \text{ mm} (3 ^{3}/_{8} \text{ in} \times$ $4^{3/4}$ in × 4 in) (w/h/d) incl. projecting parts 0.39 kg (14 oz) Mass (approx.) Subwoofer SS-WS121 Dimensions (approx.) 160 mm × 315 mm × 295 mm (6 $^{3}/_{8}$ in × $12^{1/2}$ in $\times 11^{5/8}$ in) (w/h/d) incl. projecting 3.0 kg (6 lb 10 oz) Mass (approx.) General Power requirements North American and Mexican models: 120 V AC, 60 Hz Latin American models: 110 V - 240 V AC, 50/60 Hz 220 V - 240 V AC, Other models: 50/60 Hz Power consumption North American and Mexican models: On: 29 W Standby: 0.4 W* Other models: On: 34 W Standby: 0.5 W* * Valid when the system is in the following

 $2^{1/4}$ in $\times 12^{7/8}$ in) (w/h/d) incl. projecting parts Mass (approx.) 2.1 kg (4 lb 11 oz) Design and specifications are subject to change without notice.

status: - [Control for HDMI] is set to [Off].

30

Free Manuals Download Website <u>http://myh66.com</u> <u>http://usermanuals.us</u> <u>http://www.somanuals.com</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.com</u> <u>http://www.404manual.com</u> <u>http://www.luxmanual.com</u> <u>http://aubethermostatmanual.com</u> Golf course search by state

http://golfingnear.com Email search by domain

http://emailbydomain.com Auto manuals search

http://auto.somanuals.com TV manuals search

http://tv.somanuals.com