TV/WEATHER/FM Stereo/AM PLL Synthesized Radio

Operating Instructions



"WALKMAN" is a registered trademark of Sony Corporation to represent Headphone Stereo products. Would is a registered trademark of Sony

TV/WEATHER/FM/AM WALKMAN

SRF-M37V

Sony Corporation ©2003 Printed in China

http://www.sony.net/

For customers in the USA

Please register this product on line at

http://www.sony.com/productregistration.

Proper registration will enable us to send you periodic mailings about new products, services, and other important announcements. Registering your product will also allow us to contact you in the unlikely event that the product needs adjustment or modification Thank you.

WARNING

You are cautioned that any changes or modifications not expressly approved in this manual could void your authority to operate this equipment.

This device complies with Part 15 of the FCC Rules. Operation is subject to the condition that this device does not cause harmful interference

Trade Name: Model name

Tested To Comply With FCC Standards

FOR HOME OR OFFICE USE

If you have any questions about this product, you may call: Sony Direct Response Center 1-(800)-222-7669 or write to: Sony Direct Response Center 12451 Gateway Blvd. Fort Myers, FL 33913

SRF-M37V

Declaration of Conformity

Trade Name: SRF-M37V Model:

Responsible Party: Sony Electronics Inc. 680 Kinderkamack Road, Oradell, NJ 07649 Address:

Telephone Number: 201-930-6972

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Before You Begin

Thank you for choosing the Sony radio!

It will give you many hours of reliable service and listening pleasure Before operating the radio, please read these instructions thoroughly and retain them for future reference.

Features

- TV/WEATHER/FM/AM 4 band PLL (phase locked loop) synthesized
- Easy Preset Digital Tuning with 25 memory presets.
- 5 direct presets calls and 1 direct weather-band button.
- Ergonomic Design for belt-holder use.

Notes on AM Channel Step

The AM channel step differs depending on areas. See "Changing AM Channel Step"

Precautions

- Operate the unit only on 1.5 V DC with one size AAA (R03) battery.
- Avoid exposure to temperature extremes, direct sunlight, moisture, sand, dust or mechanical shock. Never leave the unit in a car parked
- · Should any solid object or liquid fall into the unit, remove the battery and have the unit checked by qualified personnel before operating it
- In vehicles or buildings, radio reception may be difficult or noisy. Try listening near a window
- To clean the casing, use a soft cloth dampened with a mild detergent

Notes on Headphones

Road safety

Do not use headphones while driving, cycling, or operating any motorized vehicle. It may create a traffic hazard and is illegal in many areas. It can also be potentially dangerous to play your headphones at high volume while walking, especially at pedestrian crossings. You should exercise extreme caution or discontinue use in potentially

Preventing hearing damage Avoid using headphones at high volume.

Hearing experts advise against continuous, loud and extended play. If you experience a ringing in your ears, reduce volume or discontinue use.

Keep the volume at a moderate level. This will allow you to hear outside sounds and to be considerate to people around you.

If there is lightning when you are using the unit, take off the headphones

If you have any questions or problems concerning your unit, please consult your nearest Sony dealer

Troubleshooting

Should any problem persist after you have made the following checks,

All buttons do not operate at all.

"⊶" is displayed. Slide the HOLD switch so that "⊶" disappears.

Very weak or interrupted sound, or unsatisfactory reception

• In a vehicle or in a building, move closer to a window

Display is dim, or no indication is displayed.

Weak battery.

• The unit is being used in extremely high or low temperatures or in a place with excessive moisture

The station cannot be received when a PRESET TUNING (1 to 5) button is pressed.

- You chose the wrong preset number.
- The memory of the station has been initialized. Preset the station again.

The power cannot be turned on, and "" is flashing in the

The battery have been completely exhausted.

The preset stations may be initialized, if a maintenance service is

Please note down your settings in case you want to preset them again.

Specifications

Time display:

Frequency range

Band	Range	Channel step	
TV	2 - 13 ch	1 channel	
WEATHER	1 - 7 ch	1 channel	
FM	87.5 – 108 MHz	0.1 MHz	
AM	530 – 1 710 kHz	10 kHz	

Output

 $\stackrel{\cdot}{\Omega}$ (headphones) jack (ø 3.5 mm, stereo minijack) load impedance 24 Ω

2.8 mW + 2.8 mW (at 10 % harmonic distortion)

Power requirements 1.5 V DC, one size AAA (R03) battery

Dimensions

Approx. $83 \times 63 \times 32 \text{ mm (w/h/d)}$

 $(3)_8 \times 2^{1/2} \times 1^{5/16}$ inches) incl. projecting parts and controls Approx. $83 \times 63 \times 25$ mm (w/h/d) $(3^{\frac{1}{3}}/_{8} \times 2^{\frac{1}{2}} \times 1)$ inches) not incl. projecting parts and controls

Approx. 94 g (3.32 oz.) incl. battery and belt clip

Accessories Supplied

Stereo headphones (1)

Design and specifications are subject to change without notice.

Installing the Battery

(See Fig. A-@)

- 1 Open the battery compartment lid and install one size AAA (R03) battery (not supplied) with correct polarity. When battery is first installed, "AM 12:00" flashes in the display. Once the current time is set, the flashing stops
- **2** Close the lid.

Battery Life (Approx. hours)				(JEITA*)
When using	TV	WEATHER	FM	AM
Sony alkaline size AAA (LR 03)	31	31	34	54
Sony size AAA (R03)	12	12	13	24

^{*} Measured by JEITA (Japan Electronics and Information Technology Industries Association) standards. The actual battery life may vary depending on the circumstance of the unit.

When to replace the battery

You can check the remaining battery power that appears in the display. The indicators are as follows:

Indicator

Full strength Weakening*

When the battery becomes exhausted, the unit will turn off.

Replace with new battery. When you press POWER after installing the new battery, the indicator changes to "

."

Do not take more than 3 minutes to replace the battery, otherwise, your clock settings and preset stations will be initialized. Should that happen, reset the functions again.


Notes on battery

- Do not charge the dry battery.
- Do not carry the dry battery together with coins or other metallic objects. It can generate heat if the positive and negative terminals of the battery are accidentally come into contact with metallic objects.
- When you are not going to use the unit for a long time, remove the battery to avoid damage from battery leakage and corrosion.

To attach the battery compartment lid if it is accidentally detached (See Fig. A-6)

The battery compartment lid is designed to come off when opened with excessive force. To put it back on, see the illustration.

- 1 Insert one side of the lid as illustrated.
- **2** Push the other side to attach.





SONY

Tape Cassette Player/Recorder/CD Player/Mini Disc DAT/Radio/Head Phone/Speaker/MIC/Personals

LIMITED WARRANTY

Portable Audio

Sony Electronics Inc. ("Sony") warrants this Product (including any accessories) against defects in material or

- 1. For a period of one (1) year from the date of purchase if this Product is determined to be defective, Sony will repair or replace the Product, at its option, at no charge the defective unit, After this one (1) year period, you must pay for the replacement unit. This warranty does not cover costs incurred in connection with the removal and re-installation of radios, speakers or accessories, nor does it cover any other contingent expenses.
- 2. To obtain warranty service, you must take the Product, or deliver the Product freight prepaid, in either its original packaging or packaging affording an equal degree of protection, to any Factory Sony Service facility or to the Laredo Fulfillment Center, See below for additional information.

This warranty does not cover customer instruction, installation, set up adjustments or signal reception prob-

This warranty does not cover cosmetic damage or damage due to acts of God, accident, misuse, abuse, negligence, commercial use, or modification of, or to any part of the Product, including the antenna. This warranty does not cover damage due to improper operation or maintenance, connection to improper voltage supply, or attempted repair by anyone other than a facility authorized by Sony to service the Product. This warranty does not cover Products sold AS IS or WITH ALL FAULTS, or consumables (such as fuses or batteries). This warranty is valid only in the United States.

Proof of purchase in the form of a bill of sale or receipted invoice which is evidence that the unit is within the Warranty period must be presented to obtain warranty service.

This warranty is invalid if the factory applied serial number has been altered or removed from the Product.

REPAIR OR REPLACEMENT AS PROVIDED UNDER THIS WARRANTY IS THE EXCLUSIVE REMEDY OF THE CONSUMER, SONY SHALL NOT BE LIABLE FOR ANY INCIDENTAL OR CONSEQUENTIAL DAMAGES FOR BREACH OF ANY EXPRESS OR IMPLIED WARRANTY ON THIS PRODUCT, EXCEPT TO THE EXTENT PROHIB-ITED BY APPLICABLE LAW, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE ON THIS PRODUCT IS LIMITED IN DURATION TO THE DURATION OF THIS WARRANTY.

Some states do not allow the exclusion or limitation of incidental or consequential damages, or allow limitations on how long an implied warranty lasts, so the above limitations or exclusions may not apply to you. In addition, if you enter into a service contract with the Sony Partnership within 90 days of the date of sale, the limitation on how long an implied warranty lasts does not apply to you. This warranty gives you specific legal rights, and you ve other rights which vary from state to state

The Address of the Laredo Fulfillment Center is

Laredo Fulfillment Center 10227 Crossroads Loop Suite B Laredo, TX 78045

For your convenience. Sony Electronics Inc. has established telephone numbers for frequently asked questions:

To locate the servicer or dealer nearest you, or for service assistance or resolution of a service problem, or for product information or operation, call


Sony Customer Information Service Center

1-(800)-222-7669 Or visit the Sony Web Site


For an accessory or part not available from your authorized dealer, call

1-(800)-488-SONY (7669)

^{*} Displayed only when the radio is turned on.





* There is a tactile dot on/beside Vol, TUNE/TIME SET +, and the number 2 button.






Using the Belt Clip







To attach



Preventing Accidental Change

— HOLD Function

Slide HOLD in the direction of the arrow. "o¬" is displayed, indicating that all the function buttons are locked.

To cancel HOLD, slide HOLD in the opposite direction of the arrow so that "o¬¬" disappears.

Setting the Clock

The display will flash "AM 12:00" when the battery is first inserted.

1 Hold down CLOCK for more than 2 seconds. The beep sounds and the hour flashes in the display.



2 Press TUNE/TIME SET + or – until the correct hour appears in the display.
Each press changes the digit(s) by one.

When you keep the button pressed, the digit(s) change rapidly.

3 Press CLOCK.

The beep sounds and the minute starts to flash. Repeat step 2 to set the minute. After setting the minute, press CLOCK again. The two beeps sound and the clock starts from 0 seconds.



12-hour system: "AM 12:00" = midnight

"PM 12:00" = noon

Changing AM Channel Step

The AM channel step differs depending on areas. The channel step of this unit is factory-set to $10\,\mathrm{kHz}$. Change the settings as shown below to be

Area	Channel step
North and South American countries	10kHz
Other countries	9kHz

When the AM channel step is changed, the preset stations for AM will be

- **1** Press **POWER** to turn off the power.
- 2 While holding down CLOCK, keep pressing POWER for more than 5 seconds.

Two short beeps sound, and the AM channel step will be changed. "AM 9" (or "AM 10") is displayed for about 2 seconds. If you proceed to step 2 again, the channel step changes again

Improving the Reception

Extend the headphones cord which functions as the TV/WEATHER/FM antenna (See Fig. **B**-@).

AM: Rotate the unit horizontally for optimum reception. A ferrite bar antenna is built-in the unit (See Fig. B-(b)).

Set TV/WB/FM SENS to LOCAL if interference is prevalent and reception is too strong. Under normal conditions, set it to DX.



Playing the Radio

— Manual Tuning

- **1** Connect the headphones to the \bigcap (headphones) jack.
- **2** Press **POWER** to turn on the radio.
- **3** Press **BAND** to select the band. Each press changes the band as follows:



To change the band to WEATHER, press WB. You can return to the previous frequency by pressing BAND.

FM1 and FM2 are differentiated only for Preset tuning. For Manual tuning of FM stations, select either band

Each band memorizes the frequency you had tuned previously.

- **4** Press **TUNE/TIME SET** + or to tune in to the desired station. Two short beeps sound when the minimum frequency of each band is received during tuning.
- 5 Adjust the volume using VOL.

To turn off the radio, press POWER.

Presetting Your Favorite Station

— Preset Tuning

You can preset up to 10 stations in FM (5 stations in FM1, 5 stations in FM2), and 5 stations in each AM, TV, WEATHER.

Presetting a station

1 Follow steps 1 to 4 in "Playing the Radio" and manually tune in to the station you wish to preset.

2 Press the preset tuning **1** to **5** button you wish to preset for more than a few seconds.

You will hear two confirmation beeps and preset number appears in the display.

To preset another station, repeat these steps. To change the preset station, tune in to the desired station and hold down the preset tuning 1 to 5 button. The new station will replace the previous station on the preset button.

Example: Display window when you preset FM 90.0 MHz in the preset tuning 2 button



Tuning in a Preset Station

- 1 Press POWER.
- 2 Press BAND or WB to select the band.
- **3** Press the desired preset tuning button.
- **4** Adjust the volume using **VOL**.

Holding down the desired preset tuning button for more than a few seconds will replace the previous station on the preset tuning button with the station you tuned in to.

Using the Belt Clip (See Fig. ©)

Use the belt clip when attaching the unit to your belt.

To detach the belt clip, see fig. C-a.

To attach the belt clip, see fig. C-b.

Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com