



Ultra Portable & Stylish Design

Compact and stylish design is perfect for set-up in a home theater setting or on the road for the mobile professional.

Automatic One-Touch Set-Up

Take the hassle out of set up with Sony's unique automatic Lens, Tilt, Input Search, Keystone and Pixel adjustments with the touch of a button.

HDTV Compatible & Up To XGA Resolution Images

HD compatible inputs are perfect for home theater use. Also, Computer, DVD, VCR's and Camcorders inputs are provided to connect to all of your favorite toys. SVGA computer resolution provides the ideal level of image performance to match today's PC's.

High-Brightness LCD Panel

Sony's original virtual light system with the all new super high aperture liquid crystal panel and newly developed high brightness lamp with 1500 ANSI lumens.

TV & PC Inputs

Flexible input options provide Component, Composite and S-Video for television sources and VGA input for PC connection.

The Sony® VPL-ES2 mobile projector delivers superior image performance and automatic one-touch operation for home theater or business use. Sony's original high brightness LCD panel displays HDTV and up to XGA resolution images. Compact, stylish design combined with TV and PC inputs provide the flexibility you need for work or play.

VPL-ES2



LIKE NO OTHER™

SONY®

Sony Electronics Inc.
16765 West Bernardo Drive
San Diego, CA 92127

www.sony.com

Model
VPL-ES2

Model Number
VPL-ES2

ANSI Luminance
1500 (high), 1300 (standard)

Projection System
3 LCD panels,
1 lens projection system

LCD Panel Type
0.62-inch p-Si TFT LCD panel with
Micro Lens Array, 2,359,296 pixels
(786,432 pixels x 3)

Projection Lens
1.2 times zoom lens

Lamp Type
185W (high mode 3000 hrs life), 157W
(standard mode 4000 hrs life) UHP lamp

Noise Level
36db (high)/ 34db (standard)

Screen Size Coverage (diagonally)
40 to 300 inches

Video Resolution
750 lines

PC Native Resolution
800 x 600

Audio
1 watt (mono)

USB
Up (B type female)

Audio Inputs
2-Component (Y/R-Y/B-Y, HD15),
Composite (RCA), S-Video

Input Acceptable
Up to XGA resolution, Composite,
Component

PC Inputs
HD-15

Audio Inputs
Stereo Mini Jack

Automatic Setup
Yes

Tilt Adjust
Powered

Auto Sensing Input
Yes

Auto Keystone Adjustment
Yes

Auto Pixel Adjustment
Yes

Kensington Security Lock
Yes

Power Management: Max. Watts
220W

Power Management: Standby
5W

Dimensions (W x H x D)
11.3" x 2.8" x 9.0"

Weight
Approx. 5 lbs., 15 oz.

Safety Regulations
UL, cUL, FCC Class B,
IC Class B, NEMKO, CE (LVD),
CE (EMC), C-Tick, CCC

Limited Warranty
2 years parts and labor

Extended Warranty
Optional 2 year extension

Supplied Accessories
Remote Commander®
(RMPJ2) Unit, Monitor Cable,
USB Cable: A type to B type,
Soft Case, AA size Battery (2),
Air Filter, AC Power Cord,
Operation Manual,
Quick Reference Sheet,
CD-ROM (Application Software),
Security Label

Optional Accessories
Lamp: LMP-C150
Hand Carry Case: VLC-U20TH
Ceiling Mount: PSSEC1US

©2004 Sony Electronics Inc. All rights reserved.
Features and specifications are subject to change
without notice. All trademarks referenced herein are
trademarks of Sony or their respective owners.

SuperLife

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>