SONY


ICX423AL

Diagonal 11mm (Type 2/3) CCD Image Sensor for CCIR B/W Video Cameras

Description


The ICX423AL is an interline CCD solid-state image sensor suitable for CCIR B/W video cameras with a diagonal 11mm (Type 2/3) system. Compared with the current product ICX083AL, basic characteristics such as sensitivity and smear are improved drastically and high saturation characteristics are realized.

This chip features a field period readout system and an electronic shutter with variable charge-storage time. This chip is compatible with the pins of the ICX083AL and has the same drive conditions.



Features

- High sensitivity (+3.0dB compared with the ICX083AL)
- Low smear (-10.0dB compared with the ICX083AL)
- High saturation signal (+2.0dB compared with the ICX083AL)
- · High resolution and Low dark current
- Excellent antiblooming characteristics
- · Continuous variable-speed shutter



Optical black position (Top View)

Device Structure

Interline CCD image sensor

• Optical size: Diagonal 11mm (Type 2/3)

Number of effective pixels: 752 (H) × 582 (V) approx. 440K pixels
 Total number of pixels: 795 (H) × 596 (V) approx. 470K pixels

Chip size: 10.25mm (H) × 8.5mm (V)
 Unit cell size: 11.6µm (H) × 11.2µm (V)

Optical black: Horizontal (H) direction: Front 3 pixels, rear 40 pixels

Vertical (V) direction: Front 12 pixels, rear 2 pixels

Number of dummy bits: Horizontal 22

Vertical 1 (even fields only)

• Substrate material: Silicon

Sony reserves the right to change products and specifications without prior notice. This information does not convey any license by any implication or otherwise under any patents or other right. Application circuits shown, if any, are typical examples illustrating the operation of the devices. Sony cannot assume responsibility for any problems arising out of the use of these circuits.

USE RESTRICTION NOTICE (December 1, 2003 ver.)

This USE RESTRICTION NOTICE ("Notice") is for customers who are considering or currently using the CCD products ("Products") set forth in this specifications book. Sony Corporation ("Sony") may, at any time, modify this Notice which will be available to you in the latest specifications book for the Products. You should abide by the latest version of this Notice. If a Sony subsidiary or distributor has its own use restriction notice on the Products, such a use restriction notice will additionally apply between you and the subsidiary or distributor. You should consult a sales representative of the subsidiary or distributor of Sony on such a use restriction notice when you consider using the Products.

Use Restrictions

- The Products are intended for incorporation into such general electronic equipment as office products, communication products, measurement products, and home electronics products in accordance with the terms and conditions set forth in this specifications book and otherwise notified by Sony from time to time.
- You should not use the Products for critical applications which may pose a life- or injury- threatening risk or are highly likely to cause significant property damage in the event of failure of the Products. You should consult your Sony sales representative beforehand when you consider using the Products for such critical applications. In addition, you should not use the Products in weapon or military equipment.
- Sony disclaims and does not assume any liability and damages arising out of misuse, improper use, modification, use of the Products for the above-mentioned critical applications, weapon and military equipment, or any deviation from the requirements set forth in this specifications book.

Design for Safety

 Sony is making continuous efforts to further improve the quality and reliability of the Products; however, failure of a certain percentage of the Products is inevitable. Therefore, you should take sufficient care to ensure the safe design of your products such as component redundancy, anti-conflagration features, and features to prevent mis-operation in order to avoid accidents resulting in injury or death, fire or other social damage as a result of such failure.

Export Control

• If the Products are controlled items under the export control laws or regulations of various countries, approval may be required for the export of the Products under the said laws or regulations. You should be responsible for compliance with the said laws or regulations.

No License Implied

• The technical information shown in this specifications book is for your reference purposes only. The availability of this specifications book shall not be construed as giving any indication that Sony and its licensors will license any intellectual property rights in such information by any implication or otherwise. Sony will not assume responsibility for any problems in connection with your use of such information or for any infringement of third-party rights due to the same. It is therefore your sole legal and financial responsibility to resolve any such problems and infringement.

Governing Law


This Notice shall be governed by and construed in accordance with the laws of Japan, without reference to
principles of conflict of laws or choice of laws. All controversies and disputes arising out of or relating to this
Notice shall be submitted to the exclusive jurisdiction of the Tokyo District Court in Japan as the court of first
instance.

Other Applicable Terms and Conditions

• The terms and conditions in the Sony additional specifications, which will be made available to you when you order the Products, shall also be applicable to your use of the Products as well as to this specifications book. You should review those terms and conditions when you consider purchasing and/or using the Products.

Block Diagram and Pin Configuration

(Top view)



Note) : Photo sensor

Pin Description

Pin No.	Symbol	Description	Pin No.	Symbol	Description
1	Vф4	Vertical register transfer clock	11	Vouт	Signal output
2	Vфз	Vertical register transfer clock	12	Vgg	Output amplifier gate bias
3	Vф2	Vertical register transfer clock	13	Vss	Output amplifier source
4	SUB	Substrate (overflow drain)	14	GND	GND
5	GND	GND	15	RD	Reset drain
6	Vф1	Vertical register transfer clock	16	RG	Reset gate clock
7	VL	Protective transistor bias	17	VL	Protective transistor bias
8	NC		18	Нф1	Horizontal register transfer clock
9	GND	GND	19	Нф2	Horizontal register transfer clock
10	VDD	Output amplifier drain power	20	HIS	Horizontal register input source bias

Absolute Maximum Ratings

	Item	Ratings	Unit	Remarks
Substrate voltage SUB	– GND	-0.3 to +55	V	
Supply voltage	HIS, VDD, RD, VOUT, VSS – GND	-0.3 to +20	V	
Supply voltage	HIS, VDD, RD, VOUT, VSS – SUB	-55 to +10	V	
Vertical clock input	Vertical clock input pins – GND	-15 to +20	V	
voltage	Vertical clock input pins – SUB	to +10	V	
Voltage difference betw	een vertical clock input pins	to +15	V	*1
Voltage difference betw	een horizontal clock input pins	to +17	V	
Hφ1, Hφ2 – Vφ4		-17 to +17	V	
Hφ1, Hφ2, RG, Vgg – Gľ	ND	-10 to +15	V	
Hφ1, Hφ2, RG, Vgg – Sl	JB	-55 to +10	V	
VL – SUB		-65 to +0.3	V	
Vφ1, Vφ3, HIS, Vdd, RD,	Vout – Vl	-0.3 to +30	V	
RG – VL		-0.3 to +24	V	
Vφ2, Vφ4, Vgg, Vss, Hφ1	, Hφ2 – VL	-0.3 to +20	V	
Storage temperature		-30 to +80	°C	
Operating temperature		-10 to +60	°C	

 $^{^{*1}\,}$ 27V (Max.) when clock width < 10µs, clock duty factor < 0.1%.

Bias Conditions

Item	Symbol	Min.	Тур.	Max.	Unit	Remarks
Output amplifier drain voltage	VDD	14.7	15.0	15.3	V	
Reset drain voltage	VRD	14.7	15.0	15.3	V	VRD = VDD
Output amplifier gate voltage	Vgg	3.8	4.2	4.6	V	
Output amplifier source	Vss	Ground	with 750Ω	resistor		±5%
Substrate voltage adjustment range	VsuB	9		19	V	*2
Substrate voltage adjustment precision	ΔVsub	-3		+3	%	
Reset gate clock voltage adjustment range	VRGL	0		3.0	V	*2
Reset gate clock voltage adjustment precision	ΔV RGL	-3		+3	%	
Protective transistor bias	VL	-11	-10.5	-10	V	*3
Horizontal register input source bias	VHIS	14.7	15.0	15.3	V	VHIS = VDD

DC Characteristics

Item	Symbol	Min.	Тур.	Max.	Unit	Remarks
Output amplifier drain current	IDD		6		mA	
Input current	lin1			1	μA	*4
Input current	I _{IN2}			10	μA	*5

^{*2} Indications of substrate voltage (Vsub) and reset gate clock voltage (VRGL) setting value

The setting value of the substrate voltage and reset gate clock voltage are indicated on the back of the image sensor by a special code. Adjust the substrate voltage (Vsub) and reset gate clock voltage (VRGL) to the indicated voltage. The adjustment precision is ±3%.

Vsub code — one c	character indication		
VRGL code — one o	character indication	\uparrow	1

VRGL code VSUB code

"Code" and optimal setting correspond to each other as follows.

Vrgl code	1	2	3	4	5	6	7														
Optimal setting	0	0.5	1.0	1.5	2.0	2.5	3.0														
											_	_	_	_	_		,,				
Vsub code	D	E	f	G	h	J	K	L	m	N	Р	Q	K	5	ı	U	V	W	_ ^	Y	

 "5K"
$$\rightarrow$$
 VRGL = 2.0V VSUB = 12.0V

- *4 1) Current to each pin when 20V is applied to VDD, RD, VOUT, Vss, HIS and SUB pins, while pins that are not tested are grounded.
 - 2) Current to each pin when 20V is applied sequentially to Vφ1, Vφ2, Vφ3 and Vφ4 pins, while pins that are not tested are grounded. However, 20V is applied to SUB pin.
 - 3) Current to each pin when 15V is applied sequentially to $H\phi_1$, $H\phi_2$, RG and Vgg pins, while pins that are not tested are grounded. However, 15V is applied to SUB pin.
 - 4) Current to V_L pin when 30V is applied to Vφ₁, Vφ₃, HIS, V_{DD}, RD and V_{OUT} pins or when, 24V is applied to RG pin or when, 20V is applied to Vφ₂, Vφ₄, V_{GG}, V_{SS}, Hφ₁ and Hφ₂ pins, while V_L pin is grounded. However, GND and SUB pins are left open.
- *5 Current to SUB pin when 55V is applied to SUB pin, while pins that are not tested are grounded.

^{*3} This must no exceed the V_{VL} voltage of the vertical clock waveform.

Clock Voltage Conditions


Item	Symbol	Min.	Тур.	Max.	Unit	Waveform diagram	Remarks
Readout clock voltage	Vvт	14.5	15.0	15.5	V	1	
	Vvh1, Vvh2, Vvh3, Vvh4	-0.6		0	V	2	VvH = (VvH1 + VvH2)/2
	VVL1, VVL2, VVL3, VVL4		-9.6		V	2	VVL = (VVL3 + VVL4)/2
	Vφv	8.9			V	2	$V\phi V = VVHN - VVLN (n = 1 to 4)$
Vertical transfer clock	Vvh1 — Vvh2			0.2	V	2	
voltage	VvH3 — VvH	-0.5		0	V	2	
	VvH4 — VvH	-0.5		0	V	2	
	Vvнн			0.8	V	2	High-level coupling
	Vvhl			1.0	V	2	High-level coupling
	Vvlh			0.8	V	2	Low-level coupling
	VVLL			0.8	V	2	Low-level coupling
Horizontal transfer	Vфн	6.0		8.0	V	3	
clock voltage	VHL	-3.5		-3.0	V	3	
Reset gata clock	Vþrg	6.0		13.0	V	3	*1
voltage	VRGL	0		3.0	V	3	
Substrate clock voltage	Vфsuв	27.0		32.0	V	4	


^{*1} The reset gate clock voltage need not be adjusted when the reset gate clock is driven when the specifications are as given below. In this case, the reset gate clock voltage setting indicated on the back of the image sensor has not significance.

Item	Symbol	Min.	Тур.	Max.	Unit	Waveform diagram	Remarks
Reset gate clock	VRGL	-0.2	0	0.2	V	3	
voltage	Vþrg	8.5	9.0	9.5	V	3	

Clock Equivalent Circuit Constant

Item	Symbol	Min.	Тур.	Max.	Unit	Remarks
Capacitance between vertical transfer	Сф∨1, Сф∨3		2700		pF	
clock and GND	Сф∨2, Сф∨4		2700		pF	
	СфV12, СфV34		2600		pF	
Capacitance between vertical transfer	Сф∨23, Сф∨41		950		pF	
clocks	СфV13		1000		pF	
	Сф∨24		500		pF	
Capacitance between horizontal transfer clock and GND	Сфн1, Сфн2		47		pF	
Capacitance between horizontal transfer clocks	Сфнн		58		pF	
Capacitance between reset gate clock and GND	СфRG		7		pF	
Capacitance between substrate clock and GND	Сфѕив		800		pF	
Vertical transfer clock series resistor	R1, R2, R3, R4		22		Ω	
Vertical transfer clock ground resistor	RGND		3		Ω	
Horizontal transfer clock series resistor	Rфн		10		Ω	






Vertical transfer clock equivalent circuit


Horizontal transfer clock equivalent circuit

Drive Clock Waveform Conditions

(1) Readout clock waveform



(2) Vertical transfer clock waveform




VvH = (VvH1 + VvH2)/2

VvL = (VvL3 + VvL4)/2


 $V\phi \lor = V\lor hn - V\lor Ln (n = 1 to 4)$

-8-

(3) Horizontal transfer clock waveform - Reset gate clock waveform



(4) Substrate clock waveform



Clock Switching Characteristics

Item	Symbol		twh			twl			tr			tf		Unit	Remarks
rtem	Symbol	Min.	Тур.	Мах.	Offic	Remarks									
Readout clock	VT	2.3	2.5						0.5			0.5		μs	During readout
Vertical transfer	Vф1, Vф2		62.6			0.74			0.1			0.1		μs	During imaging
clock	Vф3, Vф4		1.3			62.1			0.1			0.1		μs	During imaging
	Нф		20			20			15	19		15	19	ns	During imaging
Horizontal transfer clock	Нф1		5.38						0.01			0.01		μs	During
transfer electr	Нф2					5.38			0.01			0.01		μs	parallel-serial conversion
Reset gate clock	φRG	11	13			51			2.0			2.0		ns	
Substrate clock	φSUB	1.5	1.8							0.5			0.5	μs	When draining charge

Image Sensor Characteristics

 $(Ta = 25^{\circ}C)$

Item	Symbol	Min.	Тур.	Max.	Unit	Measurement method	Remarks
Sensitivity	S	700	1000		mV	1	
Saturation signal	Vsat	1000			mV	2	Ta = 60°C
Smear	Sm		-130	-120	dB	3	
Video signal shading	SH			25	%	4	
Dark signal	Vdt			2	mV	5	Ta = 60°C
Dark signal shading	ΔVdt			1	mV	6	Ta = 60°C
Flicker	F			5	%	7	
Lag	Lag			0.5	%	8	

Image Sensor Characteristics Measurement Method

Measurement conditions

- In the following measurements, the substrate voltage and the reset gate clock voltage are set to the values indicated on the device, and the device drive conditions are at the typical values of the bias and clock voltage conditions.
- 2) In the following measurements, spot blemishes are excluded and, unless otherwise specified, the optical black (OB) level is used as the reference for the signal output, and the value measured at point [*A] in the drive circuit example is used.

O Definition of standard imaging conditions

1) Standard imaging condition I:

Use a pattern box (luminance 706cd/m^2 , color temperature of 3200K halogen source) as a subject. (Pattern for evaluation is not applicable.) Use a testing standard lens with CM500S (t = 1.00mm) as an IR cut filter and image at F8. The luminous intensity to the sensor receiving surface at this point is defined as the standard sensitivity luminous intensity.

2) Standard imaging condition II:

Image a light source (color temperature of 3200K) with a uniformity of brightness within 2% at all angles. Use a testing standard lens with CM500S (t = 1.00mm) as an IR cut filter. The luminous intensity is adjusted to the value indicated in each testing item by the lens diaphragm.

1. Sensitivity

Set to standard imaging condition I. After selecting the electronic shutter mode with a shutter speed of 1/250s, measure the signal output (Vs) at the center of the screen and substitute the value into the following formula.

$$S = Vs \times \frac{250}{50} \quad [mV]$$

2. Saturation signal

Set to standard imaging condition II. After adjusting the luminous intensity to 10 times the intensity with average value of signal output, 350mV, measure the minimum value of the signal output.

3. Smear

Set to standard imaging condition II. With the lens diaphragm at F5.6 to F8, adjust the luminous intensity to 500 times the intensity with average value of the signal output, 350mV. When the readout clock is stopped and the charge drain is executed by the electronic shutter at the respective H blankings, measure the maximum value (VSm [mV]) of the signal output and substitute the value into the following formula.

Sm =
$$20 \times log \left(\frac{VSm}{350} \times \frac{1}{500} \times \frac{1}{10} \times 100 \right)$$
 [dB] (1/10V method conversion value)

4. Video signal shading

Set to standard imaging condition II. With the lens diaphragm at F5.6 to F8, adjust the luminous intensity so that the average value of the signal output is 350mV. Then measure the maximum (Vmax [mV]) and minimum (Vmin [mV]) values of the signal output and substitute the values into the following formula.

$$SH = (Vmax - Vmin)/350 \times 100 [\%]$$

5. Dark signal

Measure the average value of the signal output (Vdt [mV]) with the device ambient temperature 60°C and the device in the light-obstructed state, using the horizontal idle transfer level as a reference.

6. Dark signal shading

After measuring 5, measure the maximum (Vdmax [mV]) and minimum (Vdmin [mV]) values of the dark signal output and substitute the values into the following formula.

$$\Delta Vdt = Vdmax - Vdmin [mV]$$

7. Flicker


Set to standard imaging condition II. Adjust the luminous intensity so that the average value of the signal output is 350mV, and then measure the difference in the signal level between fields (Δ Vf [mV]). Then substitute the value into the following formula.


$$F = (\Delta Vf/350) \times 100 [\%]$$

8. Lag


Adjust the signal output value generated by strobe light to 350mV. After setting the strobe light so that it strobes with the following timing, measure the residual signal (Vlag). Substitute the value into the following formula.

$$Lag = (Vlag/350) \times 100 [\%]$$








Spectral Sensitivity Characteristics (includes lens characteristics, excludes light source characteristics)



Sensor Readout Clock Timing Chart







Notes on Handling

1) Static charge prevention

CCD image sensors are easily damaged by static discharge. Before handling be sure to take the following protective measures.

- a) Either handle bare handed or use non-chargeable gloves, clothes or material. Also use conductive shoes.
- b) When handling directly use an earth band.
- c) Install a conductive mat on the floor or working table to prevent the generation of static electricity.
- d) Ionized air is recommended for discharge when handling CCD image sensor.
- e) For the shipment of mounted substrates, use boxes treated for the prevention of static charges.


2) Soldering

- a) Make sure the package temperature does not exceed 80°C.
- b) Solder dipping in a mounting furnace causes damage to the glass and other defects. Use a 30W soldering iron with a ground wire and solder each pin in less than 2 seconds. For repairs and remount, cool sufficiently.
- c) To dismount an image sensor, do not use a solder suction equipment. When using an electric desoldering tool, use a thermal controller of the zero cross On/Off type and connect it to ground.

3) Dust and dirt protection

Image sensors are packed and delivered by taking care of protecting its glass plates from harmful dust and dirt. Clean glass plates with the following operation as required, and use them.

- a) Operate in clean environments (around class 1000 is appropriate).
- b) Do not either touch glass plates by hand or have any object come in contact with glass surfaces. Should dirt stick to a glass surface, blow it off with an air blower. (For dirt stuck through static electricity ionized air is recommended.)
- c) Clean with a cotton bud and ethyl alcohol if the grease stained. Be careful not to scratch the glass.
- d) Keep in a case to protect from dust and dirt. To prevent dew condensation, preheat or precool when moving to a room with great temperature differences.
- e) When a protective tape is applied before shipping, just before use remove the tape applied for electrostatic protection. Do not reuse the tape.
- 4) Do not expose to strong light (sun rays) for long periods. For continuous using under cruel condition exceeding the normal using condition, consult our company.
- 5) Exposure to high temperature or humidity will affect the characteristics. Accordingly avoid storage or usage in such conditions.
- 6) CCD image sensors are precise optical equipment that should not be subject to too much mechanical shocks.



Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com