

Speed Queen®

Multi-Housing

Micro-DISPLAY Control
Commercial Washers & Dryers

Coin

- SWTT20/SWTT21 Top Load Washer
- SWLT20/SWLT21 Top Load Washer - Extra-Large Tub
- SDET07/SDGT09 Single Load Dryer
- SSET07/SSGT09 Stack Dryer - Solid Door
- SSET17/SSGT19 Stack Dryer - See-Thru Door

Card

- SWTY20/SWTY21 2-Speed Top Load Washer
- SWLY20/SWLY21 Top Load Washer - Extra-Large Tub
- SDEY07/SDGY09 Single Load Dryer
- SSEY07/SSGY09 Stack Dryer - Solid Door



Commercial Built to Last Longer

Micro-DISPLAY Control Coin or Card-Operated

Today, multi-housing owners and managers are constantly confronted with improving property security and enhancing amenity services. They are challenged to conserve energy and improve revenue cash flow.

Solutions to these issues are Speed Queen's Micro-DISPLAY Control (MDC) washers and dryers. They are designed with special features to reduce water and energy consumption. Attractive electronic controls will brighten up any laundry room.

Residents will find the laundry process a breeze with streamlined, easy-to-use Micro-DISPLAY Control.

- Displays coin countdown to start cycle.
- Shows cycle time remaining.
- Remaining card balance on card operated units.
- Touch pad selectors for easy activation with LED and sound enunciator signal.
- Blinking start pad signal.
- Bright, easy-to-read cycle status lights.

Your authorized Speed Queen laundry service provider can design an MDC laundry room solution for any property type.

- Non-resettable cycle and coin counters to monitor laundry room activity.
- Diagnostics to expedite service.

High Efficiency Automatic Washer

- U.S. Department of Energy compliant to 2007 commercial washer standards for energy and water savings.
- Automatic temperature control to reduce hot water energy consumption.
- Water saver cycle with wash and rinse full fill and final spray rinse.
- Two-speed wash, normal and gentle action.
- Four cycle selections with three wash temperature options.



Superior Wash/Rinse Action

- Curved four-vane polypropylene agitator with 210° wash stroke, the longest in the industry, produces superb washing results.




High Speed Spin-Extract

- A higher extract speed of 710 RPM spins clothes out drier. In fact, the high spin speed lowers moisture retention by 3.4% over previous models. This means faster drying, increased cycle turns and satisfied users.


Automatic Balance System

- Residents will appreciate the Automatic Balance System (ABS) for smooth and quiet operation, even on wood floors. The ABS provides the industry's best out-of-balance handling, completing wash cycles without interruption.



Quality Washer Components

- Durable stainless steel and porcelain enamel washtub.
- Scratch resistant hard-baked porcelain enamel tops and lids.
- Long-lasting galvanized steel cabinet.
- StrongBox Security™ on meter case.



- Dependable Eversmooth transmission.
- Heavy-duty, 1/2 HP, two-speed motor.
- Single-belt drive simplicity.
- Corrosion-resistant polypropylene pump.
- Pump clips for service convenience.
- Unit is 100% front serviceable.



Micro-DISPLAY Control
Water Saver Washer



Micro-DISPLAY Control
Extra-Large Tub



Micro-DISPLAY Control
Dryer

Superior Drying Convenience

- A wide door opening of 2.06 sq. ft. is the industry's largest, offering residents the convenience of easy loading and unloading.
- Door is reversible for installation flexibility (solid door models only). The upfront lint filter is easy to clean and secured.

Drying and Energy Dynamics

- Durable galvanized steel cylinder with extra-large 18 lb capacity. The gentle tumble action minimizes wrinkles.
- Quiet, efficient blower system with superior airflow of 220 cu. ft. per minute for fast drying and lower operating costs.
- Efficient dryer heating with 25,000 Btu (gas models) and 5,350 Watts (electric models).

Stack Dryer Features

- See-through door optional on coin-op stack dryer model.
- A space saver! Two dryers in the space of one, both operating independently.
- 100% serviceable from the front.
- StrongBox Security™ center section module to reduce vandalism.



Control Features

MDC Regular Washer

- Water saver cycle with temperature control

MDC Extra-Large Tub Washer

- Two water fill levels
- Regular and small load user option, small load resets to default at cycle completion

Programming Features

- Vend price - default \$1.00 (\$0.25 increments)
- Wash cycles - default (water saver)
- Drying time - default 45 minutes

Smart Card Programming



- Time-of-day promotion pricing
- Multi-level vend
- Dryer top-off

Activation Features



Coin Drop

Coin Models

MDC laundry units are factory equipped with high security coin drops.

Five checks to validate the coin and a reject slot to return invalid coins.



Card Reader

Card Ready Models

The MDC laundry unit is card-ready for interfacing with a card reader supplier of choice.

The MDC unit is activated by the Smart Card reader.

The MDC display shows the user beginning and ending card balance.



Washer & Dryer Specifications

	Washers	Dryers	Stack Dryers
	SWTT20, SWTT21 SWLT20, SWLT21 SWTY20, SWTY21 SWLY20, SWLY21	Electric: SDET07, SDEY07 Gas: SDGT09, SDGY09	Electric: SSET07, SSET17 SSET17, SSEY07 Gas: SSGT09, SSGT19 SSGT19, SSGY09
Basket/Cylinder Volume - cu. ft. (liters)	Regular: 2.8 (79) Extra-Large: 3.2 (90)	7.0 (198)	7.0 (198) each 14 (396) total
Width - in (mm)	25 5/8" (651)	26 7/8" (683)	26 7/8" (683)
Depth - in (mm)	28" (711)	28" (711)	28" (711)
Height* - in (mm)	43" (1092)	43" (1092)	76 5/8" (1946)
Work Surface Height - in (mm)	36" (914)	36" (914)	N/A
Weight - lb (kg)	190 (86)	Electric: 135 (61) Gas: 140 (64)	Electric: 265 (120) Gas: 275 (125)
Shipping Weight - lb (kg)	210 (95)	Electric: 145 (66) Gas: 150 (68)	Electric: 280 (127) Gas: 290 (132)
Cycle Time - minutes	28-31	45	45 (each dryer)
Motor HP (Capacitor Start and Thermal Protected)	1/2 HP	1/3 HP	2 x 1/3 HP
Water Consumption - gal. per cycle	Regular: 23.7 Extra-Large: 29.7	N/A	N/A
Water Factor - gal. per cu. ft.	Regular: 8.8 Extra-Large: 9.4	N/A	N/A
Modified Energy Factor	Regular: 1.50 Extra-Large: 1.34	N/A	N/A
Hot Water Usage - gal. per cycle	Regular: 2.99 Extra-Large: 4.61	N/A	N/A
Water Pressure - psi (bar)	Pressure fill – 20 to 120 (1.4/8.3)	N/A	N/A
Spin Speed - RPM	2-spd, High 710, Low 473	N/A	N/A
Cycle/Temperature	Normal/Hot Normal/Warm Permanent Press/Warm Delicate/Cold	High 160° Medium 155° Low 145° Delicate 115°	High 160° Medium 155° Low 145° Delicate 115°
Electrical Specifications and Circuit Requirements	120/60/1-15 amp	Electric 120/240/60/1-30 amp 120/208/60/1-30 amp Gas: 120/60/1-15 amp	Electric: 2 x 120/240/60/1-30 amp 2 x 120/208/60/1-30 amp Gas: 2 x 120/60/1-15 amp
Motor - RPM	60 Hz: 1725 or 1140	60 Hz: 1725	2 x 60 Hz: 1725
Btu per Hour	N/A	25,000 (6300 kcal)	25,000 (6300 kcal) per pocket
Heating Element**	N/A	5350 W, 240V 4750 W, 208V	5350 W, 240V per pocket 4750 W, 208V per pocket
Type of Gas (Gas models only)	N/A	Factory-equipped natural/ mixed gas. Convertible to LP gas.***	Factory-equipped natural/ mixed gas. Convertible to LP gas.***
Utility Connections - in (mm)	N/A	Gas: 3/8" NPT (9.5)	Gas: 2 x 3/8" NPT (9.5)
Air Outlet Diameter - in (mm)	N/A	4" (102)	2 x 4" (102)
Exhaust Airflow† - cfm (liters/sec)	N/A	220 (105)	2 x 220 (105)
Maximum Exhaust Static Back Pressure	N/A	0.6" W.C.	0.6" W.C.
Agency Approval	cULus	Electric: cULus Gas: CSA Star	Electric: cULus Gas: CSA Star
Activation	Coin/Card-Operated	Coin/Card-Operated	Coin/Card-Operated
Self-Adjusting Rear Legs	Yes	No	No
Top and Lid Finish	Porcelain	Porcelain	Porcelain
Colors	White	White	White
Door Type	Solid	Solid	Solid, Window

* Heights may vary slightly depending on leveling adjustments.

** Factory equipped 120/240/60/1 - may be field converted to 120/208/60/1 by qualified servicer.

*** IMPORTANT: Any product revisions or conversions must be made by the Manufacturer's Authorized Dealers, Distributors, or local service personnel.

† Measured at point of exit from dryer.

At Speed Queen, we're so confident that our heavy-duty commercial washers and dryers are Commercial Built to Last Longer, that we're offering the following limited warranty to prove it: Through three years* — Any part of the washer, dryer or stack dryer. Through five years* — The washer transmission assembly, base and cabinet assembly including top, lid and door, against rust from inside out. Lifetime* — The stainless steel washtub.

* Parts only. Labor not included. See Speed Queen Warranty Bond for specifics.

For the most accurate information, the installation guide should be used for all design and construction purposes. Due to continuous product improvements, design and specifications subject to change without notice. The quality management system of Alliance Laundry Systems' Ripon facility has been registered to ISO 9001:2000.

©Copyright 2010 Alliance Laundry Systems LLC

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>