

Speed Queen®

Commercial Homestyle

Heavy-Duty Topload Washer

LWS02 Enamel Washtub



Commercial Built to Last Longer



Commercial Quality


Built tough to stay that way. The No. 1 supplier of commercial coin-operated laundry equipment, Speed Queen continues to lead in customer satisfaction. Speed Queen homestyle washers and dryers are U.S. Department of Energy compliant to 2007 commercial washer standards for energy and water savings. They also feature many of the same rugged, reliable parts found in the coin-operated machines, so they're built to last.

Quality Washer Components

- Durable blue porcelain enamel washtub.
- Long-lasting galvanized steel cabinet.
- Dependable Eversmooth transmission.
- Heavy-duty, 1/2 HP one-speed motor.
- Single-belt drive simplicity.
- Corrosion-resistant polypropylene pump.
- Pump clips for service convenience.
- Unit is 100% front serviceable.
- Pull-to-start multi-cycle timer knob.
- Seven cycles; three temperatures.
- Adjustable water level control.
- Bleach dispenser.

Automatic Balance System

- Residents will appreciate the Automatic Balance System (ABS) for smooth and quiet operation, even on wood floors. The ABS provides the industry's best out-of-balance handling, completing wash cycles without interruption.



Multi-Cycle and Temperature Controls

- Speed Queen offers you a user-friendly free-wheeling timer knob for start and cycle selections with energy saver designation.

PolyTuff® Agitator

- High vanes and extra long 210° agitation stroke delivers superior washability for all load sizes.



Attractive Control Panel

- Commercial homestyle topload washers have attractive styling to match electric or gas dryers.



www.speedqueen.com

AM07-211

Washer Specifications

	LWVS02	
Basket Volume - cu. ft. (liters)	3.3 (95)	
Width - in (mm)	25 5/8" (651)	
Depth - in (mm)	28" (711)	
Height* - in (mm)	43" (1092)	
Work Surface Height - in (mm)	36" (914)	
Weight - lb (kg)	180 (82)	
Shipping Weight - lb (kg)	195 (88)	
Cycle Time	27 minutes	
Motor HP	1/2 HP	
Water Consumption gal. per cycle	36.7	
Water Factor - gal. per cu. ft.	11.0	
Modified Energy Factor	1.27	
Hot Water Usage - gal. per cycle	5.33	
Water Pressure - psi (bar)	20 to 120 (1.4/8.3)	
Spin Speed - RPM	710	
Cycle/Temperature	Regular Permanent Press Delicate	Hot Warm Cold
Electrical Specifications	120/60/1-15 amp	
Agency Approval	UL	
Activation	Pull-to-Start	
Self-Adjusting Rear Legs	Yes	
Top and Lid Finish	Powder Paint	
Colors	White	

* Heights may vary slightly depending on leveling adjustments.

Motor: 1/2 HP reversing, permanently lubricated. Electrical Requirements: Grounded 3-wire, 120V, 60 Hz AC, 15 amp circuit separately fused.

At Speed Queen, we're so confident that our heavy-duty commercial washers and dryers are Commercial Built to Last Longer, that we're offering the following limited warranty to prove it: Through three years† — Any part of the washer, dryer or stack dryer. Through five years† — The washer transmission assembly, base and cabinet assembly including top, lid and door, against rust from inside out. Lifetime† — The stainless steel washtub.

† Parts only. Labor not included. See Speed Queen Warranty Bond for specifics.

Due to continuous product improvements, design and specifications subject to change without notice. The quality management systems at Alliance Laundry Systems manufacturing facilities are registered as ISO 9001:2000 compliant. Features and certifications may vary by model.

©Copyright 2007 Alliance Laundry Systems LLC



Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>