



A KOHLER COMPANY

BATH CLASSICS™


DELUXE BY-PASS SHOWER DOORS

5976

ALSO 5977, 5986

Features

- Heavy-duty, anodized aluminum-framed sliding glass doors
- Out-of-plumb adjustability allows for easy installation
- Panels are guided by a unique continuous bottom track guide system
- Tempered glass ensures maximum safety and durability
- Aluminum components extruded from alloy 6063-T5
- Stainless steel hardware prevents rusting or corrosion
- Easy-to-clean bottom track
- Reversible top track and towel bar allow a choice between a rounded or accented design
- Screw covers included



Codes/Standards Applicable

Specified model meets or exceeds the following:

- ANSI Z97.1 (tempered glass)

Colors/Finishes

- S: Silver
- PB: Polished Brass
- W: White
- V: Matte Silver

Specified Model

Model	Application	Glass Texture	Pattern	* Frame Colors/Finishes			
5976-48*	Shower	Rain	None	<input type="checkbox"/> S	<input type="checkbox"/> PB	<input type="checkbox"/> W	<input type="checkbox"/> V
5976-59*	Shower	Rain	None	<input type="checkbox"/> S	<input type="checkbox"/> PB	<input type="checkbox"/> W	<input type="checkbox"/> V
5977-48*	Shower	Smooth	Ellipse	<input type="checkbox"/> S	<input type="checkbox"/> PB		
5977-59*	Shower	Smooth	Ellipse	<input type="checkbox"/> S	<input type="checkbox"/> PB		
5986-63*	Shower	Rain	None	<input type="checkbox"/> S			

*NOTE: Add appropriate frame color/finish code to the end of the unit model # when ordering


SterlingPlumbing.com

Visit us online for fixture color choices, detailed product information, color photos, installation instructions, care guides, and warranties. Sterling offers additional lines of plumbing products to complement the Sterling product you've chosen. Sign up for the Sterling monthly e-newsletter which showcases our latest product innovations. You may also call our Sterling Plumbing Answer Center from within the USA at 1-888-STERLING in addition to consulting with your local dealer. Sterling. Strong. Professional. Design.

BATH CLASSICS™

Technical Information

Model	A (Max. Width)	B (Height)	C (Walk Through Max.)
5976-48*	48-7/8" (124.1 cm)	70" (177.8 cm)	22-1/2" (57.2 cm)
5976-59*	59-3/8" (150.8 cm)	70" (177.8 cm)	27-3/4" (70.5 cm)
5977-48*	48-7/8" (124.1 cm)	70" (177.8 cm)	22-1/2" (57.2 cm)
5977-59*	59-3/8" (150.8 cm)	70" (177.8 cm)	27-3/4" (70.5 cm)
5986-63*	59-7/8" (152.1 cm)	71" (180.3 cm)	28" (71.1 cm)



Product Diagram

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>