

STERLING® TOILETS WITH DUAL FORCE™ TECHNOLOGY

Dual Force technology by Sterling provides an outstanding combination of water conservation and exceptional performance. Operated by a user-friendly, two-button actuator integrated into the tank lid, STERLING toilets with Dual Force technology flush either 1.6 gallons or .8 gallon. The .8 gallon flush option, for liquid and light waste, can save a household of four up to 25,000* gallons of water per year.

Equally impressive, the 1.6-gallon setting, assisted by the toilet's flapperless valve and large trapway, consistently removes bulk waste with just one flush, eliminating the need for wasteful, repetitive flushing. In addition, 100% of the water passes through the rim, keeping the bowl clean with its siphonic washdown system.





Two-Button Actuator
1.6 gallon, left and .8 gallon, right




Sanitary Guard



Dual Force Tank Interior





The Karsten toilet excels at saving water without compromising tremendous bulk flushing capabilities. The contemporary style of Karsten makes this toilet a perfect choice for baths inspired by sleek, streamlined decorating schemes. Available in both roundfront and elongated bowls, the Karsten with Dual Force technology captures flushing innovation, water conservation and design inspiration in a single toilet.



Rockton_™ Toilet


The Rockton toilet with Dual Force technology delivers an unprecedented combination of water conservation and reliable performance. It also offers a great design solution for the bathroom. With a clean and understated aesthetic, the Rockton toilet by Sterling complements any bathroom décor. It is available in a choice of bowl shapes. The round-front option is perfect for a smaller bath or powder room, while the elongated bowl offers additional user comfort.

Model Name	Rockton _™ PB	Karsten _™ PB	Rockton EB	Karsten EB
Model Number	402024	402025	402027	402028
Tank	402022	402023	402022	402023
Bowl	402021	402021	402026	402026
Rough-In	12"			
Water Usage	.8 / 1.6 gpf			
Trapway*	2"			
Flapperless Flush Valve	2"			
Flush Action	Dual Force Siphonic Washdown			
Trip Lever	Chrome, Two-Button Actuator			
L x W H x Bowl Height	29¾" x 13½" 29½" x 14½"	29¾" x 14¼" 29¼" x 14%;"	31" x 13%" 29%" x 14%;"	31" x 141/4" 291/4" x 149/16"
Limited Warranty	5-Year			
WaterSense _™ Labeled**	END ORT	STATE OF THE STATE	ENDO DAT	EA COLOR

^{*}Trapway changes from 2" at the outlet to $2\frac{1}{2}$ " at its largest point to provide exceptional one-flush performance.

COLOR SELECTION* 0 White 47 KOHLER Almond 96 KOHLER Biscuit

 $^{\circ}\text{Colors}$ are illustrated in ink. There may be variation in color fidelity on samples and STERLING fixtures.



Inspired by the realities of life.



To learn more about the line of STERLING bath and kitchen products inspired by the realities of life, obtain warranty information or to order a catalog, call **1.800.STERLING** or visit us online at **SterlingPlumbing.com**.

^{**}WaterSense labeled toilets use at least 20% less water than standard 1.6-gallon toilets while still meeting strict flushing performance guidelines.

Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com