


INSTALLATION INSTRUCTIONS

WASHERLESS NON-METALLIC BAR FAUCET




Before you begin

Use this diagram to familiarize yourself with the various parts of thefaucet assembly. Make sure you have all the illustrated parts before you begin installation.

If you are putting in a new sink, it is easier to mount the faucet, drain and any other accessories **before** installing the sink into the countertop.

- Observe all local plumbing codes.
- Carefully inspect the valve parts for any damage.
- Flush all piping thoroughly before installing.
- Shut off hot & cold water supplies.
- Do not use plumber's putty or thread sealants on mounting nuts or coupling nuts.



E045300

5/99




TWIN HANDLE BAR FAUCET

Items you need

NOTE: OTHER TOOLS MAY BE NEEDED TO REMOVE OLD FAUCET

1 Adjustable wrench, pipe sealant or teflon tape, Phillips and flathead screwdrivers.

Remove old faucet




Turn off both water supplies.

Install faucet



1 With putty plate in position, insert faucet shanks down through top of sink. Alian faucet on sink.





4 Unscrew aerator from the end of the spout. Turn on hot and cold water to flush lines and faucet. Turn faucet off and replace aerator.

NOTE: Clean with mild detergent and soft cloth. Do not use abrasive cleaners.


OPTIONAL MATERIALS:

- · Supply stops (2) Some installations may require stops to be installed.
- · Supply tubing (2) and fittings will need to be provided






2 Disconnect supply lines.




2 From underside of sink fasten faucet with plastic mounting nuts. FINGER tighten securely. DO NOT OVER TIGHTEN.



3 Basin wrench for removing old faucet.



3 Remove mounting nuts, lift off faucet.



3 Connect hot and cold supply lines onto faucet shanks with coupling nuts. FINGER tighten securely.



P.O. Box 427, Sheridan, AR 72150

Sterling Limited Five Year Warranty

Sterling Plumbing Group. ("Sterling") warrants this faucet to be free of manufacturing defects and to be drip free for five years. Damage due to improper installation, maintenance or handling are not considered manufacturing defects and are not covered by this warranty. Labor, shipping and installation costs or other charges incidental to warranty service are to be borne by the original purchaser. This warranty is valid for the original purchaser only.

Sterling will, at its election, repair or replace a faucet where Sterling's inspection discloses any such defects occurring in normal residential usage.

To obtain warranty service return the defective part(s) to your cooperating retail seller or send them to our Customer Service Department, P.O. Box 427, Sheridan, AR 72150. Refer any questions to our Customer Service Department at 1-800-245-2207.

IMPLIED WARRANTIES INCLUDING THAT OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE EX-PRESSLY LIMITED TO ONE YEAR FROM DATE OF PURCHASE. STERLING DIS-CLAIMS ANY RESPONSIBILITY FOR SPE-CIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES. Some states do not allow limitations on how long an implied warranty lasts, or the exclusion or limitation of special, incidental or consequential damages, so these limitations or exclusions may not apply to you. This warranty gives you special legal rights. You may also have other rights which vary from state to state.

This is our exclusive written warranty.

For more information on Sterling Faucets, please call 1-800-STERLING.

Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com