



Multiclip Pro 53 S Svan

A self-propelled lawnmower with the effective Multiclip system.

The Multiclip system cuts and fertilises the lawn. It also makes the lawnmower quieter. You don't need to rake or empty a collector. You cut the grass about 30 % faster compared to collecting.

The lawnmower is designed for professionals and others who want the best. Professional features are for example, low vibrations which means that you can work a full day without white fingers, a robust aluminium deck with a 20 years warranty*, wheels in aluminium, adjustable handle for cutting close to walls, central height adjustment and friction blade holder that protects the engine if you hit solid objects. The unique Anti Vibration System gives very low vibrations in the handle.

The noise effect is very low, 93 dB(A). A reduction of 3 dB(A) reduces the noise by half.

Equipped with an environment friendly and powerful 5,5 hp motor. Cutting width is 51 cm.

MULTICLIP

MULTICLIP PRO 53 S
SVAN



340 005

STIGA®

www.stiga.com

Multiclip Pro 53 S Svan (11-8804-52)

ENGINE

| | |
|-----------------------|---|
| Brand | Honda GCV 160 (OHV) |
| Power | 5,5 hp, 4,1 kW, 4-stroke |
| Number of revolutions | 2900 rpm |
| Type of fuel | Leadfree 95 |
| Self propelled | Yes, front wheels. Turn without disengaging drive. Speed 3,8 km/h |

WHEELS

| | |
|----------------|---|
| Type of wheels | Professional double ball bearing aluminium wheels |
| Wheel size | Front 210 mm. Rear 210 mm |

CUTTING INFORMATION

| | |
|---------------------------|------------------------------------|
| Type of cutting system | Multiclip |
| Cutting heights | 5 heights, 30-65 mm |
| Cutting width | 51 cm |
| Cutting height adjustment | Central with 1 lever, springloaded |

VIBRATIONS & SOUND LEVELS

| | |
|-----------------------|---|
| Sound power level | 92 dB(A) |
| Anti Vibration System | Yes, P0-classified = Approved for full day work |

CONTROLS

| | |
|-----------------------------|---|
| Handlebar | Collapsible Stiga Pro handle, Ø 28 mm, with soft steel attached OPC lever |
| Handle adjustable in height | Yes |
| Handle adjustable sideways | Yes, for cutting close to walls and hedges |
| Carrying handle | Yes |

COLOUR & MATERIAL

| | |
|----------------------|--|
| Guarantee of chassis | Yes, 20 years* |
| Colour of chassis | Grey hammerite, powder coating |
| Material of chassis | Low pressure die-cast Al (Car wheel quality Hi Si) |

MEASURES & WEIGHT

| | |
|-----------------|-------|
| Units on pallet | 8 pcs |
|-----------------|-------|

OTHER FACTS

| | |
|---------------------------|---|
| Environmental label, Svan | Yes |
| EAN bar code | 731 332 110 295 1 |
| Other features | Removal of grass with automatic wheel cleaner. Friction blade holder * 20 years warranty on deck against corrosion, normal use. Not professional use. SVAN-approved / License No. 340-005 |

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>