



SIDE DISCHARGE

TORNADO 45

## Tornado 45

---

- First price point with Stiga quality.
- Suitable for rarely cut lawns.

**STIGA**<sup>®</sup>  
MOWING AHEAD

## Tornado 45 (11-1181-47)

### MOTOR

---

|                       |            |
|-----------------------|------------|
| Brand                 | B& S LS 40 |
| Power                 | 4 hp, 3 KW |
| Number of revolutions | 3000 rpm   |

### FUEL

---

|              |             |
|--------------|-------------|
| Type of fuel | Leadfree 95 |
|--------------|-------------|

### WHEELS

---

|                |                              |
|----------------|------------------------------|
| Type of wheels | Non PVC wheels with bushings |
| Wheel size     | Front 165 mm Rear 165 mm     |
| Driving        | No                           |

### CUTTING SYSTEM

---

|                           |   |
|---------------------------|---|
| Type of cutting system    | Side discharge                                    |
| Cutting heights           | 3 cuttingheights 35 - 60 mm                       |
| Cutting width             | 45 cm   |
| Cutting height adjustment | Springloaded individual ( New reinforced spring ) |

### VIBRATIONS & NOISE LEVEL

---

|              |          |
|--------------|----------|
| Noise effect | 94 dB(A) |
|--------------|----------|

### CONTROLS

---

|           |                      |
|-----------|----------------------|
| Handlebar | Stiga soft OPC lever |
|-----------|----------------------|

### COLOUR & MATERIAL

---

|                     |   |
|---------------------|---|
| Colour of chassis   | Yellow UV stabilized polyester powder coating |
| Material of chassis | Sweden steel 2 mm                             |

### MEASURES & WEIGHT

---

|                    |                |
|--------------------|----------------|
| Weight             | 21 kg          |
| Gross weight       | 24 kg          |
| Package size W*H*L | 740x630x390 mm |
| Units on pallet    | 6              |

### OTHER FACTS

---

|                      |                   |
|----------------------|-------------------|
| Instructions for use | 8211-3389-08      |
| EAN bar code         | 731 332 110 205 0 |

## Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>