




TURBO 48 SE COMBI

Turbo 48 SE Combi

- A fantastic handy aluminium lawnmower with an excellent cutting and collecting performance.
- Conforms with the Californian emission level 2002.
- Self-propelled 4-speed. Electric start.
- Springloaded central height adjustment.
- Excellent cutting and collecting performance. Now also mulching.



STIGA[®]
MOWING AHEAD

12-5298-19

Turbo 48 SE Combi (12-5298-19)

MOTOR

Brand	Quantum XTE 55 CARB 2002, electric start
Power	5,5 hp, 4,1kW
Number of revolutions	3000 rpm

WHEELS

Type of wheels	Composite wheels with double ball bearings
Wheel size	Front 175 mm Rear 190 mm
Driving	Rear wheels self-propelled, 3.6 km/h

CUTTING SYSTEM

Type of cutting system	Collecting. High impact PP, 65 l.
Cutting heights	9 heights 20, 24, 29, 36, 42, 49, 56, 62, 70 mm
Cutting width	48 cm
Cutting height adjustment	Central springloaded

VIBRATIONS & NOISE LEVEL

Noise effect	94,1 db(A) measured average, new European noise regulation is < 96 db(A) valid from July 2001
--------------	---

CONTROLS

Handlebar	Stiga with OPC soft lever. Handlebar adjustable up and down. Foldable handlebar in box.
Type of switch	Soft and comfortable OPC and clutch controls.

COLOUR & MATERIAL

Colour of chassis	Yellow UV-stabilized polyester powder coating
Material of chassis	High quality aluminium. (Car wheel quality HI SI)

MEASURES & WEIGHT

Weight	39 kg
Package size W*H*L	855x570x510 mm
Units on pallet	6

OTHER FACTS

Instruction	8211-0208-09
EAN bar code	731 332 120 275 0
Other	Combi; mulching, collecting or free discharge

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>