

5" LCD Wired Reversing Kit

Colour LCD Monitor & Night Vision Camera
Safeguard family, pedestrian & protect your vehicle!

Easy
Installation



- Colour weather resistant wide angle camera & LCD monitor plug into your cigarette lighter or reversing lights
- Keep an eye on your rear-view when you need to
- An easy way to assist with parking & reversing
- See other vehicles as they approach from behind
- Colour camera switches automatically to B&W infra-red night vision of up to 9ft (3m)
- Automatic mirror flip feature: mount camera upside down & screen changes to correct way up
- Mount monitor to the inside ceiling of your vehicle for best results



Protect rear bumpers
from accidental damage



View any blind spot



Manoeuvre in tight
spaces easily



Prevent risk of injury
to pedestrians




5" LCD Wired Reversing Kit

Colour LCD Monitor & Night Vision Camera

Safeguard family, pedestrian & protect your vehicle!

4 Step Installation

- Step 1:** Mount LCD to dash
- Step 2:** Connect LCD power wire to reversing light fuse or 12V power source
- Step 3:** Run cable & mount camera to the back of the car
- Step 4:** Connect power to the reversing light



Technical Specifications

Camera Specifications

Pickup Device:	1/4" CMOS image sensor
Number of Pixel:	PAL: 720x576; NTSC: 720x478
System of signal:	PAL/NTSC
Horizontal Resolution:	420 TV Line
Minimum Illumination:	0.5 Lux/F4.5
Night Vision Range:	Up to 9ft (3m)
Backlight compensation:	Auto
Electronic Shutter:	1/50(1/60)~1/100,000sec
White Balance:	Auto
S/N Ratio:	>48dB
Gamma Consumption:	>0.45
Operating Temperature:	-20 ° C~60 ° C
Sync. System:	Internal
Video Output:	1.0Vp-p/75Ω
Power Supply:	DV12V, < 150mA
View Angle:	90 degree

LCD Monitor Specifications

Size of screen:	5 inches
Screen:	TFT Screen
LCD Profile Ratio:	Ratio 4:3
Dot:	0.107mm (H) x 0.319mm (V)
Display Resolution:	960 (H) x 234 (V)
Contrastness:	Contrast 150:1
Brightness:	300cd/m
Response Time (ms):	R:30/F:50
Viewing Angle:	U:15/D:35 L/R:55
Display of imitate quantity:	OSD Display

Adjustment item of imitate quantity:	Brightness, contrastness, resolution, color, volume (0-100)
Colour system:	PAL, N3,58,N4,43
Video input:	IVP-P 75OHM(TWO ROUTE)
Audio input:	1.5VP-P(ONE ROUTE)
Sound System:	B/G(5.5M),I(6.0M),D/K(6.5M)
Power:	DC + 12V +/- 10%
Picture display mode:	4:3/16:9/16:9-1
Source of light:	CCFL
Life expectancy of lamp:	About 10,000
Line frequency of system:	15.625kHz (PAL) / 15.670kHz (NTSC)
Spot frequency of system:	50Hz (PAL) / 60Hz (NTSC)
Function of backing car:	Up/Down, Left/Right Manual
Language:	English, Russian, German, French, Spanish, Portugese, Italian & Dutch changable menu language
Outside dimension:	W163mm x H133mm x T38mm (inc headset)
Net weight:	around 430gr
Operation Temperature:	0~40
Storage Temperature:	-20~-60
Power consumption:	around 8w

Package Contents:

- Wired Camera
- 5" LCD screen
- LCD stand
- Cigarette lighter adaptor
- Instruction Guide

** This product will be set to the TV standard of the country of sale

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>