

# ) ata Sheet

# VCMS-Series Video Camera Stands

### **Product Overview**

The TDK RF Solutions VCMS-Series Video Camera Monopod Stands are designed specifically for mounting a shielded video camera in EMC test environments.

The monopod stands are constructed of durable, non-conductive, commercial grade fiberglass and plastic that will not interfere with RF test measurements.

Each VCMS rests on a solid Delrin base that provides stability and balance for heavier equipment but is lightweight enough to allow for ease of movement within the test facility. The VCMS is available in three models:

**VCMS-150R** The VCMS-150R telescoping monopod stand easily adjusts from 100 cm to 150 cm in height, and supports equipment up to 10 kg. It is designed for use in anechoic chambers, shielded rooms, and OATS.

**VCMS-100RSB** The VCMS-100RSB telescoping monopod stand adjusts from 50 cm to 100 cm in height, supports equipment up to 10 kg, and features a support bracket to stabilize the stand against an object. It is designed for use on car seats to monitor the dashboard and instrument panel during automotive testing.

**VCMS-30** The VCMS-30 monopod stand is fixed at 30 cm high and supports equipment up to 1.5 kg. It is designed for use in small test environments such as a TEM cell.

The TDK RF Solutions VCMS Video Camera Monopod Stands are built for use in EMC test environments. Camera stands are available in several models to meet your specific requirements.

## **Applications**

Portable mounting for video cameras

### **Features**

Three models available to fit your test requirements

1101 Cypress Creek Road ■ Cedar Park, Texas 78613, USA ■ 1-512-258-9478 ■ FAX 1-512-258-0740



# VCMS-Series Video Camera Stands

### **Mechanical Specifications**

Construction: Fiberglass and plastic

Finish: Preventive water

absorption seal

### **Dimensions-VCMS-150R**

Extended Height: 1.5 m (59")

Collapsed Height: 1 m (39.4")

Base Diameter: 0.38 m (15")

Weight: 7.7 kg (17 lbs.)

### Dimensions-VCMS-100RSB

Extended Height: 1 m (39.4")

Collapsed Height: 0.5 m (19.7")

Support Bracket Length: 0.36 m (14")

Base Diameter: 0.38 m (15")

Weight: 7.7 kg (17 lbs.)

### **Dimensions-VCMS-30**

Fixed Height: 30 cm (12")

Base Diameter: 15 cm (6")

Weight: 3 kg (7 lbs.)

### **Ordering Information**

Product: Camera Stand

Model Number: VCMS-150R, 100RSB,

30

Warranty: 1 year

To place an order or to learn more about the TDK RF Solutions products that best meet your needs, contact your TDK sales representative:

### **TDK RF Solutions Inc.**

1101 Cypress Creek Rd.

Cedar Park, Texas 78613 USA

 Phone:
 1-512-258-9478

 Fax:
 1-512-258-0740

 E-mail:
 info@tdkrf.com

World Wide Web: www.tdkrfsolutions.com

### **TDK Electronics Europe**

TDK House, Queensway 5-7 RH1 1YB, Redhill, Surrey

United Kingdom

Phone: +44/1737-781-372 Fax: +44/1737-781-360



www.tdkrfsolutions.com

Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com