vtech

User's manual VM311/VM311-13/VM311-2/ VM311-23

Safe & Sound[™] Full Color Video and Audio Monitor



Congratulations

on purchasing your new VTech product. Before using this product, please read Important safety instructions.

For support, shopping, and everything new at VTech, visit our website at www.vtechphones.com.

Register online to get an additional 3-month warranty!

Visit www.vtechphones.com.




Registration Register your product online for enhanced warranty support.

Product news

Learn about the latest VTech products.

Parent unit overview	5	Control key pan ▲/VOL+ • Press to increa • While in the me • While viewing a
		press and hold upward. MENU/SELECT • Press to enter • While in a men item, or save a
 Visual sound indicator Visual sound indicator shows the sound level detected from baby unit. It also shows the volume level during speaker volume setting. Sound level detected from the baby unit is independent from the volume level set at the parent unit. O O O Green lights indicate a moderate sound level detected from the baby unit; or Level 1 to Level 3 of the speaker volume setting. O O O C Reen lights indicate a higher sound level detected from the baby unit; or Level 4 to Level 5 of the speaker volume setting. 		 ▼/VOL- Press to decreatively volume. While in the method down. While viewing a press and hold downward. ∢/Q While in a menn option on the left viewing a to zoom out; or press and hold leftward. ▶/⊕ While in a menn option on the ri While in a menn option on the ri While viewing in a menn option on the ri
 2 Im Battery level indicator Light On when the parent unit battery is being charged. Light Flashes when the parent unit battery is low and needs charging. Light Off when the parent unit battery is fully charged, or when no battery is installed. 		 While viewing a press and hold rightward. TALK While viewing imatalk to the selected (On/off) Proce and hold
 3 POWER on/off indicator • On when the parent unit is turned on. 		 Press and hold Press to turn of
 Flashes when in pairing process, or 	6	Slot for portable
when connecting to baby unit while	7	Stand
the baby unit is not available.	8	Battery compart
4 Power jack		




Install the battery


You can power up the parent unit by connecting it to AC power or to the rechargeable battery provided. Even if the parent unit is connected to AC power, we recommend you also install the battery. This guarantees continual operation in case of a power outage.

Install the battery as shown below.

1. Slide and lift to open the battery compartment cover




2. Plug the battery connector securely into the socket.




el

- ease the speaker volume. nenu, press to scroll up. a zoomed image,
- ld to move the image
- er the menu.
- nu, press to choose an a setting.
- ease the speaker
- nenu, press to scroll
- a zoomed image. ld to move the image
- enu, press to choose the left side. a zoomed image, press
- ld to move the image
- enu, press to choose the right side.
- image, press to zoom in. a zoomed image.
- ld to move the image
- age, press and hold to ted baby unit.
- d to turn on or off. on or off the screen.
- le use
- tment cover

Make sure the supplied rechargeable note battery with the label THIS SIDE UP



3. Align the battery compartment cover flat against the battery compartment, then place down and slide it towards the center of the parent unit until it clicks into place.



Replace the battery

To replace the battery, pull the battery out of the battery compartment and unplug the battery connector from the socket, then follow the steps above to install the battery.

- The operating time for using the note rechargeable battery is short. If you want to monitor your baby for a long time, we recommend you connect the parent unit to AC power.
 - If the parent unit will not be used for a long time, disconnect and remove the battery to prevent possible leakage.

Connect and charge the battery

Use only the battery supplied with this note

- product. Use only the parent unit power adapter or the baby unit power adapter supplied with this product
- The parent unit power adapter and baby unit power adapter are intended to be correctly oriented in a vertical or floor mount position. The prongs are not designed to hold the plug in place if it is plugged into a ceiling, under-the-table or cabinet outlet
- Make sure the parent unit, the baby unit and the power adapter cord are out of reach of children.

Parent unit display icons Connection status T_{III} displays when strong signal

- strength is detected between the baby unit and the parent unit. • Til, Ti or Ti displays when moderate signal strength is detected between the baby unit and the parent unit. $\cdot \mathbf{T}_{\!\! ext{X}}$ displays when the link between the baby unit and the parent unit is lost. • 🕅 displays when the parent unit is searching for a baby unit. Current view status Θłx Display the number of the baby unit (x:1-4) that is being viewed. Ð Zoom Display when the camera at the baby unit has zoomed in. Volume off Ś Display when the volume is turned off. Sound activation Display when the sound activation is on. The baby unit detects the sound in the baby room, and it automatically goes on to show the baby on the video display.
 - **Battery status** . → □ → □ → □ → □ → 🖬 → 🗎 → 🖿 _ animates when the battery is charging. displays solid when the battery is fully

1

- charged. displays when the battery is low and
- needs charaina. displays when no battery is installed
- but operates using AC power, or the battery has been installed incorrectly.

Parent unit main menu icons


81	 Camera selection You can select the screen to view images from a particular baby unit, or view all baby units in Patrol Mode.
X	BrightnessYou can change the brightness of

You can change the brightness of the screen.


Sensitivity

This feature monitors the microphone sensitivity of the baby unit through the parent unit. The higher the sensitivity level, the more sounds it picks up in your baby's room.

Connect the baby unit



Connect the parent unit





note	Whe
note	not u
	it for
	to ch
	is tur
	turn t

to save power

note

Patrol Mode.

Sound activation Automatically turns on the parent unit screen when a sound is detected in your baby's room. When no sound is detected, the screen is off to save power. The baby units and parent unit provided are already paired. You can add or replace baby units (VM310/ parent unit. VM310-13 purchased separately) to your baby monitor system. not in use

Using the baby monitor

- Power on or off the baby unit <u>Press and hold</u> \oplus to turn on the baby unit. The POWER light turns on.
- Press and hold \oplus again to turn off the baby unit. The POWER light turns off.

Power on or off the parent unit

Pairing ■ • The b

- Press and hold U to turn on the parent unit. The screen turns on.
- <u>Press and hold</u> \oplus again to turn off the parent unit. The screen turns off.

Turn on or off the parent unit screen

You can turn on or off the parent unit screen without power off the parent unit. You can still hear sound from the baby unit.

Press O on the parent unit at any time.

Adjust the speaker volume for baby unit You can adjust the speaker volume.

• Press ▲/VOL+ or ▼/VOL- on the baby unit at any time.

Adjust the speaker volume for parent unit You can adjust the speaker volume from Volume 1 to Volume 5, or turn it off.

• Press ▲/VOL+ or ▼/VOL- on the parent unit when it is not in use.


When the speaker volume is set to off, the screen displays 🕵.

Adjust the LCD brightness of the parent unit You can adjust the brightness of the parent

not in use.

- unit screen from Level 1 to Level 5. The LCD
- not in use. brightness is preset to Level 3.
- 1. Press MENU/SELECT when the parent unit is

vnload4ronPvaes. Sopra tas soroll April April and Search And Download.



n you charge the battery initially or it is used for a long period of time, charge 12 hours continuously. It takes longer harge the battery when the parent unit ned on. To shorten the charging time, the parent unit off while charging.

3. Press \blacktriangleleft or \triangleright to adjust the brightness. 4. Press MENU/SELECT to confirm your selection.

Charge the parent unit battery

Once you have installed the parent unit and its battery, press and hold U to turn it on. The battery icon indicates the battery status (see the table below). The parent unit battery is fully charged after 12 hours of continuous charging. The standby time varies depending on the sensitivity level you set, your actual use and the age of the battery.

When the parent unit is operating in battery mode and the battery is low, you need to charge the parent unit without interruption for at least 30 minutes to give the parent unit enough charge to use for a short time. When operating in low battery condition, the parent unit displays The Ight on the parent unit flashes and the parent unit plays short beeps to alert you. The following table summarizes the battery charge indicators and actions to take.

-			
Battery indicators	Battery status	Action	
The battery icon is off and ∰ displays.	No battery is installed but operates using AC power, or the battery has been installed incorrectly.	Install the parent unit battery. Charge without interruption (at least 30 minutes).	
The screen displays ⊡. The light flashes.	The battery has very little charge and may be used for only a short time.	Charge without interruption (about 30 minutes).	
The battery icon becomes solid	The battery is fully charged.	To keep the battery charged, connect it to AC power when not in use.	

Adjust the sound sensitivity of the baby unit You can use the parent unit to change the sound sensitivity level of the baby units from Level 1 to Level 5. The higher the sound

sensitive is set, the more sensitive the baby unit is in detecting sounds for transmitting to the

1. Press **MENU/SELECT** when the parent unit is

2. Press ▼ or ▲ to scroll to •

3. Press \triangleleft or \triangleright to adjust the sensitivity level. 4. Press MENU/SELECT to confirm your selection.

Turn on or off the sound activation

The parent unit continuously monitors the sound level in your baby's room. When the sound activation mode is on, the parent unit screen only turns on when the baby unit picks up a sound. As long as no sound is detected within 50 seconds, the parent unit screen is off

1. Press MENU/SELECT when the parent unit is not in use.

2. Press \checkmark or \blacktriangle to scroll to \blacksquare .

3. Press \triangleleft or \triangleright to select \checkmark to turn on, or \times to turn off sound activation.

4. Press MENU/SELECT to confirm your selection. If you mute the speaker while sound

activation is on, then you hear a beep sound whenever the screen turns on. If you want to turn on the parent unit screen continuously while the sound activation is on, then set the sound sensitivity to Level 5.

Select the camera

You can select the screen to view images from a particular baby unit, or view all baby units in

If you select Patrol Mode to view the images, the screen switches to view another baby unit automatically after some time. The switching is in chronological order: a to a

1. Press **MENU/SELECT** when the parent unit is

2. Press \triangledown or \blacktriangle to scroll to \boxdot .

3. Press ◀ or ► to select the desired baby unit (1, 2, 3 or 4) or Patrol Mode (**b**).

Before use

You may test the baby monitor before initial use, and at regular times thereafter.

- To test your video and audio monitor:
- 1. Place the parent unit and the baby units in the same room to test the product. Make sure the baby units are at least 3 feet away from the parent unit.
- 2. Press and hold 0 on the baby units until the **POWER** light turns on.
- Press and hold on the parent unit until the POWER light turns on.
- If both units are not connected, the parent note unit displays while searching for a baby unit. If no baby unit is found after a while, it displays 1/2.

Positioning the baby monitor

Place the parent unit within the operating range of the baby unit. We recommend the parent unit is at least 3 feet away from the baby unit to avoid audio feedback. If you still experience audio feedback, move the parent unit and the baby unit farther apart.

For better image quality, do not place the baby unit too far away from your baby.


For desktop usage and/or wall mounting the baby unit, you can refer to Installation guide.

Operating range

The operating range of the baby monitor is up to 1,000 feet outdoors or 150 feet indoors. The actual operating range may vary depending on the environmental conditions and other interferences such as walls, doors and other obstructions.

Overview

Baby unit overview



1	Camera	
2	Infrared LEDs	
	Backup light for night vision.	
3	POWER on/off indicator	
	 On when the baby unit is powered on and currently linked to parent unit. Flashes when the baby unit is not linked to a parent unit; or the pairing process is in progress; or the parent unit is not viewing this baby unit. 	
4	Power jack	
5	Control key panel	
	▲/VOL+	
	Press to increase the listening volume.	
	▼/VOL-	
	Press to decrease the listening volume.	
	PAIR	
	Press and hold to pair to the parent unit.	
	() (On/Off)	
	Press and hold to turn on or off.	
6	Microphone	
7	Stand	
	Tilt to adjust the camera angle.	
8	Rim	
9	Base	

Zoom

You can zoom in or out while viewing image from baby unit.

- Press ⊕ to zoom in.
- <u>Press and hold</u> \blacktriangle , \bigtriangledown , \triangleleft or \triangleright to move the zoomed image upward, downward, leftward or rightward correspondingly.
- Press Q to zoom out.

Talk function

You can use the TALK function of the parent unit to talk and comfort your baby.

Press and hold TALK when the parent unit is viewing particular baby unit. Speak towards the microphone on the parent unit. Your voice is broadcast to the baby unit.


Night vision

The baby unit has infrared LEDs that allow you to see your baby clearly at night or in a dark room. When the baby unit detects low light levels, the infrared LEDs are switched on automatically.

When the infrared LEDs are on, the image note is in black and white. This is normal due to external light sources.

Pair and replace extra new baby unit (VM310/ VM310-13)

The baby units and parent unit provided are already paired. You can add or replace any baby units (VM310/VM310-13 purchased separately) to your video and audio monitor system.



To pair and replace a baby unit:

- 1. Press MENU/SELECT when the parent unit is not in use.
- 2. Press ▼ or ▲ to choose ■.
- Press ◀ or ► to choose a desired baby unit 3. slot, then press MENU/SELECT. The screen displays 🛣.
- If you choose an occupied baby unit slot, note the new baby unit will replace the existing baby unit.
- Turn on the new baby unit, and then 4. immediately press and hold PAIR until the POWER light turns on.

When pairing is successful, the screen displays \checkmark , and then the image from the newly paired baby unit.

If pairing fails, the screen displays. Try note the pairing process again. Only one baby unit can be paired at a time.

To unpair a baby unit:

note Make sure you power on the baby unit and the parent unit before unpairing the baby unit.

- 1. Press **MENU/SELECT** when the parent unit is not in use.
- 2. Press \checkmark or \blacktriangle to scroll to \boxdot .
- 3. Press \blacktriangleleft or \triangleright to select the desired baby unit (1, 2, 3 or 4).
- 4. Press and hold TALK until X and V display. 5. Press \triangleleft or \triangleright to select \times to cancel, or \checkmark to confirm the unpair process.

6. Press MENU/SELECT to confirm your selection. When unpairing is successful, the **POWER** light on the selected baby unit flashes. The parent unit displays to for a while, and then the image from the baby unit previously viewing.

Portable use of parent unit (optional)

note Sling is not included. You may need to buy a sling for portable usage.



- 1. Make sure battery is installed and charged. Unplug the power adaptor.
- 2. Pinch the end of the sling and insert it into the slot on the top of the parent unit.
- 3. Insert the one end of the sling into the other end of the sling, and fasten it.

General product care

To keep this product working well and looking good, follow these guidelines:

- Avoid putting it near heating appliances and devices that generate electrical noise (for example, motors or fluorescent lamps).
- DO NOT expose it to direct sunlight or moisture.

•	Avoid dropping the product or treating it roughly.
•	Clean with a soft cloth.
•	DO NOT immerse the parent unit and the baby

Why is my screen

in black and

Why does the

baby monitor

produce a high

pitched noise?

Why does the

too auickly to

other sounds?

parent unit react

Why don't I hear a

sound/Why can't

hear my baby

cry?

white?

The screen is in black and

white when the infrared LEDs

are on during nighttime or in a

dark room. This is normal due

The units may be too close

to each other. Make sure the

parent unit and the baby unit

at least 1 metre/3 feet away

The baby unit also picks up

other sounds than those

of your baby. Adjust the

sensitivity level to a lower

level or adjust the speaker

volume on the parent unit.

The volume of the parent unit

may have set too low. Press

▲/VOL+ to increase the

You may have set a low

sound sensitivity level. See

of the baby unit to change

Adjust the sound sensitivity

The baby units may be out of

range. Move the parent unit

closer to the baby units (but

If the parent unit is powered by

the provided battery, it may not

parent unit to perform normally.

parent unit for up to 12 hours.

The baby units may be out of

range. Move the parent unit

closer to the baby units (but

Other electronic products may

cause interference with your

baby monitor. Try installing

your baby monitor as far away

from these electronic devices

not less than 3 feet)

as possible.

have enough charge for the

Charge the battery in the

not less than 3 feet).

volume level

the setting.

from each other.

to external light sources.

- unit in water and do not clean them under the tap.
- DO NOT use cleaning spray or liquid cleaners. Make sure the baby unit and parent unit are dry before you connect them to the mains again

Storage

When you are not going to use the baby monitor for some time, remove the rechargeable battery from the parent unit. Store the parent unit, the baby unit and the adapters in a cool and dry place.

Frequently asked questions

Below are the questions most frequently asked about the baby monitor. If you cannot find the answer to your question, contact customer service by visiting our website at www.vtechphones.com or calling 1 (800) 595-9511.

		.
Why does the baby monitor not respond normally		Why does the parent unit beep?
	 4. Turn on the baby units and the parent unit. 5. Wait for the parent unit to synchronize with the baby units. Allow up to one minute for this to take place. 	Why can't I establish a connection? Why is the connection lost every now and then? Why are there sound
Why don't the power-on light of the baby unit and parent unit go on when I switch on the units?		interruptions?
	Perhaps the baby unit is not connected to the mains. Connect the baby unit to the mains. Then set ON/OFF switch to ON to switch on the baby unit and to establish connection with the parent unit.	

California Energy Commission battery charging testing mode

This baby monitor meets the California Energy Commission (CEC) regulations for energy consumption. Your baby monitor is set up to comply with the energy-conserving standards right out of the box. Follow the instructions to install and charge the battery. The CEC battery charging testing mode is activated while charging.

Even if the parent unit is paired to baby units, the CEC battery charging testing mode is activated while it is powered off and charging.

For cETL compliance only

Mesures de sécurité importantes

Lorsque vous utilisez votre appareil, vous devriez toujours suivre certaines mesures de précaution de base afin de réduire les risques d'incendie. d'électrocution et de blessures corporelles, dont ceux qui suivent :

- 1. Observez toutes les instructions et mises en garde inscrites sur l'appareil
- 2. L'installation par un adulte est requise
- Ce produit a été conçu pour être un dispositif d'appoint seulement. Il n'est pas le remplacement supervision responsable et adéquate par un adulte et ne devrait pas être utilisé comme telle. 4. Ce produit n'est pas conçu pour être utilisé en
- tant que moniteur médical
- 5. N'utilisez pas cet appareil près de l'eau ni de toute autre source d'humidité, par exemple, près d'une baignoire, cuve à lessive, évier de cuisine, dans un sous-sol humide ni près d'une piscine, dans un soussol humide ou une douche
- MISE EN GARDE: Il peut y avoir un risque d'explosion si vous utilisez le mauvais type de piles pour l'unité du parent. N'utilisez que le bloc-piles rechargeable inclus ou le bloc-piles de rechange (BT185645/BT285645). N'incinérez pas les piles. Celles-ci risqueraient d'exploser. Jetez les piles usées selon les renseignements suivant le sceau du RBRC®.
- 7. N'utilisez que les adaptateurs inclus avec ce produit. L'utilisation d'un adaptateur dont la polarité ou la tension serait inadéquate risque d'endommager sérieusement le produit et mettre votre sécurité en péril. Adaptateur de l'unité du bébé Entrée 100-240V CA 150mA 50/60 Hz: Sortie : 6 V CC 600 mA Adaptateur de l'unité du parent Entrée 100-240V CA 150mA 50/60 Hz; Sortie : 6 V CC 600 mA
- 8. Lorsqu'ils sont branchés dans une prise de courant, les adaptateurs secteur ont été conçus pour être orientés correctement, soit à la

verticale ou au plancher. Les broches n'ont pas été concues pour supporter le poids du bloc d'alimentation et le maintenir en place si celuici est branché dans une prise au plafond, sous une table ou dans un meuble.

- 9. Débranchez ce produit de la prise de courant avant de procéder au nettoyage. N'utilisez pas de nettoyants en aérosols. Utilisez un chiffon humide pour le nettoye
- 10. Débranchez les cordons d'alimentation avant de remplacer le bloc-piles.
- 11. Ne coupez pas les cordons d'alimentation pour remplacer les fiches, car ceci peut présenter un danger potentiel
- 12. Ne laissez aucun objet reposer ni appuyer sur le cordon d'alimentation. N'installez pas cet appareil dans un endroit où l'on risque d'écraser le cordon d'alimentation ou de le piétiner.
- 13. Ne faites fonctionner cet appareil qu'avec le type d'alimentation indiqué sur l'étiquette. Si vous ne connaissez pas le type d'alimentation que vous possédez à votre domicile, consultez votre marchand ou votre compagnie locale d'électricité.
- 14. Ne surchargez pas les prises de courant murales
- ni les rallonges électriques. 15. Ne placez pas cet appareil sur un chariot, meuble, trépied, support de montage ni table chancelants.
- 16. Les trous et ouvertures du boîtier, situés à l'arrière de l'appareil ou sous celui-ci, servent à aérer l'appareil. Pour l'empêcher de surchauffer, et n'empêchez pas l'aération adéquate de l'appareil en le placant sur un lit, divan, tapis ou toute autre surface similaire. De même, ne le positionnez pas à proximité ni au-dessus d'une source de chaleur ou d'un calorifère. De plus, ne placez pas l'appareil dans un endroit avant de vous assurer qu'il y ait une bonne circulation d'air
- 17. N'enfoncez jamais d'objets à travers les ouvertures de cet appareil, car ils pourraient entrer en contact avec des points de tension dangereux ou causer des courts-circuits qui peuvent dégénérer en incendies ou en risques d'électrocution. Ne renversez jamais de liquide dans ce produit.
- 18. Afin de réduire les risques d'électrocution, ne démontez pas cet appareil, mais apportez-le dans un centre de service autorisé. L'ouverture du boîtier ou le retrait de toutes pièces que contient cet appareil, à l'exception de l'accès autorisé à certaines portes ou ouvertures. risque de vous exposer à des points de tension dangereux ou d'autres dangers. Un remontage incorrect peut par la suite présenter des risques d'électrocution.
- 19. Vous devriez tester la réception chaque fois que vous mettez l'appareil en fonction. 20. Examinez les composantes afin de vérifier si

celles-ci ne sont pas endommagées.

21. Soyez avisé de la perte de la confidentialité

Important safety instructions

When using your equipment, basic safety precautions should always be followed to reduce the risk of fire, electric shock and injury, includina the followina:

- 1. Follow all warnings and instructions marked on the product.
- 2. Adult setup is required.
- 3. This product is intended as an aid. It is not a substitute for responsible and proper adult supervision and should not be used as such
- 4. This product is not intended for use as a medical monitor
- 5. Do not use this product near water. For example, do not use it next to a bath tub, wash bowl, kitchen sink, laundry tub or swimming pool, or in a wet basement or shower
- 6. CAUTION: Use only the batteries indicated in this manual. There may be a risk of explosion if a wrong type of battery is used for the parent unit. Use only the supplied rechargeable battery or replacement battery pack (BT185645/BT285645) for the parent unit. Do not dispose of batteries in a fire. They may explode. Dispose of used battery according to the information in The RBRC® seal.
- 7. Use only the adapters included with this product. Incorrect adapter polarity or voltage can seriously damage the product. Baby unit power adapter: Input 100-240V AC 150mA 50/60Hz; Output: 6V DC 600mA Parent unit power adapter: Input 100-240V AC 150mA 50/60Hz: Output: 6V DC 600mA
- 8. The power adapters are intended to be correctly oriented in a vertical or floor mount position. The prongs are not designed to hold the plug in place if it is plugged into a ceiling, under-the-table or cabinet outlet.
- 9. Unplug this product from the wall outlet before cleaning. Do not use liquid or aerosol cleaners. Use a damp cloth for cleaning.
- 10.Unplug the power cords before replacing batteries. 11.Do not cut off the power adapters to replace
- them with other plugs, as this causes a hazardous situation.
- 12.Do not allow anything to rest on the power cords. Do not install this product where the

lorsaue vous utilisez les ondes publiques. Les conversations peuvent être entendues par d'autres moniteurs de bébé, des téléphones sans fil, des scanneurs, etc.

- 22. Les enfants devraient être supervisés afin de vous assurer qu'ils ne jouent pas avec l'appareil. 23. Le produit n'est pas conçu pour être utilisé par des personnes (incluant des enfants) aux capacités physiques, sensorielles ou mentales réduites ou qui manquent d'expérience et de
- connaissances, à moins qu'on leur ait donné suffisamment de supervision ou d'instructions relativement à l'utilisation de l'appareil par une personne responsable de leur sécurité.

CONSERVEZ CES INSTRUCTIONS

Mises en garde

- 1. Utilisez et entreposez le produit à une température entre 0° C (32°F) et 40°C (104° F). N'exposez pas cet appareil à des froids ou des chaleurs extrêmes, ainsi qu'à la lumière directe du soleil. Ne l'installez pas près d'une source de
- chauffage Le bloc-piles ne doit pas être exposé à la chaleur excessive telle que la lumière du soleil ou au feu.
- Assurez-vous que le moniteur et le cordon 4. de l'adaptateur sont toujours hors de portée des enfants, à au moins 1 mètre (3 pieds) de l'enfant ou du berceau, pour éviter tout risque de
- strangulation. Ne jamais placer le moniteur à l'intérieur du berceau ou du parc de bébé. Ne jamais couvrir le moniteur ou l'unité (s) portative avec un article tel une serviette ou une couverture.
- D'autres équipements électroniques peuven produire des interférences sur votre moniteur vidéo et audio. Tentez d'installer votre moniteur vidéo ou audio à l'écart des appareils électroniques tels que des routeurs sans fil, radios, téléphones cellulaires, interphones, moniteurs, téléphones, ordinateurs personnels, électroménagers et téléphones sans fil.

Stimulateurs cardiaques implantés dans l'organisme

Les simulateurs cardiaques (ne s'applique qu'aux dispositifs numériques sans fil) L'organisme 'Wireless Technology Research, LLC (WTR)', une firme de recherche indépendante, a mené une évaluation pluridisciplinaire des interférences entre les téléphones sans fil portatifs et les stimulateurs cardiaques implantés dans l'organisme. Appuyée par l'Administration des aliments et droques (FDA) des États-Unis. la firme WTR recommande aux médecins:

Avis aux détenteurs de stimulateurs cardiaques Vous devriez maintenir les dispositifs sans fil à au

moins six pouces du simulateur cardiaque. Ils ne doivent PAS placer le téléphone sans fil directement sur le stimulateur cardiaque, tel que

dans une poche de chemise, lorsque celui-ci est

en marche.

- cords may be walked on or crimped. 13. This product should be operated only from the type of power source indicated on the
- marking label. If you are not sure of the type of power supply in your home, consult your dealer or local power company.
- 14.Do not overload wall outlets or use an extension cord.
- 15.Do not place this product on an unstable table, shelf, stand or other unstable surfaces.
- 16.This product should not be placed in any area where proper ventilation is not provided. Slots and openings in the back or bottom of this product are provided for ventilation. To protect them from overheating, these openings must not be blocked by placing the product on a soft surface such as a bed, sofa or rug. This product should never be placed near or over a radiator or heat register
- 17.Never push objects of any kind into this product through the slots because they may touch dangerous voltage points or create a short circuit. Never spill liquid of any kind on the product.
- 18.To reduce the risk of electric shock, do not disassemble this product, but take it to an authorized service facility. Opening or removing parts of the product other than specified access doors may expose you to dangerous voltages or other risks. Incorrect reassembling can cause electric shock when the product is subsequently used.
- 19.You should test the sound reception every time you turn on the units or move one of the components
- 20.Periodically examine all components for damage.
- 21.Be aware of possible loss of privacy while using public airwaves. Conversations may be picked up by other nursery monitors, cordless phones, scanners, etc.
- 22.Children should be supervised to ensure that they do not play with the product.
- 23.The product is not intended for use by persons (including children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety.

SAVE THESE INSTRUCTIONS

L'étude effectuée par l'organisme WRS n'a pas identifié de risque pour les détenteurs de simulateurs cardiagues causés par les gens qui utilisent dispositifs sans fil à proximité de ceux-ci.

Champs électromagnétiques (EMF)

Ce produit de VTech est conforme à toutes les normes se rapportant aux champs électromagnétiques (EMF) standard. Si vous le manipulez correctement en suivant les instructions de ce guide, son utilisation sera sécuritaire pendant de nombreuses années, selon les meilleures évidences scientifiques dont nous disposons aujourd'hui.

З.

5.

8.

Limited warranty

What does this limited warranty cover? The manufacturer of this VTech Product warrants to the holder of a valid proof of purchase ("Consumer" or "you") that the Product and all accessories provided in the sales package ("Product") are free from defects in material and workmanship pursuant to the following terms and conditions. when installed and used normally and in accordance with the Product operating instructions. This limited warranty extends only to the Consumer for Products purchased and used in the United States of America and Canada.

What will VTech do if the Product is not free from defects in materials and workmanship during the limited warranty period ("Materially Defective Product")?

During the limited warranty period, VTech's authorized service representative will repair or replace at VTech's option, without charge, a Materially Defective Product. If we repair the Product, we may use new or refurbished replacement parts. If we choose to replace the Product, we may replace it with a new or refurbished Product of the same or similar design. We will retain defective parts, modules, or equipment. Repair or replacement of the Product, at VTech's option, is your exclusive remedy. VTech will return the repaired or replacement Products to you in working condition. You should expect the repair or replacement to take approximately 30 days.

How long is the limited warranty period?

The limited warranty period for the Product extends for ONE (1) YEAR from the date of purchase. If VTech repairs or replaces a Materially Defective Product under the terms of this limited warranty, this limited warranty also applies to the repaired or replacement Product for a period of either (a) 90 days from the date the repaired or replacement Product is shipped to you or (b) the time remaining on the original one-year warranty; whichever is longer.

2

warranty.

- Cautions

- or fire.

pacemakers

1. Use and store the product at a temperature between 32°F and 104°F.

2. Do not expose the product to extreme cold, heat or direct sunlight. Do not put the product close to a heating source. 3. Batteries should not be exposed to excessive heat such as bright sunshine

Make sure the baby unit(s) and the adapter cord(s) are always out of reach of the baby, at least 3 feet away from the baby or crib, to avoid a possible strangulation hazard.

5. Never place the baby unit(s) inside the baby's crib or playpen. Never cover the baby unit(s) or parent unit with anything such as a towel or a blanket.

6. Other electronic products may cause interference with your baby monitor. Try installing your baby monitor as far away from these electronic devices as possible: wireless routers, radios, cellular telephones, intercoms, room monitors, televisions, personal computers, kitchen appliances and cordless telephones.

Precautions for users of implanted cardiac

Cardiac pacemakers (applies only to digital cordless devices):

Wireless Technology Research, LLC (WTR), an independent research entity, led a multidisciplinary evaluation of the interference between portable wireless devices and implanted cardiac pacemakers. Supported by the U.S. Food and Drug Administration, WTR recommends to physicians that:

Pacemaker patients

· Should keep wireless devices at least six inches from the pacemaker.

 Should NOT place wireless devices directly over the pacemaker, such as in a breast pocket, when it is turned ON.

WTR's evaluation did not identify any risk to bystanders with pacemakers from other persons using wireless devices.

Electromagnetic fields (EMF)

This VTech product complies with all standards regarding electromagnetic fields (EMF). If handled properly and according to the

instructions in this user's manual, the product is safe to be used based on scientific evidence available today.

What is not covered by this limited warrantv? This limited warranty does not cover:

1. Product that has been subjected to misuse, accident, shipping or other physical damage, improper installation, abnormal operation or handling, neglect, inundation, fire, water or other

liquid intrusion; or 2. Product that has been damaged due to repair, alteration or modification by anyone other than an authorized service representative of VTech; or

Product to the extent that the problem experienced is caused by signal conditions, network reliability, or cable or antenna systems; or 4. Product to the extent that the problem is caused

by use with non-VTech accessories; or Product whose warranty/quality stickers, product serial number plates or electronic serial numbers have been removed, altered or rendered illegible; or 6. Product purchased, used, serviced, or shipped for

repair from outside the United States of America or Canada, or used for commercial or institutional purposes (including but not limited to Products used for rental purposes); or

Product returned without a valid proof of purchase (see item 2 on the next page); or

Charges for installation or set up, adjustment of customer controls, and installation or repair of systems outside the unit.

How do you get warranty service?

NOTE: Before calling for service, please review the user's manual - a check of the Product's controls and features may save you a service call.

Except as provided by applicable law, you assume the risk of loss or damage during transit and transportation and are responsible for delivery or handling charges incurred in the transport of the Product(s) to the service location. VTech will return repaired or replaced Product under this limited warranty. Transportation, delivery or handling charges are prepaid. VTech assumes no risk for damage or loss of the Product in transit. If the Product failure is not covered by this limited warranty, or proof of purchase does not meet the terms of this limited warranty, VTech will notify you and will request that you authorize the cost of repair prior to any further repair activity. You must pay for the cost of repair and return shipping costs for the repair

of Products that are not covered by this limited What must you return with the Product to get

warranty service? Return the entire original package and contents including the Product to the VTech service location along with a description of the

malfunction or difficulty; and Include a "valid proof of purchase" (sales receipt) identifying the Product purchased (Product model) and the date of purchase or receipt; and

The RBRC[®] seal

The RBRC[®] seal on the nickel-metal battery indicates that VTech Communications, Inc. is voluntarily participating in an industry program to collect and recycle these batteries at the end of their useful lives, when taken out of service within the United States and Canada.

The $\text{RBRC}^{\circledast}$ program provides a convenient alternative to placing used nickel-metal batteries into the trash or municipal waste, which may be illegal in your area.

VTech's participation in RBRC[®] makes it easy for you to drop off the spent battery at local retailers participating in the RBRC® program or at authorized VTech product service centers. Please call

1 (800) 8 BATTERY[™] for information on Ni-MH battery recycling and disposal bans/restrictions in vour area. VTech's involvement in this program is part of its commitment to protecting our environment and conserving natural resources.

RBRC[®] is a registered trademark of Rechargeable **Battery Recycling Corporation**



FCC and IC regulations

FCC Part 15

This equipment has been tested and found to comply with the requirements for a Class B digital device under Part 15 of the Federal Communications Commission (FCC) rules. These requirements are intended to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- · Reorient or relocate the receiving antenna. Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected. Consult the dealer or an experienced radio/TV
- technician for help.
- 3. Provide your name, complete and correct mailing address, and telephone number.

Other limitations

This warranty is the complete and exclusive agreement between you and VTech. It supersedes all other written or oral communications related to this Product. VTech provides no other warranties for this Product. The warranty exclusively describes all of VTech's responsibilities regarding the Product. There are no other express warranties. No one is authorized to make modifications to this limited warranty and you should not rely on any such modification.

State/Provincial Law Rights: This warranty gives you specific legal rights, and you may also have other rights, which vary from state to state or province to province.

Limitations: Implied warranties, including those of fitness for a particular purpose and merchantability (an unwritten warranty that the Product is fit for ordinary use) are limited to one year from the date of purchase. Some states/provinces do not allow limitations on how long an implied warranty lasts, so the above limitation may not apply to you. In no event shall VTech be liable for any indirect, special, incidental, consequential, or similar damages (including, but not limited to lost profits or revenue, inability to use the Product or other associated equipment, the cost of substitute equipment, and claims by third parties) resulting from the use of this Product. Some states/provinces do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you

Please retain your original sales receipt as proof of purchase.

Changes or modifications to this equipment not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

To ensure safety of users, the FCC has established criteria for the amount of radio frequency energy that can be safely absorbed by a user or bystander according to the intended usage of the product. This product has been tested and found to comply with the FCC criteria. The baby unit shall be installed and used such that parts of all persons' body are maintained at a distance of approximately 8 in (20 cm) or more.

This Class B digital apparatus complies with Canadian requirement CAN ICES-3 (B)/NMB-3(B)

Industry Canada

This device complies with Industry Canada licenceexempt RSS standard(s)

Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation

Privacy of communications may not be ensured when using this product.

The term "IC:" before the certification/registration number only signifies that the Industry Canada technical specifications were met.

This product meets the applicable Industry Canada technical specifications.

RF radiation exposure statement

The baby unit complies with FCC RF radiation exposure limits set forth for an uncontrolled environment. The baby unit should be installed and operated with a minimum distance of 8 in (20 cm) between the baby unit and all persons' body. Use of other accessories may not ensure compliance with FCC RF exposure guidelines. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter. This equipment complies also with Industry Canada RSS-102 with respect to Canada's Health Code 6 for Exposure of Humans to RF Fields.

Technical specifications

Frequency control	Crystal controlled PLL synthesizer	
Transmit	Baby unit: 2407.5 - 2475 MHz	
frequency	Parent unit: 2407.5 - 2475 MHz	
Channels	21	
LCD	2" Color LCD	
	(QVGA 320x240 pixel)	
Nominal effective range	Maximum power allowed by FCC and IC. Actual operating range may vary according to environmental conditions at the time of use.	
Power	Parent unit: 3.6 V Ni-MH battery	
requirement	Baby unit power adapter:	
	Input: 100-240V AC 150mA 50/60Hz	
	Output: 6V DC 600mA	
	Parent unit power adapter:	
	Input: 100-240V AC 150mA 50/60Hz	
	Output: 6V DC 600mA	



Specifications are subject to change without notice. © 2014 VTech Communications, Inc. All rights reserved. 05/14. VM311-X_CIB_V6.0 Document order number: 91-007629-030-100

Free Manuals Download Website <u>http://myh66.com</u> <u>http://usermanuals.us</u> <u>http://www.somanuals.com</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.com</u> <u>http://www.404manual.com</u> <u>http://www.luxmanual.com</u> <u>http://aubethermostatmanual.com</u> Golf course search by state

http://golfingnear.com Email search by domain

http://emailbydomain.com Auto manuals search

http://auto.somanuals.com TV manuals search

http://tv.somanuals.com