



SPECIFICATIONS:

Three level cook and hold oven, Vulcan-Hart Model No. VCV4. Heavy duty 20 gauge polished stainless steel cabinet with welded tubular steel inner frame for increased durability. Stainless steel door with heavy duty hinges, door latch mechanism, and long lasting silicone gaskets. Fully insulated, 2" in top and 1" in sides and bottom. Interior pan supports removable for easy cleaning. Two wire cooking racks. Accepts three 18" x 13" x 1" baking pans or three 12" x 20" x 2½" steam table pans. Self contained power head easily removable. Includes metal sheathed heating elements, convection fan, electric controls and "power on", "cooking" and "holding" cycle indicator lights. Low speed fan provides even heat distribution and natural browning of meat products. Cook temperature adjusts to 250°F. Holding temperature adjusts to 200°F. 120 volt, 15 amp service. Furnished with 6' power cord and NEMA 5-15 plug.

Exterior dimensions: 17¼"w x 27"d x 32½"h on 3" heavy duty casters (2 swivel with brakes, 2 rigid).



UL listed. UL listed to Canadian safety standards. Classified by UL to NSF Std. #4.

STANDARD FEATURES:

- Three level cook and hold oven accepts three 18" x 13" baking pans or three 12" x 20" steam table pans
- 40 pound capacity
- Heavy duty 20 gauge polished stainless steel cabinet with welded tubular steel inner frame for increased durability
- Stainless steel door with heavy duty hinges, door latch mechanism, and long lasting silicone gaskets
- Fully insulated: 2" in top and 1" in sides, bottom and door
- Interior pan supports removable for easy cleaning
- Two wire cooking racks
- Self-contained power head easily removable. Includes metal sheathed heating elements, convection fan, electronic controls and "power on", "cooking" and "holding" cycle indicator lights. Cook temperatures adjusts from 250°F. Holding temperature adjusts to 200°F
- Heavy duty 3" casters or Built-in
- 120 volt, 15 amp
- Venting not required in most areas
- Heavy duty permanently affixed positive seal door latching system
- Left or right hand hinging (no charge)
- One year limited parts and labor warranty

OPTIONS:

- Perimeter bumper
- Stainless steel legs
- 4", 5" & 6" heavy duty casters
- Control panel security cover
- Side lift handles
- Two year extended limited parts and labor warranty.



Model No.	Pan* Capacity	Meat* Capacity	High	Deep	Wide	Shipping Weight	Volts	Watts	Amps
VCV4	3 each 18" x 13" pans	40# 18.1 kg	28 ³ / ₄ " 730 mm	30 ³ / ₄ " 781 mm	17 ¹ / ₄ " 438 mm	275# 125 kg	208 240	1900 2530	10 11

NOTE: In line with its policy to continually improve its products, Vulcan-Hart Company reserves the right to change materials and specifications without notice.

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>