


Revised 11/2010

General Assembly Guidelines


- I. Ensure that all parts and hardware are available before beginning assembly.
- II. Follow each step carefully to ensure the proper assembly of this product.
- III. Two people are recommended for ease in the assembly of this product.
- IV. The four main types of hardware used to assemble this product are: wood dowels, cam bolts and locks, bolts and screws.
- V. The provided glue is to secure wood dowels in place. When first inserting dowels, locate the appropriate hole for the dowel, place a small amount of glue in the hole and insert the dowel. Wipe away excess glue immediately.




In future assembly steps when dowels are necessary to attach assembly parts together, place a small amount of glue on the end of the dowel before attaching parts together. Wipe away excess glue immediately.




VI. A Phillips head screwdriver is required for the assembly of this product.



VII. Power tools should not be used to assemble this product.








Hardware List


А			Cam lock	32	pcs
В			Cam bolt	32	pcs
С		Ø8x30mm	Wood dowel	48	pcs
D			Glue tube	3	pcs
Е	ammunun (þ	Ø6x50mm	Bolt	15	pcs
F			Wrench	1	рс
G	and a second		Door stopper	2	pcs
Н	(funning)	Ø3x15mm	Small round head screw	4	pcs
Ι			Shelf support pin	8	pcs
J			Door stopper plate	2	pcs
K	<uunite (f)<="" td=""><td>Ø3x12mm</td><td>Small screw</td><td>2</td><td>pcs</td></uunite>	Ø3x12mm	Small screw	2	pcs
L	A Contraction of the second se		Door hinge	4	pcs
Μ	 International (1) 	Ø4x20mm	Large screw	24	pcs
Ν			Handle	2	pcs
Ρ	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	Ø4x22mm	Large round head screw	4	pcs
Q	<uuniter (f)<="" td=""><td>Ø3x17mm</td><td>Medium screw</td><td>8</td><td>pcs</td></uuniter>	Ø3x17mm	Medium screw	8	pcs
R			Plastic wedge	8	pcs
S	\bigcirc	Ø25mm	Sticker	32	pcs


The hardware quantities listed above are required for proper assembly. Some extra hardware may also have been included.





















Carefully slide back panel (10) into place along the back of the stand assembly. Use cam bolts and dowels as guides. Insert cam locks (A) into back panel (10) and tighten with a screwdriver.











Attach door assembly (17,18) to the opposite side of the stand assembly at door hinges (L) using large screws (M).





Free Manuals Download Website <u>http://myh66.com</u> <u>http://usermanuals.us</u> <u>http://www.somanuals.com</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.com</u> <u>http://www.404manual.com</u> <u>http://www.luxmanual.com</u> <u>http://aubethermostatmanual.com</u> Golf course search by state

http://golfingnear.com Email search by domain

http://emailbydomain.com Auto manuals search

http://auto.somanuals.com TV manuals search

http://tv.somanuals.com