



7500-H-UA13T Heated Hold-N-Serve Cabinets



Shown with Optional Prison Package

SIZE:

7500-H-UA13T -
71-1/8" High, 29-3/4" Wide, 34" Deep
1807 mm High, 756 mm Wide, 864 mm Deep

Toastmaster's 7500-H-UA13T heated hold-n-serve cabinets are designed to hold products in a controlled heated environment. Convection heating system and side-to-side airflow ensures cabinet will hold proper temperatures prior to, and during, busy serving periods. These cabinets are also the perfect choice for use as transport and serving cabinets in high volume operations.

These rugged, heavy-duty cabinets are ideal for correctional institutions, and come with an optional prison package.

CONSTRUCTION:

- Welded stainless steel
- Fully insulated
- Control panel accessible through front of unit
- Heating elements accessible inside of cabinet

CONTROLS:

- Mechanical controls
- Indicator light for thermostat

LABORATORY CERTIFICATION AND APPROVAL



STANDARD FEATURES:

- Stainless steel construction
- Insulated solid door
- Silicone rubber door gaskets
- Universal pan slides
- Casters
- Lift off door

OPTIONAL FEATURES:


- Prison package (order as 7500-H-UA13TFL)
- 6" Legs

PRISON PACKAGE:

- Locking handle
- Adjustable 6" legs
- Tamper proof screws

Toastmaster 7500-H-UA13T Heated Hold-N-Serve Cabinets

7500-H-UA13T Heated Hold-N-Serve Cabinets



CAPACITY:

	18"x26" Sheet Pans	12"x20" Food Service Pans	13"x18" Half Size Sheet Pans	Spacing
Cabinet	13	26	26	3"

SPECIFICATIONS:

SERVICE CONNECTIONS:

- Unit is equipped with a 20 Amp, nine foot, power cord.

ELECTRICAL:

- 120/1-16 Amps

INSTALLATION:

Allow four inches on each side and back of unit for ventilation of unit.

LISTINGS:

The 7500-H-UA13T has C-ETL-US and NSF listings.

DIMENSIONS:

	Height	Width	Depth
Exterior	71-1/8"	29-3/4"	34"
Interior	57-1/2"	21"	29-1/2"

DOOR SWING:

- 27-1/4" (692 mm)
- Hold open beyond 90 degrees
- Self closing within 90 degrees

PACKING SIZE:

80" High, 30" Wide, 40" Deep
(2032 mm High, 762 mm Wide, 1016 mm Deep)

SHIPPING WEIGHT:

525 Pounds, FOB Menominee, MI 49858



INTENDED FOR COMMERCIAL USE ONLY. NOT FOR HOUSEHOLD USE.



Toastmaster, in line with its policy to continually improve its product, reserves the right to change materials or specifications without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions, or replacements for previously purchased equipment.



Toastmaster® 5600 13th Street, Menominee, MI 49858 • www.toastmastercorp.com

Toll Free: 1-800-338-9886 • Telephone: 1-906-863-4401 • Fax: 1-906-863-5889

Download from [Www.Somanuals.com](http://www.Somanuals.com). All Manuals Search And Download.

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>