



PMA-5/18 Pizza Oven



SIZE:

PMA-5/18 - 40-3/8" High, 32-7/8" Wide, 36-1/8" Deep
1026 mm High, 733 mm Wide, 914 mm Deep

Toastmaster's **PMA-5/18** pizza oven has the unique **V-AIR®** design which drives faster cook times and a perfect heat distribution top to bottom, side-to-side and front to back. The individual aluminum decks are heated inside the oven and provide your pizza with the crust quality of a hearth stone deck oven.

These units utilize digital count down timers and they include one timer for each shelf. Each timer can be set individually so you can produce different types of pizza at the same time and track them by simply setting the bake time on each timer.

CONSTRUCTION:

- Welded stainless steel
- Fully insulated
- Control panel accessible through top of unit
- Timer panel accessible through front of unit
- Heating elements accessible inside of cabinet and through top

CONTROLS:

- Solid state controls
- Indicator light for thermostat
- Microswitch fan motor cut-off
- Individual count down timer for each deck

STANDARD FEATURES:

- **V-AIR®** technology
- Stainless steel construction
- Stainless steel hinges
- Flush mount lift off, no sag door
- Tempered glass doors
- Silicone rubber door gaskets
- Flip down doors for each deck
- Set of 6" legs


OPTIONAL FEATURES:

- Cart with panslides (151-9899PS)
- Cart without panslides (151-9899NP)
- Stand with panslides (151-9898PS)
- Stand without panslides (151-9898NP)

LABORATORY CERTIFICATION AND APPROVAL



PMA-5/18 Pizza Oven



SPECIFICATIONS:

ELECTRICAL:

- Unit is shipped from factory to be hard wired on site. Single phase uses three wire system. Three phase uses four wire system.

SERVICE CONNECTIONS:

- 208 or 240 -Volt single or three phase is standard. Please specify at time of order.

ELECTRICAL:

Amp Draw	208/1	208/3	240/1	240/3
	50	42	43	36

INSTALLATION:

Allow four inches on each side and back of unit for ventilation of oven.

CAPACITY:

	18" Pizza Pans	Spacing
Oven	5	3"

DIMENSIONS:

	Height	Width	Depth
Exterior	40-3/8"	32-7/8"	36 ¹ / ₈ "
Interior	18"	18-1/2"	28"

LISTINGS:

The PMA-5/18 has C-ETL-US and ETL Sanitation Listings



DOOR SWING: Oven - 25" (635mm)

PACKING SIZE:

43" High, 37" Wide, 40" Deep (1092 mm High, 940 mm Wide, 1016 mm Deep)

SHIPPING WEIGHT:

350 Pounds (159 Kg), FOB Menominee, MI 49858

INTENDED FOR COMMERCIAL USE ONLY. NOT FOR HOUSEHOLD USE.



Toastmaster, in line with its policy to continually improve its product, reserves the right to change materials or specifications without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions, or replacements for previously purchased equipment.



Toastmaster® 5600 13th Street, Menominee, MI 49858 • www.toastmastercorp.com

Toll Free: 1-800-338-9886 • Telephone: 1-906-863-4401 • Fax: 1-906-863-5889

Download from www.Somanuals.com. All Manuals Search And Download.

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>