TOSHIBA

IK-WB15A IP NETWORK CAMERA





















- Crisp, high resolution 1280 x 960 (SXVGA) video viewed on any PC using a standard web browser
- Super CCD delivers 60% greater resolution than conventional square-pixel CCDs, along with increased sensitivity, S/N ratio and dynamic range
- Remotely monitor your home, business, office, vacation property, constuction site or any facility over LAN, Intranet or Internet
- 2.6x optical zoom
- Up to 30 frames per second of streaming video at 640 x 480 (7.5 fps at 1280 x 960)
- Remotely control 112° pan, 54° tilt with auto patrol
- 802.3af Power Over Ethernet (PoE) delivers electrical power via the same Ethernet cable being used for data communications with equipment. Requires optional power supply.
- Built-in slot for SD card for recording at the camera
- Camera operates as a stand-alone unit with a built-in web server — no on-site PC required
- Two-way audio communication over network
- Day/night capability with auto switching to black-and-white mode in low light
- Motion detection capability
- Restriction of Hazardous Substances (RoHS) Compliant
- One year warranty

IK-WB15A IP NETWORK CAMERA

IMAGING

Image Sensor Effective Picture Elements Lens

Resolution

Minimal Illumination Compression White Balance Auto White Balance AGC (Gain) Backlight Compensation

Picture Quality Settings

CONTROLS

Pan Tilt

Day/Night Imaging (Color Cut) Maximum Frame Rates

Sharpness Color Gain DNR Slow Shutter

PHYSICAL

External Memory Dimensions (inches) Power Requirement

Power Consumption Operating Temperature Operating Humidity Weight

CERTIFICATIONS

CONNECTIVITY

Ethernet
Microphone Input/Audio Output
Alarm Input/Output
Protocols

REQUIREMENTS

Browser Operating System

ACCESSORIES

Supplied

1/4 inch SCCD (Honeycomb)

630 K pixels

2.6x Optical Zoom

Focal length: 2.8 mm to 7.3 mm

F1.9 (wide), F3.1 (tele)

SXVGA: 1280 x 960, VGA: 640 x 480, QVGA: 320 x 240,

QQVGA: 160 x 120

0.18 lx (4 s, F1.9, AGC High)

JPEG (Video Streaming Motion-JPEG)

Auto, Indoor1, Indoor2, Outdoor, Hold, Manual

Normal/Wide

Off/Normal/High 0 dB (Off), 18 dB (Normal), 24 dB (High) Off, Screen Upper 2/3, Screen Lower 2/3, Screen Center 1/3, Screen Center 1/6, Screen Right and Left 1/2, Auto 5 Steps

112° (+56° to -56°) 54° (+5° to -49°)

Yes

1280 x 960: 7.5 FPS, 640 x 480: 30 FPS, 320 x 240: 30 FPS, 160 x 120: 30 FPS

Yes (Sharp/Standard/Soft) R-Y/B-Y Gain Control

Low/Middle/High (3D Digital System)

Off, 1/7.5 s (x4), 1/3.75 s (x8), 1/2.5 s (x12), 1/1.8 s (x16), 1 s

(x30), 2 s (x60), 4 s (x120), Off=1/30 s

SD Card Slot

5.0" (H) x 5.0" (W) x 4.7" (D)

12 V DC (±10%) via AC adaptor: 100-240 V

PoE (IEEE802.3.af)

10 watts (approximately)

14° to 122 °F

30% to 90% non-condensing

23 ounces

UL6500/cUL (AC Power Adaptor)

FCC, Class B

RoHS Compliant

10BASE-T/100BASE-TX (RJ45)

Yes


Yes (1 Alarm In/1 Alarm Out)

TCP/IP, UDP/IP, FTPc, FTPs, DHCPc, HTTP,

DNS (Resolver), DDNS, ARP, ICMP, SMTP, NTPc, RNCP

Internet Explorer® Ver. 6.0 Windows® 98/2000/XP


AC Power Adaptor, AC Power Cable, DC Extension Cable Water-resistant Cover/Wall-Mount Holder, Tripod Screw Socket, Sun Visor (to be used when installing outdoors), Ferrite Core, Mounting Screws




Super CCD Imaging

The IK-WB15A is one of the first IP Network Cameras to leverage the full potential of the next generation Fuji® Super CCD with its unique 45° diagonal angled pixels. When compared with "megapixel" cameras, the Super CCD delivers 60% better horizontal and vertical resolution, fewer jagged edges, faster video processing, and broader dynamic range in an ultra-compact form factor. Plus, the Super CCD's higher sensitivity means you can use the IK-WB15A in more lighting environments.

SAMPLE CONNECTION



TOSHIBA



Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com