

# Portégé M700

Versatility to the max.



[computers.toshiba-europe.com](http://computers.toshiba-europe.com)

The Portégé M700 is the ultimate combination of notebook and Tablet PC. Driven by latest Intel® Centrino® Pro technology, it comes with a 12.1" widescreen display with excellent indoor and outdoor viewing performance, touch screen\*, integrated DVD Super Multi drive and a wide range of communication capabilities including HSDPA/UMTS/3G\*. Embedded Toshiba EasyGuard technologies represent a clever business choice and offer complete peace-of-mind. Experience exceptional versatility and enjoy perfect productivity at a twist of the display.

### Maximised professionalism



Intel® Active Management Technology v 2.6 enables remote configuration, diagnosis and repair, power on and update over your company network, resulting in reduced downtime and fewer desk-site visits.

### Maximised intuition



Capture hand-written notes and navigate swiftly through form-based or menu-driven applications with the Tablet Pen or with your fingertip thanks to touch screen technology\*.

### Maximised communication



You get everything on board, including webcam and microphone for cost-effective video and voice calling, 3G on selected models plus Toshiba ConfigFree™ for simplified wired and wireless communication\*.

### Maximised reliability



The HDD 3D Accelerometer combined with design improvements on hinge and display pegs provide industry-leading stability and reliability to ensure better protection of your data.

#### Express Port Replicator

Save time and wear-and-tear on your new system. Snap in and out to a full complement of ports.



Art. No. PA3508E-1PRP

#### 22" TekBright Wide Display

Widescreen TFT monitor with fast response time (5ms), maximum resolution of 1680x1050 and superb display characteristics thanks to a high viewing angle and anti-glare layer.



Art. No. PA3553E-1LC2

#### On-Site Repair Uplift

Includes parts, helpdesk support and on-site repair labour, usually by end of next business day.



Contact dealer

# Toshiba recommends Windows Vista® Business.




**Fingerprint Reader:** secure and convenient single touch sign-on



**Integrated webcam and microphone:** voice and video conferencing on the go\*



**Optical disk drive:** featuring an Optical Drive Auto Lock to prevent accidental opening of DVD bay

|                                                                                   | Portégé M700-108                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Portégé M700-100 | Portégé M700-10M | Portégé M700-10Q | Portégé M700-10K |
|-----------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|------------------|------------------|------------------|
|  | <b>Secure:</b> Advanced Instant Security, Handwriting Signature Log-on, Toshiba Device Access Control (on request), Execute Disable Bit (XD-Bit), Wireless log-on via Bluetooth® mobile phone, Advanced Encryption, Fingerprint Reader-Single Sign On, Computrace® enabled BIOS, Password Utilities, Antivirus Software, Toshiba Security Assist<br>– – – – –<br><b>SmartCard Reader</b>                                                                                                                                  |                  |                  |                  |                  |
|                                                                                   | <b>Protect &amp; Fix:</b> Spill-resistant Keyboard, HDD Protection (3-axis), Toshiba Anti-theft Protection Timer, Shock Protection Design, Durable Design, PC Diagnostics, Kensington Lock, Data Backup, Easy Fix Components<br>– – – – –<br><b>Connect:</b> Diversity Antenna, Voice over IP ready, Toshiba ConfigFree™, Bluetooth® 2.0 with EDR, Wireless Communication Switch<br>Video over IP ready – – – – –<br>Wireless LAN (802.11a/b/g/ Draft-N) – – – – –<br>3G broadband WWAN connectivity, Video over IP ready |                  |                  |                  |                  |
|                                                                                   | <b>Manage:</b> Intel® Active Management Technology 2.6, Port Replicator (optional), Dynadock 'USB Port Replicator' (optional), Intel® Virtualization Technology, Toshiba Power Saver Utility, Toshiba Management Console<br>– – – – –<br>Intel® Turbo Memory (1 GB) – – – – –                                                                                                                                                                                                                                             |                  |                  |                  |                  |

| Specifications Portégé M700   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                                                                                                                                                                                             |                                                                                                                                                                                         |                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                    |
|-------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Processor / technology</b> | Intel® Centrino® Pro processor technology featuring Intel® Core™2 Duo Processor T7250 (4 MB Cache, 2.00 GHz, 800 MHz FSB), Intel® 965GM Express chipset and Intel® PRO/Wireless 3945ABG network connection                                                                                                                                                                                                                                                        | Intel® Centrino® Pro processor technology featuring Intel® Core™2 Duo Processor T7250 (4 MB Cache, 2.00 GHz, 800 MHz FSB), Intel® 965GM Express chipset and Intel® Next-Gen Wireless-N (Intel® Wireless WiFi™ Link 4965AGN) | Intel® Centrino® Pro processor technology featuring Intel® Core™2 Duo Processor T7250 (4 MB Cache, 2.00 GHz, 800 MHz FSB), Intel® 965GM Express chipset and Intel® PRO/Wireless 3945ABG | Intel® Centrino® Pro processor technology featuring Intel® Core™2 Duo Processor T7700 (4 MB Cache, 2.40 GHz, 800 MHz FSB), Intel® 965GM Express chipset and Intel® Next-Gen Wireless-N (Intel® Wireless WiFi™ Link 4965AGN)                |                                                                                                                                                                                                                                                    |
| <b>Operating system</b>       | Genuine Windows Vista® Business Edition (pre-installed) + Genuine Microsoft® Windows® XP Tablet PC Edition 2005 (as recovery media on DVD-ROM)                                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                             |                                                                                                                                                                                         |                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                    |
| <b>Display</b>                | Digitizer function                                                                                                                                                                                                                                                                                                                                                                                                                                                | 12.1" WXGA LED anti-glare Backlight indoor/outdoor wide view angle display, resolution: 1,280 x 800, high-brightness: 200 cd/m²                                                                                             |                                                                                                                                                                                         | Digitizer function                                                                                                                                                                                                                         |                                                                                                                                                                                                                                                    |
| <b>Hard disk</b>              | 120 GB (5,400 rpm), Serial ATA                                                                                                                                                                                                                                                                                                                                                                                                                                    | 160 GB (5,400 rpm), Serial ATA                                                                                                                                                                                              | 120 GB (5,400 rpm), Serial ATA                                                                                                                                                          | 160 GB (5,400 rpm), Serial ATA                                                                                                                                                                                                             |                                                                                                                                                                                                                                                    |
| <b>System memory</b>          | 2,048 (1,024 + 1,024) MB, maximum expandability: 4 GB, technology: DDR2 RAM (667 MHz)                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                             |                                                                                                                                                                                         |                                                                                                                                                                                                                                            | 4,096 (2,048 + 2,048) MB, maximum expandability: 4 GB, technology: DDR2 RAM (667 MHz)                                                                                                                                                              |
| <b>Optical device</b>         | Slim DVD Super Multi (Double Layer) drive                                                                                                                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                                                                                             |                                                                                                                                                                                         |                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                    |
| <b>Graphics adapter</b>       | Mobile Intel® Graphics Media Accelerator X3100, up to 358 MB total available graphics memory with 2 GB system memory                                                                                                                                                                                                                                                                                                                                              |                                                                                                                                                                                                                             |                                                                                                                                                                                         |                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                    |
| <b>Pointing device</b>        | –                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Touch Screen                                                                                                                                                                                                                | Touch Pad, Tablet Pen                                                                                                                                                                   | –                                                                                                                                                                                                                                          |                                                                                                                                                                                                                                                    |
| <b>Wired communication</b>    | Gigabit Ethernet LAN, international V.90 modem (V.92 ready)                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                             |                                                                                                                                                                                         |                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                    |
| <b>Wireless communication</b> | Wireless LAN (802.11a/b/g)                                                                                                                                                                                                                                                                                                                                                                                                                                        | Bluetooth® 2.0 with EDR (Enhanced Data Rate)                                                                                                                                                                                |                                                                                                                                                                                         | 3G broadband WWAN UMTS/HSDPA at 2100 MHz and GPRS/EDGE quad bands at 850/900/1800/1900 MHz, network support up to HSDPA 3.6 Mbps downlink, 384 Kbps uplink (Module can be upgradeable to 7.2 Mbps by firmware), Wireless LAN (802.11a/b/g) | 3G broadband WWAN UMTS/HSDPA at 2100 MHz and GPRS/EDGE quad bands at 850/900/1800/1900 MHz, network support up to HSDPA 3.6 Mbps downlink, 384 Kbps uplink (Module can be upgradeable to 7.2 Mbps by firmware), Wireless LAN (802.11a/b/g/Draft-N) |
| <b>Sound system</b>           | Toshiba Bass Enhanced Sound System, built-in stereo speakers, volume dial, built-in microphone                                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                             |                                                                                                                                                                                         |                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                    |
| <b>Interfaces</b>             | DC-in, external monitor, external microphone, expansion bus connector, RJ-11, RJ-45, 3 x USB 2.0, headphone (stereo), 5-in-1 Bridge Media slot (supports SD™ Cards, Memory Stick™, Memory Stick Pro™, MultiMedia Card™, xD-Picture Card™), i.LINK® (IEEE1394)                                                                                                                                                                                                     |                                                                                                                                                                                                                             |                                                                                                                                                                                         |                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                    |
| <b>Expansion</b>              | PC Card slot for 1x Type II card                                                                                                                                                                                                                                                                                                                                                                                                                                  | Connection to optional Toshiba Express Port Replicator, 2 memory slots                                                                                                                                                      | –                                                                                                                                                                                       | PC Card slot for 1x Type II card                                                                                                                                                                                                           | –                                                                                                                                                                                                                                                  |
| <b>Battery</b>                | Technology: lithium-ion, maximum life up to 4:30 hours (Mobile Mark™)                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                             |                                                                                                                                                                                         |                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                    |
| <b>Bundled software</b>       | Toshiba utilities and drivers, Online User's Manual, Toshiba ConfigFree™, Toshiba Management Console, Toshiba Bluetooth® Stack, Toshiba Disc Creator, InterVideo® WinDVD™, Toshiba Bluetooth® Monitor, Norton Internet Security™ 2007 (includes free Internet updates for 90 days), Connectivity Doctor, Toshiba Security Assist, Toshiba Value Added Package, free 60-day trial of Microsoft® Office Professional 2007, Windows Vista® Business Recovery DVD-ROM |                                                                                                                                                                                                                             |                                                                                                                                                                                         |                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                    |
| <b>Bundled hardware</b>       | Windows® XP Professional Recovery DVD-ROM<br>AC adapter, Tablet Pen, reserve pen in storage bay                                                                                                                                                                                                                                                                                                                                                                   |                                                                                                                                                                                                                             |                                                                                                                                                                                         |                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                    |
| <b>Special features</b>       | Toshiba Flash Cards, Windows® Security tablet button, ESC/Rotating button, Cross Functional button, Toshiba Assist button, integrated microphone for VoIP Enhanced Intel® SpeedStep® Technology, Toshiba Zooming utility, Toshiba Power Saver utility, HD Audio supporting, Fingerprint Reader-Single Sign On, supports Smart External Monitor (4:3 & 16:10 ext. displays), Optical Drive Auto Lock, Energy Star 4.0 compliant                                    |                                                                                                                                                                                                                             |                                                                                                                                                                                         |                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                    |
| <b>Physical dimensions</b>    | Integrated 1.3 Megapixels Video Camera for Video over IP                                                                                                                                                                                                                                                                                                                                                                                                          | Integrated 1.3 Megapixels Video Camera for Video over IP<br>Intel® Turbo Memory (1 GB)                                                                                                                                      | –                                                                                                                                                                                       | Integrated 1.3 Megapixels Video Camera for Video over IP                                                                                                                                                                                   |                                                                                                                                                                                                                                                    |
| <b>Warranty</b>               | 3-year international warranty. Upgrade your standard warranty with Toshiba warranty extension and uplift packages. Contact your nearest Toshiba Authorised Reseller for details.                                                                                                                                                                                                                                                                                  |                                                                                                                                                                                                                             |                                                                                                                                                                                         |                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                    |

Dealer stamp:

| Basic options and services Portégé M700                 | PA number      |
|---------------------------------------------------------|----------------|
| <b>Power</b>                                            |                |
| Battery Charger – 2 batteries supported                 | PA3091E-2CHG   |
| Expansion Battery Charger Adapter                       | PA3528U-1ETC   |
| Battery – Li-Ion, 6 cell, 4700 mAh                      | PA3191U-5BRS   |
| Slice Expansion Battery – Li-Ion, 6 Cell, 4000 mAh      | PA3510U-1BRL   |
| <b>Expansion</b>                                        |                |
| 2 GB Memory PC2 DDR2 (667 MHz)                          | PA3513S-1M2G   |
| <b>Connectivity</b>                                     |                |
| Express Port Replicator                                 | PA3508E-1PRP   |
| <b>Deskbased</b>                                        |                |
| Tablet PC Pen                                           | PA3316U-3ETC   |
| TekBright 22" W – external PC Monitor (Dual/Speaker)    | PA3553E-1LC2   |
| Wireless (RF) Mouse – optical, 2.4 GHz, silver          | PA3572E-1ETA   |
| Kensington Micro Saver                                  | PX1172E-2NAC   |
| <b>Carry Cases</b>                                      |                |
| EasyGuard Business Carry Case                           | PX1419E-1NCA   |
| <b>Drives</b>                                           |                |
| 200 GB ext. HDD, 2.5", USB 2.0, Alu-Case                | PX1398E-2G20   |
| <b>Services</b>                                         |                |
| 1 Year On-Site Repair Next Business Day Response Uplift | Contact dealer |



CPU performance may vary from specifications under certain conditions such as the use of battery instead of AC power, certain external peripherals, certain multimedia applications or network connections, complex modeling software and in areas with low air pressure at high altitude (1,000 metres above sea level) and/or certain temperatures. CPU performance may also vary from specifications due to design configuration. Under some conditions, your computer may automatically shut down as a normal protective measure. To avoid risk of lost data, please make periodic back-up copies. For optimum performance, use your computer only under recommended conditions. Please read detailed restrictions in the product resource guide, visit the Toshiba web site: [computers.toshiba-europe.com](http://computers.toshiba-europe.com) and/or contact Toshiba Technical Support. \* Graphics processor unit (GPU) performance may vary depending on product model, design configuration, applications, power management settings and features utilized. \* Part of the main system memory may be used by the graphics system and therefore reduce the amount of main system memory available. \* For PCs configured with 4 GB of system memory, the full system memory space for computing activities will be considerably less and will vary by model and system configuration. \* For information about upgrading your system memory please refer to the user manual or contact your local Toshiba service provider. \* One GB means one billion bytes, accessible capacity may be less. \* Wired and wireless communication capabilities to be applied in countries where approved. \* Battery life may vary depending on applications, power management settings and features utilized. Recharge time varies depending on usage. Battery may not charge while computer is consuming full power. After a period of time, the battery will lose its ability to perform at maximum capacity and will need to be replaced. This is normal for all batteries. To purchase a new battery pack, see your accessories information that shipped with your computer or visit the Toshiba web site at [computers.toshiba-europe.com](http://computers.toshiba-europe.com). \* Small bright dots may appear on your TFT display when you turn on your PC. Your display contains an extremely large number of thin-film transistors (TFT) and is manufactured using high-precision technology. Any small bright dots that may appear on your display are an intrinsic characteristic of the TFT manufacturing technology. \* Weight may vary depending on product configuration, vendor components, manufacturing variability and options selected. \* SRX TruSurround XT™ is only available for WinDVD applications. SRX WOW™ is only available for Windows Media Player 9 in standard Windows interface. \* Please check your system specifications to ensure optimal results. \* Certain notebook chassis are designed to accommodate all possible configurations for an entire product series. Your selected model may not have all the features and specifications corresponding to all of the icons or switches shown on the notebook chassis. \* on selected models

TEG December 2007, Art. No. EN\_PortégéM700\_DataDec07. Microsoft, Windows and Windows Vista are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries. All trademarks are acknowledged. Product specifications, configurations, prices and system component/options availability are all subject to change without notice. Product design specifications and colours are subject to change without notice and may vary from those shown. Errors and omissions excepted.

## Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>