

<p>Model: WT310-PT133C-008017</p> <ul style="list-style-type: none"> 3rd Generation Intel® Core™ i5-3339Y processor – 1.5GHz/2.0GHz, 11.6" IPS FHD Touch Panel Display w/ Digitizer, 4GB DDR3, 128GB SSD mSATA, 802.11agn Wireless, Bluetooth, 1.0M Front Facing HD Camera, 3.0M Rear Facing Camera, Windows 8 Pro 	<p>Toshiba PC Health Monitor Toshiba Eco Utility Toshiba Wallpapers Microsoft Bing Map Application Toshiba Effect Sounds Backup/Restore Utility Online Manual Norton Internet Security - Trial Microsoft® Office 2013/365 - Trial</p>	<p>Part Number/UPC code</p> <hr/> <p>PT133C-008017 / 6-23506-03664-1</p> <hr/>
<p>Processor</p>	<p>Physical Dimensions</p>	<p>†Toshiba of Canada Limited Information Systems Group shall not be liable for damages of any kind for use of this information, which is subject to change without notice.</p>
<p>3rd Generation Intel® Core™ i5-3339Y processor (1.50GHz/2.0GHz) with Intel® Turbo Boost Technology 2.0, Intel® Hyper-Threading Technology and Intel® Virtualization Technology.</p>	<p>Dimensions: (WxDxH) 299 x 189 x 12.4 mm Weight: 850g Color: Ultimate Silver</p>	<p>Central Processing Unit ("CPU" Performance Disclaimer): CPU performance in your computer product may vary from specifications under the following conditions:</p>
<p>Operating System Genuine Windows® 8 Professional 64 bit</p>	<p>AC Adapter</p>	<ul style="list-style-type: none"> use of certain external peripheral products use of battery power instead of AC power use of certain multimedia games or videos with special effects use of standard telephone lines or low speed network connections use of complex modeling software, such as high end computer aided design applications use of computer in areas with low air pressure (high altitude >1,000 meters or >3,280 feet above sea level) use of computer at temperatures outside the range of 5°C to 35°C (41°F to 95°F) or > 25°C (77°F) at high altitude (all temperature references are approximate).
<p>Memory Standard Onboard Memory: 4GB DDR3 (1600MHz) (Not user accessible or upgradeable)</p>	<p>45W external Universal AC adaptor input voltage (100 –240V 50/60Hz frequency), (19Vx1.58A) Dimensions: 94.0 (W) x 43.0 (H) x 27.2 (D) mm Weight: 250g</p>	<p>CPU performance may also vary from specifications due to design configuration. Under some conditions, your computer product may automatically shutdown. This is a normal protective feature designed to reduce the risk of lost data or damage to the product when used outside recommended conditions. To avoid risk of lost data, always make back-up copies of data by periodically storing it on an external storage medium. For optimum performance, use your computer product only under recommended conditions. Read additional restrictions under "Environmental Conditions" in your product Resource Guide. Contact Toshiba Technical Support for more information. Hard Disk Drive Disclaimer: 1 Gigabyte (GB) means 1,000,000,000 bytes using powers of 10. The computer operating system, however, reports storage capacity using powers of 2 for the definition of 1 GB = 1,073,741,824 bytes, and therefore shows less storage capacity. Available storage capacity will also be less if the product includes pre-installed operating system and/or application software. Actual formatted capacity may vary.</p>
<p>Hard Disk Drive 128GB SSD; mSATA Solid State Drive</p>	<p>Battery</p>	<p>GPU: Graphics processor unit ("GPU") performance may vary depending on product model, design configuration, applications, power management settings and features utilized. GPU performance is only optimized when operating in AC power mode and may decrease considerably when operating in battery power mode.</p>
<p>Display System</p>	<p>Battery Type: Rechargeable 6-cell Battery life: up to 5 hrs (Mobile Mark) Dimensions: (Non Removable Battery)</p>	<p>Memory: Part of the main system memory may be used by the graphics system for graphics performance and therefore reduce the amount of main system memory available for other computing activities. The amount of main system memory allocated to support graphics may vary depending on the graphics system, applications utilized, system memory size and other factors. For PC's configured with 4 GB of system memory, the full system memory space for computing activities will be considerably less and will vary by model and system configuration.</p>
<p>Type: FHD IPS Wide Angle touch screen w/ digitizer Size (diagonal): 11.6" HD w/ Fingerprint Resistant Coating Native LCD Panel Resolution: 1920x1080x16.7 million colours External Support and Max. Colour Support (dependant on External Display): Up to 1920 x 1080 x 16.7 million colours</p>	<p>BIOS SETUP support, ACPI support, VESA support, SM BIOS support, PCI BIOS Support, WMI Support, Panel Open-Power On</p>	<p>TFT Display Disclaimer: Small bright dots may appear on your TFT display when you turn on your PC. Your display contains an extremely large number of thin-film transistors (TFT) and is manufactured using high-precision technology. Any small bright dots that may appear on your display are an intrinsic characteristic of the TFT manufacturing technology.</p>
<p>Graphics Controller Intel® HD Graphics 4000</p>	<p>Security power on password, supervisor password, HDD password TPM ver1.2 (Trusted Platform Module)</p>	<p>LCD: Over a period of time, and depending on the usage of the computer, the brightness of the LCD screen will deteriorate. This is an intrinsic characteristic of LCD technology. Maximum brightness is only available when operating in AC power mode. Screen will dim when the computer is operated on battery power and you may not be able to increase the brightness of the screen.</p>
<p>Sensors and Location 3D Accelerometer, Ambient Light Sensor, Compass, Gyro</p>	<p>Environmental Specifications</p>	<p>Weight: Weight may vary depending on actual configuration. Battery: Battery life may vary considerably depending on product model, configuration, applications, power management settings and features utilized, as well as the natural performance variations produced by the design of individual components. Published battery life numbers are achieved on select models and configurations tested by Toshiba at the time of publication. Recharge time varies depending on usage. Battery may not charge while computer is consuming full power. After a period of time, the battery will lose its ability to perform at maximum capacity and will need to be replaced. This is normal for all batteries. To purchase a new battery pack, see the accessories information that shipped with your computer or visit the Toshiba of Canada website at toshiba.ca/accessories</p>
<p>Sound System DTS Studio Sound</p>	<p>Temperature: Operating 5° to 35°C (41° to 95°F); Non Operating –20° to 65°C (-4° to 149°F) Thermal Gradient: Operating 15° C per hr. max; Non Operating 20° C per hr. max Relative Humidity: Operating 20% to 80% Non-Operating: 10% to 90% Altitude (relative to sea level): Operating: -60 to 3,000m.; Non-Operating: -60 to 10,000m. Shock: Operating: 10G; Non-Operating 60G Vibration: Operating 0.5G, 0.25G; Non-Operating: 1G</p>	<p>Software: The included additional software is subject to change without notice. No substitution of software permitted. For further information please visit toshiba.ca/support</p>
<p>Communication Bluetooth v4.0+LE Intel 802.11a/g/n 1.0M Front Facing Camera 3.0M Rear Facing Camera</p>	<p>Canada and Limited Warranty</p>	<p>Subject to Change:</p>
<p>Expansion Ports: Full SD Card Slot (SD,SDHC,SDXC) Full Size USB 3.0, Micro HDMI, 3.5mm Headphone/Microphone combo Jack, Docking Connector, DC Input</p>	<p>This tablet comes with a one (1) year parts and labour Limited Warranty. Note the original battery is warranted for one year from date of purchase. Pre-installed software is excluded from TCL standard limited warranty. For complete details on this warranty program and other Warranty Programs such as On-site and Next Business Day Service visit www.toshiba.ca/warranty</p>	
<p>Input Device Multi-touch IPS Panel w/ Digitizer</p>	<p>Accessories</p>	
<p>Additional Software Toshiba Value Added Package Toshiba Assist Intel PROSet</p>	<p>PA5105U-1PRPA - Portege Z10t/Wt310 Series Dock w/ AC Adapter PA5072U-1ACA - Toshiba AC Adapter 45 W PA5131U-1ETB - Toshiba USB3.0 Gigabit LAN adapter PA5133U-1EUC - Toshiba Digitizer Pen</p>	

While Toshiba has made every effort at the time of publication to ensure the accuracy of the information provided herein, product specifications, configurations, prices, system/component/options availability are all subject to change without notice. For the most up-to-date product information about your computer, or to stay current with the various computer software or hardware options, visit Toshiba's website at toshiba.ca/support

5/29/2013 v.1

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>