

# Model #: N201-005-BL

# 5-ft. Blue Cat6 Gigabit Snagless Patch Cable



#### **Highlights**

- Meets Category 6 cabling standards.
- Meets most current industry standards including IEEE 802.3ab, IEEE 802.5, ANSI/EIA/TIA 568, ISO/IEC 11801, and ETL (Category 6, draft 11)
- Drastically reduce impedance & structural return loss compared to standard 100Mhz wire.
- Snagless boots protect the locking tabs on the RJ45 connectors from being damaged during installation
- Feature molded connectors with integral strain relief. Rated for 550 MHz/1 Gbps communication.
- Lifetime product warranty

### **Description**

With Tripp Lite's new category 6 molded patch cables you can stay ahead of the game by using this high-speed cable to distribute data, voice and video. These cables deliver stable performance up to 550MHz. Each comes UL verified meets EIA/TIA Cat6 TIA/EIA-568-B-2.1 draft 9 standards. Constructed with high-quality copper wire and a staggered-pin plug design, near-end crosstalk levels are kept to a minimum. Designed for use in category 6, category 5e and category 5 applications. Cat6 cables are available in a variety of colors with a snagless boot preventing cable snags. Tripp Lite warrants this product to be free from defects in materials and workmanship for life.

System Requirements

• For 1000 Base-T (1Gbps Ethernet), 10/100 Base-T (Ethernet), 100 Mbps TPDDI, 155 Mbps ATM, ISDN, voice and Token Ring TYPE 3 applications as well as EIA/TIA applications.

Package Includes

• 5-ft. Cat6 Blue Gigabit Patch Cord Snagless Molded

#### **Features**

- Meets category 6 cabling standards
- Premium cabling for category 6, category 5e and category 5 applications
- Length: 5 ft./Color: blue/Connectors: RJ45 male
- Drastically reduce impedance & structural return loss compared to standard 100MHz wire
- High-quality copper wire and a staggered-pin plug design to keep near-end crosstalk levels to a minimum
- Feature molded connectors with integral strain relief
- Snagless design protects the locking tabs on the RJ45 connectors from being damaged or snapped off during installation
- PVC 4-pair stranded UTP
- Deliver stable performance up to 550MHz/1 Gbps communication
- Meets most current industry standards including IEEE 802.3ab, IEEE 802.5, ANSI/EIA/TIA 568, ISO/IEC 11801 and ETL (category 6 draft 11)
- Available in other colors and lengths
- · Warranted to be free from defects in materials and workmanship for life

# **Specifications**

OVERVIEW		
Intended Application	Computer Networking	
PHYSICAL		
Color	Blue	
Style	Cat6/6e/6a	
Length	5 ft.	
CONNECTIONS		
Connector A	RJ45 (MALE)	
Connector B	RJ45 (MALE)	
CERTIFICATIONS		
Certifications	RoHS-Compliant	
Approvals	IEEE 802.3ab, IEEE 802.5, ANSI/EIA/TIA 568, ISO/IEC 11801, and ETL (Category 6, draft 11)	

#### **Related Items**

Patch Cables		
N201-003-BL	3-ft. Blue Cat6 Gigabit Snagless Patch Cable	Qty: [optional]
N201-005-GY	5-ft. Gray Cat6 Gigabit Snagless Patch Cable	Qty: [optional]
N201-005-GN	5-ft. Green Cat6 Gigabit Snagless Patch Cable	Qty: [optional]
N201-007-BL	7-ft. Blue Cat6 Gigabit Snagless Patch Cable	Qty: [optional]
N201-010-BL	10-ft. Blue Cat6 Gigabit Snagless Patch Cable	Qty: [optional]
N201-014-BL	14-ft. Blue Cat6 Gigabit Snagless Patch Cable	Qty: [optional]
N201-025-BL	25-ft. Blue Cat6 Gigabit Snagless Patch Cable	Qty: [optional]

More information, including related products, owner's manuals, and additional technical specifications, can be found online at www.tripplite.com/en/products/model.cfm?txtModeIID=2509.

©2009 Tripp Lite. All Rights Reserved.

Free Manuals Download Website <u>http://myh66.com</u> <u>http://usermanuals.us</u> <u>http://www.somanuals.com</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.com</u> <u>http://www.404manual.com</u> <u>http://www.luxmanual.com</u> <u>http://aubethermostatmanual.com</u> Golf course search by state

http://golfingnear.com Email search by domain

http://emailbydomain.com Auto manuals search

http://auto.somanuals.com TV manuals search

http://tv.somanuals.com