



Tripp Lite
1111 West 35th Street
Chicago, IL 60609 USA
Telephone: +(773) 869 1234
E-mail: saleshelp@tripplite.com

Model #: S502-01M

SAS Cable - 1-Meter Internal SAS 4-in-1 32Pin (SFF-8484) to 4 x 7pin Cable



Highlights

- 32-pin SFF-8484 to 4 x 7-pin internal SAS cable
- Supports data rates of up to 3.0Gbs
- Straight backshell configuration
- 1 meter in length

Description

Tripp Lite's 32-pin SFF-8484 to 4 x 7-pin internal SAS cable (Serial Attached SCSI) cable is ideal for connecting SAS controllers to individual SAS/SATA disk drives. High-performance cable provides differential pair signaling with less than 5ps/m in pair skew, improved EMI protection, and 3.0Gbs data rate with rates up to 6.0Gbs. Thinner, flexible cable enables more efficient routing, with improved airflow and thermal mechanics. Configuration of storage devices is simplified. Tripp Lite SAS assemblies are RoHS compliant and feature a lifetime warranty.

Applications

- SAS Host Bus Adapters (HBA) such as LSI Logic SAS3442X-R and SAS3442E-R, utilizing internal SFF-8484 mating connectors

System Requirements

- SAS Host Bus Adapter and Backplane with SFF-8484 mating connector

Package Includes

- 1-Meter Internal SAS 4-in-1 SFF-8484 to 4 x 7pin Cable

Features

- SFF-8484 to 4 x 7pin SAS Cable - 1 meter
- Supports data rates up to 3.0Gbs
- Thin, flexible cable for easy routing and increased airflow
- RoHS Compliant
- Lifetime warranty

Specifications

OVERVIEW	
Intended Application	Connecting Drives
PHYSICAL	
Color	Red
Style	SCSI

Length	1 Meter
CONNECTIONS	
Connector A	 SFF-8484
Connector B	 7 PIN STRAIGHT
Number of Connectors	5

Related Items

SCSI Cables		
S502-01M	SAS Cable - 1-Meter Internal SAS 4-in-1 32Pin (SFF-8484) to 4 x 7pin Cable	Qty: [optional]
S520-01M	SAS Cable - 1-Meter External SAS Cable, Mini-SAS SFF-8088 (iSAS) to SFF-8470 (4xInfiniband)	Qty: [optional]
S522-01M	SAS Cable - 1-Meter External SAS Cable, 4xInfiniband (SFF-8470) to 4xInfiniband (SFF-8470)	Qty: [optional]
S524-01M	SAS Cable - 1-Meter External SAS Cable, Mini-SAS (SFF-8088) to Mini-SAS (SFF-8088)	Qty: [optional]
Serial Cables		
P940-19I	Computer Cable, SATA - 19-in. Serial ATA (SATA) Signal Cable 7Pin/7Pin, Straight/Straight	Qty: [optional]

More information, including related products, owner's manuals, and additional technical specifications, can be found online at www.tripplite.com/en/products/model.cfm?txtModelID=3628.

©2009 Tripp Lite. All Rights Reserved.

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>