



**Tripp Lite**  
1111 West 35th Street  
Chicago, IL 60609 USA  
Telephone: +(773) 869 1234  
E-mail: [saleshelp@tripplite.com](mailto:saleshelp@tripplite.com)

## Model #: SUPDM16

**Corded UPS Backplate Outlet Kit - Adds AC plug-in connection and AC output receptacles to SU6000RT3U and SU6000RT3UXR UPS for use with 208V UPS output voltage configurations**



### Highlights

- Converts Tripp Lite's hardwire SU6000RT3U UPS systems to one with AC plug and outlets
- For use with 208V mains and UPS output voltage configurations
- 10 ft. / 3m AC input power cable with NEMA L6-30P input plug
- 3 L6-30R and 10 5-15/20R output receptacles
- Easy quick-connect wiring installs in minutes

### Description

Tripp Lite's SUPDM16 corded backplate kit converts Tripp Lite's hardwire SU6000RT3U or SU6000RT3UXR UPS system into one with AC plug and outlets. 10 ft./3m input line cord with L6-30P plug enables simple connection to 208V 30A mains power. Includes 3 L6-30R and 10 5-15/20R output receptacles. Easy quick-connect wiring installs in minutes.

VOLTAGE COMPATIBILITY NOTE - SUPDM16 supports SU6000RT3U and SU6000RT3UXR applications configured for 208V nominal input voltage only (See SUPDM15 for 240V input voltage configurations).

#### Applications

- Ideal for 208V applications calling for Tripp Lite's SU6000RT3U and SU6000RT3UXR UPS systems where plug-in AC input and output connections are required

### Features

- Converts Tripp Lite's hardwire SU6000RT3U or SU6000RT3UXR UPS system to one with an AC plug and outlets
- 10 ft./3m AC line cord with L6-30P input plug-in connection
- Includes 3 L6-30R and 10 5-15/20R output receptacles
- Easy quick-connect wiring installs in minutes

### Specifications

SYSTEM OVERVIEW	
Voltage compatibility	Compatible with Tripp Lite's SU6000RT3U UPS systems configured for 208V nominal input voltage
OUTPUT	
Output nominal voltage	Simultaneous 208 and 120V output
Outlet quantity / type	208V: 3 L6-30R / 120V: 10 5-15/20R
Overload protection	120V outlets are protected by 2 separate 20A branch rated circuit breakers
INPUT	
Input connection type	NEMA L6-30P input plug

<b>Input cord length</b>	10 ft. / 3m
<b>Recommended Electrical Service</b>	30A 208V
<b>PHYSICAL</b>	
<b>Shipping weight (lbs)</b>	6.6
<b>Shipping weight (kg)</b>	3
<b>Shipping Dimensions (HWD/in)</b>	5.5 x 9 x 14.25
<b>Shipping Dimensions (HWD/cm)</b>	14 x 22.9 x 36.2
<b>Unit weight (lbs)</b>	6
<b>Unit weight (kg)</b>	2.8
<b>Unit Dimensions (HWD/in)</b>	2.5 x 5 x 11
<b>Unit Dimensions (HWD/cm)</b>	6.4 x 12.7 x 28
<b>Material of construction</b>	Steel
<b>WARRANTY</b>	
<b>Product Warranty Period</b>	2 years

## Related Items

<b>Audio Cables</b>		
PDU1230	Basic PDU / Power Distribution Unit - Safe, reliable power distribution for critical networking equipment	Qty: [optional]
PDUNV	Basic PDU / Power Distribution Unit - Safe, reliable power distribution for critical networking equipment	Qty: [optional]
PDU40TDUAL	Basic PDU / Power Distribution Unit - Safe, dual-circuit power distribution for critical networking equipment	Qty: [optional]
PDUMH20AT	Metered PDU with ATS - Power Distribution Unit with dual-input Auto Transfer Switching	Qty: [optional]
PDUMV20	Metered PDU / Power Distribution Unit - Safe, reliable power distribution with digital current meter	Qty: [optional]
PDUMV40	Metered PDU / Power Distribution Unit - Safe, dual-circuit power distribution with current meters	Qty: [optional]
PDUMH20ATNET	Switched, Metered PDU with ATS - Power Distribution Unit with dual-input Auto Transfer Switching, individual outlet control and SNMP network interface	Qty: [optional]
PDUV30HV	Basic 0U Vertical Rack PDU - Power Distribution Unit for Network Applications	Qty: [optional]
PDUMV30HV	Metered 0U Vertical Rack PDU - Metered Power Distribution Unit for Network Applications	Qty: [optional]
PDUMH30HVNET	Switched, Metered PDU with Remote Monitoring - 2U Rackmount Power Distribution Unit for Networks with Individually Switchable Outlets, Current Metering, Remote Monitoring and Control	Qty: [optional]
PDUMV20NET	Switched, Metered PDU with Remote Monitoring - 0U Vertical Rackmount Power Distribution Unit for Networks with Individually Switchable Outlets, Current Metering, Remote Monitoring and Control	Qty: [optional]
PDUMV30HVNET	Switched, Metered PDU with Remote Monitoring - 0U Vertical Rackmount Power Distribution Unit for Networks with Individually Switchable Outlets, Current Metering, Remote Monitoring and Control	Qty: [optional]
PDUMH20	Metered PDU / Power Distribution Unit- Safe, reliable power distribution with digital current meter	Qty: [optional]
PDUV20	Safe, reliable power distribution for critical networking equipment	Qty: [optional]

## Power Distribution

PDU1220

Basic PDU / Power Distribution Unit - Safe, reliable power distribution for critical networking equipment

Qty: [optional]

More information, including related products, owner's manuals, and additional technical specifications, can be found online at [www.tripplite.com/en/products/model.cfm?txtModelID=2788](http://www.tripplite.com/en/products/model.cfm?txtModelID=2788).

©2009 Tripp Lite. All Rights Reserved.

## Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>