



**Tripp Lite**  
1111 West 35th Street  
Chicago, IL 60609 USA  
Telephone: +(773) 869 1234  
E-mail: [saleshelp@tripplite.com](mailto:saleshelp@tripplite.com)

## Model #: SUPDMB710

### Detachable PDU option for compatible SmartOnline UPS Systems



### Highlights

- Converts compatible SmartOnline high-voltage UPS systems to provide North American 20 and 30A outputs
- For use with input voltages of 200-240 VAC
- Hardwired input / 2 L6-30R and 4 L6-20R output connections
- Manual bypass feature ensures maximum equipment availability

### Description

The SUPDMB710 converts the output of SmartOnline SU8000RT3U and SU10000RT3U power modules to North American L6-20R and L6-30R output connections. Manual bypass feature ensures maximum availability of connected equipment while UPS maintenance occurs. Can accept input voltages of 200-240 VAC. Hardwire input / 2 L6-30R and 4 L6-20R output connections.

#### Applications

- Ideal for use with Tripp Lite's SU8000RT3U and SU10000RT3U power modules in 200-240V applications where hardwire input / C19 output connections are required

#### System Requirements

- For use with SmartOnline SU8000RT3U and SU10000RT3U Rack/Tower UPS systems in applications requiring a detachable PDU with manual bypass

#### Package Includes

- SUPDMB710 detachable PDU
- Mounting hardware
- Owner's Manual with warranty instructions

### Features

- Converts compatible SmartOnline high-voltage UPS systems to provide North American 20 and 30A outputs
- For use with input voltages of 200-240 VAC
- Hardwired input / 2 L6-30R and 4 L6-20R output connections
- Manual bypass feature ensures maximum equipment availability

### Specifications

#### SYSTEM OVERVIEW

<b>Voltage compatibility</b>	200/208/220/230/240 VAC
<b>Frequency compatibility</b>	60 Hz
<b>OUTPUT</b>	
<b>Output nominal voltage</b>	208/240 VAC
<b>Outlet quantity / type</b>	2 L6-30R, 4 L6-20R
<b>Overload protection</b>	2 double pole 30A breakers, 2 double pole 20A breakers
<b>INPUT</b>	
<b>Input connection type</b>	Hardwire
<b>PHYSICAL</b>	
<b>Shipping weight (lbs)</b>	9.75
<b>Shipping weight (kg)</b>	4.42
<b>Shipping Dimensions (HWD/in)</b>	12.25 x 9.25 x 8.25
<b>Shipping Dimensions (HWD/cm)</b>	31.1 x 23.5 x 21
<b>Unit weight (lbs)</b>	8.75
<b>Unit weight (kg)</b>	3.97
<b>Unit Dimensions (HWD/in)</b>	10.25 x 7.5 x 6.5
<b>Unit Dimensions (HWD/cm)</b>	26 x 19.1 x 16.5
<b>Material of construction</b>	Sheet metal
<b>SPECIAL FEATURES</b>	
<b>Appearance</b>	All-black color scheme
<b>CERTIFICATIONS</b>	
<b>Certifications</b>	Tested to UL1778 (USA), CSA (Canada)
<b>WARRANTY</b>	
<b>Product Warranty Period</b>	2 years

More information, including related products, owner's manuals, and additional technical specifications, can be found online at [www.tripplite.com/en/products/model.cfm?txtModelID=4153](http://www.tripplite.com/en/products/model.cfm?txtModelID=4153).

©2009 Tripp Lite. All Rights Reserved.

## Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>