



Model #: TLM812GF

Safety Power Strip - Rugged, Safe Power Distribution for Industrial/Automotive/Factory Environments



Highlights

- 8 outlets (including transformer outlets and 4 safety covers)
- 12 ft. cord with GFCI plug
- Cord wrap with hang holes
- Rugged metal case
- · Lifetime limited warranty

Description

This Tripp Lite power strip is designed to safely distribute power to connected equipment in harsh environments. It provides a convenient source for multiple outlets wherever they're needed. 8 outlets distribute AC power to a wide range of power tools, pumps, machinery, air compressors and more. Convenient transformer outlets accommodate multiple transformers without blocking other outlets. A 12 ft. grounded cord with integrated cord clip reaches distant outlets. A GFCI plug protects users from electrical shock in wet or humid environments. A lighted on/off switch provides power control over connected equipment. 4 safety covers shield unused outlets from debris and accidental contact. A rugged metal case stands up to the harshest environments. Built-in cord wrap with hang holes provides convenient cord management. Integrated keyhole slots on bottom panel provide convenient wall/desk mounting. Lifetime limited warranty. Its bright yellow color alerts you and others that power cords and tools are in use.

Applications

- Industrial
- Automotive
- Factory
- Hardware

Package Includes

- TLM812GF Safety Power Strip
- 4 safety covers
- Owner's manual

Features

- 8 outlets distribute AC power to a wide range of power tools, pumps, machinery, air compressors and more.
- Convenient transformer outlets accommodate multiple transformers without blocking other outlets.
- A 12 ft. grounded cord with integrated cord clip reaches distant outlets.
- A GFCI plug protects users from electrical shock in wet or humid environments.
- A lighted on/off switch provides power control over connected equipment.
- 4 safety covers shield unused outlets from debris and accidental contact.
- A rugged metal case stands up to the harshest environments.
- Built-in cord wrap with hang holes provides convenient cord management.
- Integrated keyhole slots on bottom panel provide convenient wall/desk mounting.

- Lifetime limited warranty.
- \bullet Its bright yellow color alerts you and others that power cords and tools are in use.
- OSHA color guidelines, outlined in Document 1910.145, alert users to hazardous situations, which may cause minor or moderate injury. This Tripp Lite product complies with those guidelines.

Specifications

Frequency compatibility OUTPUT OUtput Voit amp capacity (amps) Outlet quantity / type 8 NEMA 5-15R Outlet orientation 1 bank of 5, 1 bank of 3 (transformer outlets) Overload protection GFCI plug Outlet safety covers Yes (4) Transformer accommodation NPUT Input cornection type GFCI 5-15P Input cord gauge, type 14 gauge, SJT Input tord length (ft.) 12 ft. Recommended Electrical Service Uitlets ALARMS & SWITCHES Switches Lighted on/off power switch PHYSICAL Shipping Dimensions (HWD/in) (HWD/in) Unit welly ft (lbs) All-metal Integrated keyhole mounting Yes Receptate Cord or CERTIFICATIONS Record Cord or CERTIFICATIONS AUGUST ALIGN Record Cord or CERTIFICATIONS AUGUST A	SYSTEM OVERVIEW	
Output volt amp capacity (amps) Outlet quantity / type 8 NEMA 5-15R Outlet quantity / type 9 NEMA 5-15R Outlet orientation 1 bank of 5, 1 bank of 3 (transformer outlets) Overload protection GFCI plug Outlet safety covers Yes (4) Transformer accommodation NPUT Input connection type GFCI 5-15P Input cord gauge, type 14 gauge, SJT Input cord length (ft.) 12 ft. Recommended Electrical Service Input plug features Integrated cord clip plus GFCI breaker LEDS ALARMS & SWITCHES Switches Skitches Skit	Voltage compatibility	120V AC
Output voit amp capacity (amps) Outlet quantity / type 8 NEMA 5-15R Outlet orientation 1 bank of 5, 1 bank of 3 (transformer outlets) Overload protection GFCI plug Outlet safety covers Yes (4) Transformer accommodation INPUT Input connection type GFCI 5-15P Input cord gauge, type 14 gauge, SJT Input cord length (ft.) 12 ft. Recommended Electrical Service Input plug features Integrated cord clip plus GFCI breaker LEDS ALARMS & SWITCHES Switches PhySiCAL Shipping Weight (libs) 5.18 Shipping Dimensions (12.43 x 11.44 x 2.17 (HWD/in) Unit weight (libs) 4.63 Unit weight (lbs) Ali-metal Integrated keyhole mounting Yes Recoptacle Color Ali-metal Integrated keyhole mounting Yes Recoptacle Color Black AC line cord color CERTIFICATIONS Approvals CULLus, RoHS WARRANTY	Frequency compatibility	60Hz
(amps)	ОИТРИТ	
Outlet orientation 1 bank of 5, 1 bank of 3 (transformer outlets) Overload protection GFCI plug Outlet safety covers Yes (4) Transformer accommodation Yes (3) INPUT Input connection type GFCI 5-15P Input cord gauge, type 14 gauge, SJT Input cord length (ft.) 12 ft. Recommended Electrical Service Integrated cord clip plus GFCI breaker LEDS ALARMS & SWITCHES Switches Lighted on/off power switch PHYSICAL Shipping weight (lbs) 5.18 Shipping Dimensions (12.43 x 11.44 x 2.17 (HWD/in) 10.26 x 5.13 x 1.57 Material of construction All-metal Integrated keyhole mounting table AC line cord color yellow CERTIFICATIONS Approvals CULUs, RoHS WARRANTY	Output volt amp capacity (amps)	15
Overload protection GFCI plug Outlet safety covers Yes (4) Transformer accommodation Yes (3) INPUT Input connection type GFCI 5-15P Input cord gauge, type 14 gauge, SJT Input cord length (ft.) 12 ft. Recommended Electrical Service Input greatures Integrated cord clip plus GFCI breaker LEDS ALARMS & SWITCHES Switches Lighted on/off power switch PHYSICAL Shipping Dimensions (HWD/in) 12-43 x 11.44 x 2.17 (HWD/in) 4.63 Unit Dimensions (HWD/in) 10.26 x 5.13 x 1.57 Material of construction All-metal Integrated keyhole mounting tabs Receptacle Color black AC line cord color yellow CERTIFICATIONS Approvals CULus, RoHS WARRANTY	Outlet quantity / type	8 NEMA 5-15R
Outlet safety covers Yes (4) Transformer accommodation Yes (3) INPUT Input connection type GFCI 5-15P Input cord gauge, type 14 gauge, SJT Input cord length (ft.) 12 ft. Recommended Electrical Service Input plug features Integrated cord clip plus GFCI breaker LEDS ALARMS & SWITCHES Switches Lighted on/off power switch PHYSICAL Shipping weight (lbs) 5.18 Shipping Dimensions (HWD/in) 10.26 x 5.13 x 1.57 Material of construction All-metal Integrated keyhole mounting tabs Receptacle Color black AC line cord color yellow CERTIFICATIONS Approvals CULus, RoHS WARRANTY	Outlet orientation	1 bank of 5, 1 bank of 3 (transformer outlets)
Transformer accommodation Yes (3) INPUT Input connection type GFCI 5-15P Input cord gauge, type 14 gauge, SJT Input cord length (ft.) 12 ft. Recommended Electrical Service Integrated cord clip plus GFCI breaker LEDS ALARMS & SWITCHES Switches Lighted on/off power switch PHYSICAL Shipping Dimensions (HWD/in) 12.43 x 11.44 x 2.17 (HWD/in) 10.26 x 5.13 x 1.57 Material of construction All-metal Integrated keyhole mounting table Receptacle Color black AC line cord color yellow CERTIFICATIONS Approvals CLIP (JUL) 14 gauge, SJT All gauge, SJT Input of up gauge, type 14 gauge, SJT Input of up gauge, type 14 gauge, SJT Input of up gauge, type 15 gauge, SJT Input of up gauge, type 14 gauge, SJT Input of up gauge, type 15 gauge, SJT Input of up gauge, type 16 gauge, SJT Input of up gauge, type 17 gauge, SJT Input of up gauge, type 17 gauge, SJT Input of up gauge, type 18 gauge, SJT Input of up gauge, type 19 gauge, SJT Input of up gauge, SJT Input of up gauge, type 19 gauge, SJT Input of up gauge, SJT Input of up gauge, type 19 gauge, SJT Input of up gauge, S	Overload protection	GFCI plug
INPUT Input connection type Input cord gauge, type Input cord length (ft.) Input cord length (ft.) Input cord length (ft.) It ft. Recommended Electrical Service Input plug features Integrated cord clip plus GFCI breaker Lighted on/off power switch PHYSICAL Shipping weight (libs) Shipping Dimensions (HWD/in) Integrated keyhole mounting labek AC line cord color Seceptacle Color All-metal AC line cord color Service GECI 5-15P Input Quilled Pick (Inc.) Input plug features Integrated color Selection Integrated keyhole mounting labek AC line cord color Service CERTIFICATIONS Approvals CULUS, ROHS WARRANTY	Outlet safety covers	Yes (4)
Input connection type GFCI 5-15P Input cord gauge, type 14 gauge, SJT Input cord length (ft.) 12 ft. Recommended Electrical service 120V, 15A Service Input plug features Integrated cord clip plus GFCI breaker LEDS ALARMS & SWITCHES Switches Lighted on/off power switch PHYSICAL Shipping weight (lbs) 5.18 Shipping Dimensions (HWD/in) 12.43 x 11.44 x 2.17 (HWD/in) Unit weight (lbs) 4.63 Unit Dimensions (HWD/in) 10.26 x 5.13 x 1.57 Material of construction All-metal Integrated keyhole mounting tabs Receptacle Color black AC line cord color yellow CERTIFICATIONS Approvals CULus, RoHS WARRANTY	Transformer accommodation	Yes (3)
Input cord gauge, type 14 gauge, SJT Input cord length (ft.) 12 ft. Recommended Electrical Service 120V, 15A Service Input plug features Integrated cord clip plus GFCI breaker LEDS ALARMS & SWITCHES Switches Lighted on/off power switch PHYSICAL Shipping weight (lbs) 5.18 Shipping Dimensions (HWD/in) 12.43 x 11.44 x 2.17 Unit weight (lbs) 4.63 Unit Dimensions (HWD/in) 10.26 x 5.13 x 1.57 Material of construction All-metal Integrated keyhole mounting tabs Receptacle Color black AC line cord color yellow CERTIFICATIONS Approvals CULus, RoHS WARRANTY	INPUT	
Input cord length (ft.) Recommended Electrical service 120V, 15A Service Input plug features Integrated cord clip plus GFCI breaker LEDS ALARMS & SWITCHES Switches Lighted on/off power switch PHYSICAL Shipping weight (lbs) 5.18 Shipping Dimensions (HWD/in) 12.43 x 11.44 x 2.17 (HWD/in) 10.26 x 5.13 x 1.57 Material of construction All-metal Integrated keyhole mounting tabs Receptacle Color black AC line cord color yellow CERTIFICATIONS Approvals CULus, RoHS WARRANTY	Input connection type	GFCI 5-15P
Recommended Electrical Service Input plug features Integrated cord clip plus GFCI breaker LEDS ALARMS & SWITCHES Switches Lighted on/off power switch PHYSICAL Shipping weight (lbs) Shipping Dimensions (HWD/in) 12.43 x 11.44 x 2.17 (HWD/in) Unit weight (lbs) 4.63 Unit Dimensions (HWD/in) All-metal Integrated keyhole mounting tabs Receptacle Color black AC line cord color yellow CERTIFICATIONS Approvals CULus, RoHS WARRANTY	Input cord gauge, type	14 gauge, SJT
Service Input plug features Integrated cord clip plus GFCI breaker LEDS ALARMS & SWITCHES Switches Lighted on/off power switch PHYSICAL Shipping weight (lbs) 5.18 Shipping Dimensions (HWD/in) 12.43 x 11.44 x 2.17 Unit weight (lbs) 4.63 Unit Dimensions (HWD/in) 10.26 x 5.13 x 1.57 Material of construction All-metal Integrated keyhole mounting tabs Receptacle Color black AC line cord color yellow CERTIFICATIONS Approvals CULus, RoHS WARRANTY	Input cord length (ft.)	12 ft.
Switches Lighted on/off power switch PHYSICAL Shipping weight (lbs) 5.18 Shipping Dimensions (HWD/in) 12.43 x 11.44 x 2.17 Unit weight (lbs) 4.63 Unit Dimensions (HWD/in) 10.26 x 5.13 x 1.57 Material of construction All-metal Integrated keyhole mounting tabs Receptacle Color black AC line cord color yellow CERTIFICATIONS Approvals CULus, RoHS WARRANTY		120V, 15A
Switches Lighted on/off power switch PHYSICAL Shipping weight (lbs) 5.18 Shipping Dimensions (HWD/in) 12.43 x 11.44 x 2.17 Unit weight (lbs) 4.63 Unit Dimensions (HWD/in) 10.26 x 5.13 x 1.57 Material of construction All-metal Integrated keyhole mounting tabs Receptacle Color black AC line cord color yellow CERTIFICATIONS Approvals cULus, RoHS	Input plug features	Integrated cord clip plus GFCI breaker
PHYSICAL Shipping weight (Ibs) 5.18 Shipping Dimensions (HWD/in) 12.43 x 11.44 x 2.17 Unit weight (Ibs) 4.63 Unit Dimensions (HWD/in) 10.26 x 5.13 x 1.57 Material of construction All-metal Integrated keyhole mounting tabs Receptacle Color black AC line cord color yellow CERTIFICATIONS Approvals CULus, RoHS	LEDS ALARMS & SWITCHES	
Shipping weight (lbs) 5.18 Shipping Dimensions (HWD/in) 12.43 x 11.44 x 2.17 Unit weight (lbs) 4.63 Unit Dimensions (HWD/in) 10.26 x 5.13 x 1.57 Material of construction All-metal Integrated keyhole mounting tabs Receptacle Color black AC line cord color yellow CERTIFICATIONS Approvals CULus, RoHS	Switches	Lighted on/off power switch
Shipping Dimensions (HWD/in) 12.43 x 11.44 x 2.17 Unit weight (lbs) 4.63 Unit Dimensions (HWD/in) 10.26 x 5.13 x 1.57 Material of construction All-metal Integrated keyhole mounting tabs Receptacle Color black AC line cord color CERTIFICATIONS Approvals CULus, RoHS WARRANTY	PHYSICAL	
(HWD/in) Unit weight (lbs) 4.63 Unit Dimensions (HWD/in) 10.26 x 5.13 x 1.57 Material of construction All-metal Integrated keyhole mounting tabs Receptacle Color black AC line cord color yellow CERTIFICATIONS Approvals CULus, RoHS	Shipping weight (lbs)	5.18
Unit Dimensions (HWD/in) 10.26 x 5.13 x 1.57 Material of construction All-metal Integrated keyhole mounting tabs Receptacle Color black AC line cord color yellow CERTIFICATIONS Approvals CULus, RoHS WARRANTY	Shipping Dimensions (HWD/in)	12.43 x 11.44 x 2.17
Material of construction Integrated keyhole mounting tabs Receptacle Color AC line cord color Vellow CERTIFICATIONS Approvals CULus, RoHS WARRANTY	Unit weight (lbs)	4.63
Integrated keyhole mounting tabs Receptacle Color black AC line cord color yellow CERTIFICATIONS Approvals cULus, RoHS WARRANTY	Unit Dimensions (HWD/in)	10.26 x 5.13 x 1.57
Receptacle Color black AC line cord color yellow CERTIFICATIONS Approvals CULus, RoHS WARRANTY	Material of construction	All-metal
AC line cord color yellow CERTIFICATIONS Approvals CULus, RoHS WARRANTY	Integrated keyhole mounting tabs	Yes
CERTIFICATIONS Approvals CULus, RoHS WARRANTY	Receptacle Color	black
Approvals cULus, RoHS WARRANTY	AC line cord color	yellow
WARRANTY	CERTIFICATIONS	
	Approvals	cULus, RoHS
	WARRANTY	
Product Warranty Period Lifetime	Product Warranty Period	Lifetime

More information, including related products, owner's manuals, and additional technical specifications, can be found online at www.tripplite.com/en/products/model.cfm?txtModelID=3673.

Download from Www.Somanuals.com. All Manuals Search And Download.

©2009 Tripp Lite. All Rights Reserved.

Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com