

# MSP 255

9 wire • 136 column • 300 cps



## The Super Fast Workgroup Printer

- Long Print Head Life – 200 Million Characters
- Convertible Push / Pull Tractor
- Wide Operating Voltage ~ 90 – 270 Vac
- Printer Built-in Barcode Font
- Flexible Paper Handling – Top, Rear & Bottom
- Ribbon Life – Up to 40 Million Characters


# MSP 255 Product Specifications

Print Method	Serial Impact Dot Matrix			Input Buffer (Kilo Bytes)	13 KB
Print Direction	Bi-directional Logic Seeking			Reliability-MTBF (Power on Hours)	6,000 POH##
Print Head – Type	9 Wire			Acoustics - Noise Level	55 dB(A)
Print Width	136 Column			Emulation	Epson ESC/P, IBM Proprinter
Print Head Life	200 Million Characters#			Interface	
Print Speed				Standard	Centronics IEEE-P1284A Parallel
Character Pitch (cpi)	15	12	10	Optional	RS 232C Serial
High Speed Draft (cps)	375	-	-	Electrical Specifications	
Draft (cps)	-	300	250	Operating Voltage	90 - 270 Vac
Near Letter Quality (cps)	75	60	50	Mains Frequency	47 - 63 Hz
Resident Printer Fonts				Power (Standby)	12 W
Draft	Draft			Environmental - Operating Conditions	
Letter Quality	Roman, Sans Serif, Script			Temperature	+5 to +45°C
Resident Barcode Font	Code 3 of 9			Relative Humidity	10% to 80%
Paper Handling				Physical Dimensions	
Paper Path-Standard	Top, Rear and Bottom			Size (WxDxH) mm	608 x 379 x 147
Continuous-Tractor Feed-Standard	Convertible Push & Pull			Weight (Kg)	7
Paper Size				Ordering Information	
Continuous Form Width	4 - 16"			Product Code	3006060002
Cutsheets Width	7.2 - 16.1"			Description	MSP 255
Paper Thickness (max) - Tractor feed	0.3mm			Standard Configuration	
Paper Thickness (max) - Friction feed	0.3mm			CD-ROM	
Copy Capability*	1+3 with carbon			Quick Reference Manual	
Consumables - Ribbon				Insertion Plate	
Type	Unique TVS Ribbon Cassette with Replaceable Inkbank			Convertible Push/Pull Tractor	
Colour	Standard Black			Black Ribbon Cassette + Inkbank	
Ribbon Life	40 Million Characters with 3 additional Inkbanks			Parallel Interface Cable	
Cassette Refill Mode	Through Inkbank			Power Cord	
Inkbank Life	10 Million Characters**			Optional	Serial Interface Kit
				Consumables	
				2028010001	TVS Ribbon Cassette 136 column
				2017100002	TVS Inkbank - Pack of 5

1 kg = 2.2lbs; 1 inch = 2.54 cms \* Max. possible copy capability \*\* @ 10 cpi draft # @ 33% print density and 25% duty cycle ## Excluding print head @ 33% print density and 25% duty cycle



Use only TVS-E 'genuine for sure' consumables for your printers.



User replaceable Inkbank



10 Million Characters TVS Ribbon Cassette



EPA POLLUTION PREVENTER  
As an Energy Star Partner TVS Electronics determines that this product meets the Energy Star Guidelines for energy efficiency.



Note: All specifications are at standard operating conditions and are subject to change without notice. All other products or brand names are registered trademarks of their respective holders.

## Contact

### TVS Electronics Limited

34, Developed Plots, South Phase  
Industrial Estate, Guindy, Chennai 600 032, India  
Ph: (44) 22325506/09/52195001  
Fax: (44) 22327577

Visit us at [www.tvs-e.in](http://www.tvs-e.in)

## Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>