

III5WC

FEATURES

PERFORMANCE

NTERIOR / EXTERIOR

NTEGRATION

1000 Series

- Wine bottle capacity of up to 24 bottles (.75L)
 Touch pad digital control featuring easy view command center and door open alert
 Digital controlled triple temperature zone
 Temperature range 40 to 60°F
 Stable, consistent temperatures provide longer term storage capability
 Sabbath / Blackout mode turns off all lighting and controls display and automatically
- resets after 36 hours • UL residential and commercial listings
- OL residential and confinencial listings
- Lighted black interior optimizes elegant display of wines and can be manually turned on for display with door closed; automatically shuts off after four hours
- Solid beech wood trimmed, 3/4 extension black powder coated wine racks
 Standard commercial stainless steel handle is interchangeable with professional handle option on stainless steel model
- Stainless steel model has stainless wrap with black caps on top and bottom to make this unit field
- LowE coated, argon gas filled thermopane glass door provides protection from potentially harmful UV rays and added insulating energy efficiency
- Black model includes integrated handle and is field reversible
- Black vinyl clad textured cabinet is more resistant to scratching, peeling and flaking
- Solid beech wood trim on wine racks can be stained to match surrounding cabinetry
- Allow a 2-1/2" clearance on hinged side for 90° door opening when installed adjacent to a wall (for stainless steel model)
- Allow 1/4" width overall for proper installation (see backside for details)
- No additional clearance around sides, top or rear of unit is needed for ventilation
- Do not obstruct front grille air flow
- Durable, factory installed level legs provide a more precise undercounter fit
- Product note: with left hand hinge installation, allow for 145° door swing to ensure extension of wine rack



Stainless


Black

Triple Zone System featured in 1115WC.



For elegant presentation of your wine collection, all U-Line Wine Captain[®] Models have an illuminated interior.

| | | 5 W C



1115WCB Black Model

1115WC

Stainless

DIMENSIONS AND SPECIFICATIONS

OVERALL DIMENSIONS

Height	
Width	
Depth	
With stainless steel handle	

Shipping weight:

Black model Stainless model

Running amps Maximum start-up amps Amps pertain to voltage rating

Capacities:


Wine bottle storage (0.75L)

34-1/8" (86.6) 14-15/16" (37.8) 23-1/8" (58.7) 25" (63.5)

102 lbs (46 kg) 102 lbs (46 kg)

2.4 9.8 110/115 volt, 60 Hz

Up to 24



↑ I-I/2"

15-3/16"

U-1115WCS-00

*Note: When installing a black model, allow for 145° door swing to ensure wine racks slide out.

Please visit www.u-line.com for installation guide. All specifications are subject to change without notice.



8900 NORTH 55TH STREET MILWAUKEE, WISCONSIN 53223 414.354.0300 FAX 414.354.7905 U-LINE.COM Download from Www.Somanuals.com. All Manuals Search And Download.

Free Manuals Download Website <u>http://myh66.com</u> <u>http://usermanuals.us</u> <u>http://www.somanuals.com</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.com</u> <u>http://www.404manual.com</u> <u>http://www.luxmanual.com</u> <u>http://aubethermostatmanual.com</u> Golf course search by state

http://golfingnear.com Email search by domain

http://emailbydomain.com Auto manuals search

http://auto.somanuals.com TV manuals search

http://tv.somanuals.com