D1780-BT Series User's Guide

What's in the box?

You will also find:



Accessory handset and charger

Not pictured:

- Rechargeable battery (BT-1025)
- Battery cover
- AC adapter (PS-0034)

You should have:
1 of each
:
11 of each

* If the model number ends in R, your package includes a DRX100 range extender. Refer to the DRX100 User's Guide for details.

Battery cover



Not pictured:

- Rechargeable battery (BT-1025)
- AC adapter (PS-0034)
- Telephone cord
- If any items are missing or damaged, contact our Customer Care Line immediately. Never use damaged products!
- Need help? Get answers 24/7 at our website: www.uniden.com.

If You	Contact Uniden's	Phone Number
have a question or problem	Customer Care Line*	817-858-2929 or 800-297-1023
need a replacement part or an accessory	Parts Department*	800-554-3988
need special assistance due to a disability	Accessibility Help Line	800-874-9314 (voice or TTY)

 During regular business hours, Central Standard Time; see our website for detailed business hours.

© 2012 Uniden America Corp.

Printed in Vietnam

What's in the manual?

Getting Started3	Using the Answering System 17
Installing Your Phone3	Answering System Options
Setting Up the CellLink™	(Answering Setup)17
Bluetooth™ Connection4	Personalizing the Greeting17
Getting to Know Your Phone6	Accessing the Answering System18
Using the Handset Menu9	Getting Your Messages18
Using Your Phone11	Using the System While
Using the Phonebook12	You're Away from Home19
Using Special Features 13	Important Information20
Off-Hook Menus13	Solving Problems20
Silent Mode15	Adapter and Battery Information 23
Multihandset Features	Compliance Information23
Chain Dialing16	1-Year Limited Warranty26
Voice Message Notification16	

Important Safety Instructions!

When using your telephone equipment, basic safety precautions should always be followed to reduce the risk of fire, electric shock and injury to persons, including the following:

- This unit is NOT waterproof. DO NOT expose it to rain or moisture.
- Do not use this product near water, for example, near a bath tub, wash bowl, kitchen sink or laundry tub, in a wet basement or near a swimming pool.
- Avoid using a telephone (other than a cordless type) during an electrical storm. There may be a remote risk of electric shock from lightning.
- Do not use the telephone to report a gas leak in the vicinity of the leak.
- Use only the power cord and batteries indicated in this manual. Do not dispose of batteries in a fire. They may explode. Check with local codes for possible special disposal instructions.
- Do not place the handset in any charging cradle without the battery installed and the battery cover securely in place.

SAVE THESE INSTRUCTIONS!

CAUTION! Risk of explosion if battery is replaced by an incorrect type! Dispose of used batteries according to the instructions. Do not open or mutilate the battery. Disconnect the battery before shipping this product.

For more details, see the *Important Information* section.

2 Dewinsad from Www.Somanuals.com. All Manuals Search And Download.

GETTING STARTED

Installing Your Phone

Charge the Battery

- 1. Unpack all handsets, battery packs, and battery covers. If vou need to remove a cover, press in on the notch and slide the cover down and off
- 2. Line up the battery connector with the jack inside the handset; the connector only fits one way.
- Push the connector in until it clicks into place; tug gently on the wires to make sure the battery is securely connected.
- 4. Replace the battery cover and slide it into place.
- 5. Use an AC adapter to connect the power jack on the base to a regular indoor (120V AC) power outlet. Connect any chargers the same way.
- 6. Place a handset in the base with the display facing forward. If the display doesn't light up, reseat the handset or connect the base to a different outlet. For 2 or more handsets, place each handset in a charger.
- Charge all handsets completely (about 15 hours) before using.

Connect the Telephone Cord

Use the telephone cord to connect the TEL LINE jack on the base to a standard telephone wall jack.

Test the Connection

- Pick up the handset and press TALK. The handset sounds a dial tone, and the display shows Talk.
 - If you don't hear a dial tone or the display says Check Tel Line. check the connection between the base and the phone jack.
- 2. Make a quick test call. (Press END/ **CLEAR** to hang up.)
 - If you keep hearing a dial tone, change to pulse dialing.
 - If there's a lot of noise, check for interference (see page 21).
- 3. Test all handsets the same way. If you can't get a dial tone, move the handset closer to the base

Changing to Pulse Dialing

Your phone uses tone dialing by default. If your phone company uses pulse dialing, you need to change your phone's dial mode.

- 1. On a handset, press MENU/SELECT and choose Global Setup.
- Select Dial Mode then Pulse. You'll hear a confirmation tone.

To send DTMF tones during a call (e.g., for an automated response system), press * to temporarily switch to tone dialing. When you hang up, the phone automatically returns to pulse dialing.
Download from Www.Somanuals.com. All Manuals Search And Download. 3

Attaching Optional Wall Mount Bracket

You can order a wall-mount bracket from the Uniden website. Follow the instructions that come with the bracket.

Setting Up the CellLink™ Bluetooth™ Connection

The new D1780-BT with CellLink technology can connect with mobile phones that support the Bluetooth V2.1 handsfree profile.

- If you are not certain of the profiles supported by your Bluetooth phone
 or if you have difficulty pairing your phone to the D1780-BT, see the
 manual that came with your phone.
- With the CellLink feature, you can essentially treat your cellular phone as a second line. You can use the D1780-BT handset to make and receive calls on your cellular phone number, put cellular calls on hold, and transfer calls to other handsets. See page 5 for more information.
- Bluetooth wireless devices have a maximum range of about 33 feet (10 m); the actual range will vary depending on local conditions (obstacles, battery power, interference, etc.).

Pair your Bluetooth phone

Pairing "introduces" the Bluetooth device and D1780-BT and gives them permission to connect to each other. In most cases, once you pair a phone to the D1780-BT, these two devices connect automatically whenever they detect each other. (If you have to manually reconnect each time, check the Bluetooth settings on your cellular phone.) You can pair your Bluetooth devices through the D1780-BT handset.

- 1. Press MENU/SELECT to display the handset's main menu.
- 2. Select the *Bluetooth Setup* menu, then select the *Add Cellular* submenu. The base goes into pairing mode when the handset displays *Search & select from Cellular D1780-2BT PIN: 0000*.
- On your Bluetooth phone, start a search for other Bluetooth devices. (This process may take several seconds and it will be different for each mobile phone. See your phone owner's manual for detailed instructions.)
- Your phone should discover a device called D1780-2BT or Handsfree device. When your phone asks if you want to pair with this device, answer yes.

- 5. If your phone prompts you for a PIN code or password to pair with the D1780-BT, enter **0000** (four zeroes).
- 6. When your phone accepts the Bluetooth connection, the D1780-BT sounds a confirmation tone. The Bluetooth device number icon on the base and the handset display light up.
- Most cell phones automatically transfer the audio to a Bluetooth device as soon as it pairs; if yours does not, look in your cell phone's Bluetooth setup for a "transfer audio" or "send audio to device" option.


To test the connection

- 1. Pick up the handset from the cradle.
- 2. Dial the number you want to call, then press **CELL** on the handset. You may not hear a dial tone or ringing, but the handset display says Talk.
- 3. Make sure the call connects and you can hear clearly. (When you're finished, press **END/CLEAR** to hang up.)
 - The D1780-BT remembers the pairing information for your cellular; if it loses connection with your phone for any reason (e.g., the cell phone travels out of range, runs out of charge, etc.), the D1780-BT can automatically reconnect the next time your phone becomes available

Using the D1780-BT with two Bluetooth phones

- The D1780-BT can save the pairing information for two different Bluetooth phones, but it can only use one cellular line at any given time. For example, if you pair the D1780-BT to two Bluetooth phones, when you press **CELL** on the handset, the D1780-BT asks which phone you want to connect to.
- If you are using the D1780-BT to talk on one Bluetooth phone, the D1780-BT will not ring if a call comes in on another phone.
- You can set a different ring tone for each paired cell phone (see page 10).
- To pair another Bluetooth phone, just repeat the pairing procedure with the new phone. (If the paired phone interferes when you're pairing the new one, just turn off Bluetooth on the paired phone until you finish pairing the new one.)

Getting to Know Your Phone
Parts of the Handset




Key (icon)	What it does
PHONEBOOK ()	 In standby or during a call: open the phonebook. In the menu: go back to the previous screen. When entering text: move the cursor to the left.
SPEAKER (◄))	Switch a normal call to the speakerphone (and back).
HOME/FLASH	In standby: start a telephone call (get a dial tone).During a call: switch to a waiting call.
DOWN ()	 In standby: decrease the ringer volume. During a call: decrease the audio volume. In any menu or list: move the cursor down one line.
REDIAL/PAUSE	In standby: open the redial list.When entering a phone number: insert a 2-second pause.
UP (▲)	 In standby: increase the ringer volume. During a call: increase the audio volume. In any menu or list: move the cursor up one line.
MENU/SELECT	In standby: open the menu.In the menu or any list: select the highlighted item.

Key (icon)	What it does
END/CLEAR	 During a call: hang up. In the menu or any list: exit and go to standby. When entering text or numbers: erase the character at the cursor (press & hold to erase all characters).
CELL	 In standby: start a telephone call using a paired Bluetooth phone. While a paired phone is ringing: answer the incoming call. During a CellLink call: switch to a waiting call.
CID (LID)	In standby or during a call: open the Caller ID list.When entering text: move the cursor to the right.
INTERCOM	In standby: start an intercom call.During a call: put the call on hold and start a call transfer.
MESSAGE/ MUTE (QQ)	 In standby: access your answering system. During a call: mute the microphone. While the phone is ringing: ignore this call (mute the ringer).
LED	What it means
Status	On: the battery is charging. Blinking: there are new messages.

Reading the Display


The table shows the possible status icons and what they mean. Since the icons appear based on what the phone is doing, you won't see all the icons at the same time.



lcon	What it means
3 12	Bluetooth device #1 or #2.
	Home phone line.
¥	The signal from the base is acceptable.
Ø	The ringer is turned off and will not ring for new calls.

Icon	What it means	
◄))	The speakerphone is on.	
lacksquare	Indicates you have a new voice mail.	
P	Privacy mode is on: no other handset can join the call.	
9990	The battery is 1) full, 2) half charged, 3) getting low or 4) empty.	
ECO	The handset is using ECO (power save) mode.	
[Aa] [aA]	Enter 1) capital or 2) lower case letters (see page 11).	


Parts of the Base



Key (icon)	What it does
FIND HS	• In standby: page all handsets.
REV (I◀◀)	 While playing a message: restart the message. In the first 2 seconds of a message: play the previous message.
DELETE (iii)	While playing a message: delete this message.In standby: delete all messages.
FWD (►►)	While playing a message: skip to the next message.
UP (+)	In standby: increase the ringer volume.While playing a message: increase the speaker volume.
DOWN (-)	In standby: decrease the ringer volume. While playing a message: decrease the speaker volume.
ANS ON/OFF	• In standby: turn the answering system on or off.
PLAY/STOP (In standby: start playing messages. While playing a message: stop playing messages. When the phone is ringing: ignore this call (mute the ringer).

Key (icon)	What it does
Bluetooth device number	The number indicates the Bluetooth device number linked to the D1780.
MESSAGE COUNTER	Displays the number of messages you have.

Using the Handset Menu



Intercom Menu

The *Intercom* menu lets you connect 2 handsets without using the phone line. Any handset can connect to an intercom call, but only two handsets can be in the call at one time.

Bluetooth Setup Menu

The Bluetooth Setup menu provides the following operations:

Menu Option	What it does
Add Cellular	Pairs cellular phone with base.
Privacy Setup	Determines which handsets will ring when a cellular call comes in (default = ALL).
Download PB	Downloads the cellphone phone book to the base.
Remove Cellular	Un-pairs a cellular phone from the base.

Handset Setup Menu

You can change these settings separately for each handset.

Menu Option	What it does
	Turn on T-coil mode to reduce noise on hearing aids
T-Coil	equipped with a telecoil (T-coil) feature. T-coil mode
	shortens talk time, so keep your battery fully charged.
Ringer Tones	Choose this handset's ring tone. As you highlight each ring tone, the phone plays a sample. When you hear the tone you want, press MENU/SELECT.
Personal Ring	Turn on personal ring so you can assign a special ring tone to people in your phonebook. With Caller ID, this handset uses the assigned tone when the person calls.
AutoTalk	Have this handset answer a call when you pick it up from the cradle (without pressing any buttons).
Any Key Answer	Have this handset answer a call when you press any key on the 12-key dialpad.
Banner	Change the name used on the handset's display.
Handset Language	Change the display language.
Key Touch Tone	Have the keypad sound a tone when you press a key.

Answering Setup Menu

Refer to page 17 for details on setting up your answering system.

Date & Time Menu

Use this menu to set the clock. Enter the date and time (MM/DD/YY and HH/MM); select *AM* or *PM*. Use **CID** to move the cursor past a digit without changing it. If you have CID service, you can set it to provide the time (*Global Setup/CID Time Setting*).

Global Setup Menu

The settings on this menu affect all handsets. Only one handset at a time can change these menu options.

Menu Option	What it does	
Dial Mode	Choose tone or pulse dialing (see page 3).	
Edit Voice Mail	Enter, edit, or delete the access number for your voice mail service (see page 17.).	
Edit Int'l Number	Enter, edit, or delete an international code.	
Set Line Mode	Do not change this setting unless instructed to by customer service.	

Menu Option	What it does
VMWI Reset	Reset the Voice Message Waiting Indicator (see page 17.)
CID Time Setting	Set CID Time Setting to ON or OFF to allow phone network to automatically set cordless phone system time.

Entering Text on Your Phone

- Use the 12-key dial pad anytime you want to enter text into your phone (a name in the phonebook, the handset banner, etc.).
- If two letters in a row use the same key, enter the first letter; wait for the
 cursor to move to the next space and enter the second letter.

То	Press
move the cursor left	PHONEBOOK.
move the cursor right	CID.
erase the character at the cursor	END/CLEAR.
erase the entire entry	and hold END/CLEAR.
enter a blank space	#.
switch between upper and lower case letters	*.
rotate through the punctuation and symbols	0.

USING YOUR PHONE

This section explains the most common functions on the phone.

То	Using the earpiece	Using the speakerphone
make a call, dial the number &	press HOME/FLASH .	press SPEAKER .
answer a call	press HOME/FLASH.	press SPEAKER .
hang up	press END/CLEAR or pu cradle.	it the handset in the
ignore a call/mute the ringer	press MESSAGE/MUTE vinging.	while the phone is
switch to the speaker & back	press SPEAKER .	
mute the microphone during a call	press MESSAGE/MUTE (microphone back o	press again to turn the n).
put a call on hold	press INTERCOM*.	
return to a call on hold	press HOME/FLASH.	press SPEAKER .

^{*} After 5 minutes on hold, the call will be disconnected.

Finding a Lost Handset

With the phone in standby, press **FIND HS** on the base. All handsets beep for 1 minute; to cancel, press **FIND HS** again or press any handset key.

Changing the Volume

To change the	When	Press
earpiece or speaker volume for each handset	you are listening to that earpiece or speaker (playing	UP to increase the volume.
base speaker volume	messages, etc.)	
ringer volume for each handset or the base*	the phone is in standby	DOWN to decrease it.

^{*} If you turn the ringer all the way down, that particular ringer turns off.

Using the Caller ID and Redial Lists

Caller ID (CID) is a service available from your telephone provider that shows the phone number (and sometimes the caller's name) of incoming calls. Contact your telephone provider for more information.

Caller ID list	Redial list
 The phone saves the information for the last 50 received calls to the CID list. The NEW icon marks any calls received since the last time you checked the list. All handsets share the same CID list so only one handset can access the list at a time. 	Each handset remembers the last 5 numbers you dialed on it. Only one handset
 In standby, handsets show how many calls came in since the last time you checked the CID list. 	can access its redial list at a time.

То	Press
open the CID list	CID.
open the redial list	REDIAL/PAUSE.
scroll through the	DOWN to scroll from newest to oldest.
lists	UP to scroll from oldest to newest.
dial the highlighted number	HOME/FLASH or SPEAKER. (If the number is a toll call but there is no 1 at the beginning, press * to add 1 before dialing.)
close the lists	PHONEBOOK.

For individual record options, highlight a number and press MENU/SELECT:

Delete Entry	Erase the number from the list.

	Add the number to the phonebook. The handset prompts you to edit the name and number and select a personal ring.
Delete All	(CID list only) Erase all numbers from the list.

Using Call Waiting

- Call Waiting, a service available from your telephone provider, lets you receive calls while you are on another call. Caller ID on Call Waiting (CIDCW) service displays Caller ID information for a waiting call.
- If you get a Call Waiting call, the phone sounds a tone and displays any CID information received from the waiting call. Press HOME/FLASH to switch between the current call and the waiting call; each time you switch, there is a short pause before you're connected to the other call.

Using the Phonebook

The phone can store up to 100 entries in its phonebook. All handsets share the same phonebook, so only one handset can access it at a time.

То	Press
open/close the phonebook	PHONEBOOK.
scroll through the entries	DOWN to scroll through the entries from A to Z. UP to scroll from Z to A.
jump to entries that start with a certain letter	the number key corresponding to the letter you want.
dial the current entry	HOME/FLASH or SPEAKER.
edit the current entry	MENU/SELECT, then select Edit.
delete the current entry	MENU/SELECT , then select <i>Delete</i> . When the phone prompts you to confirm, select <i>Yes</i> .

Adding Phonebook Entries

With the phone in standby, open the phonebook. Press MENU/SELECT and select Create New. Enter a name, number, and a personal ring if desired.

- Enter the phone number (up to 32 digits) exactly as you would dial it.
- If you need the phone to wait before sending the next set of digits, press **REDIAL/PAUSE** to insert a 2-second pause. You can insert multiple pauses, but each one counts as a digit (you'll see *P* in the display).

Downloading Cellular Phonebooks

You can download up to 700 names per cellular phonebook (1400 total) to the phonebook.

- Press MENU/SELECT and select Bluetooth Setup. Scroll to Download PB and select it.
- 2. The Bluetooth icon on the LCD display will show the device number of the downloading phonebook (for Bluetooth device #1: 1).)
- 3. *Download PB Completed* displays when the download is completed. *Download PB Failed* displays if the download fails.

Deleting All the Phonebook Entries

With the phone in standby, open the phonebook. Press **MENU/SELECT** and select *Delete All*. When the phone prompts you to confirm, select *Yes*.

USING SPECIAL FEATURES

Off-Hook Menus

When you are in a call, pressing **MENU/SELECT** brings up special off-hook menus:

Hold/Transfer	In a call: puts the call on hold and lets you page a specific handset or base to transfer the call to or page the base and all the handsets.	
Call Privacy	Determines which handsets will ring when a cellular call comes in (default = ALL).	
Drop Call	In a 3-way conference call: allows you to drop one of the outside calls and remain connected the other.	

Hold/Transfer

You can put a landline call on hold and transfer it to another handset.

То	Press
put a landline call on hold	MENU/SELECT and select Hold/Transfer.
take a landline call off of hold	HOME/FLASH.
transfer a call	MENU/SELECT and select Hold/Transfer from the off-hook menus. The call is now on hold and the system prompts you to select the handset (or all handsets) you want to page. When another handset accepts the call, you will be disconnected. Press HOME/FLASH to rejoin the call.
cancel a transfer	HOME/FLASH to return to the call.

14 Dewingad from Www.Somanuals.com. All Manuals Search And Download.

То	Press
	END/CLEAR to answer the page and speak to the other handset. Then, press HOME/FLASH to speak to the caller.

Call Privacy

To activate call privacy mode on a call in progress, press **MENU/SELECT**, then select Call Privacy. As long as call privacy mode is on, you'll see a **P** in the display, and no other handsets can join your call. Call privacy mode turns off automatically when you hang up; you can also turn it off by pressing **MENU/SELECT** and then selecting *Call Privacy* again.

Drop Call

This off-hook menu selection lets you drop a call when you are in a 3-way conference call with a landline call and a cellular call. You can select to drop one of the outside calls.

- 1. From a 3-way conference call, press MENU/SELECT and select Drop Call from the off-hook menus
- 2. Select the HOME icon to drop the landline call or the CELL icon to drop the cellular call. You will remain connected to the other call.

Intercom (Handset to Handset)

- Whenever the phone is in standby, you can make an intercom call between handsets without using the phone line.
- · You can make an intercom call from any handset, but only two handsets can be in an intercom call at any time.
- If an outside call comes in during an intercom page, the phone cancels the page so you can answer the incoming call.
- If an outside call comes in during an intercom call, press HOME/FLASH to hang up the intercom call and answer the outside call.

То	Press	
make an intercom page	MENU/SELECT and select <i>Intercom</i> from the menus. A list of handsets displays. Select the handset you want to talk with, or <i>All</i> to page all handsets at the same time.	
cancel a page	END/CLEAR.	
answer a page	HOME/FLASH or select Intercom from the menus.	

То	Press	
put an outside line call on hold and make an intercom call	MENU/SELECT and select <i>Hold/Transfer</i> from the off-hook menus. Select the handset you want to talk with, or <i>All</i> to page all handsets at the same time.	
end an intercom call	END/CLEAR. Both handsets return to standby.	

Silent Mode

You can silence the ringers on the base and all handsets for a specific period of time; the answering system answers any incoming calls without playing anything through the speaker.

- 1. With the phone in standby, press and hold # on any handset. The phone prompts you to select the number of hours (1 9 or Always On) that you want it to stay in silent mode.
- 2. To confirm, press # or just wait about 5 seconds. The phone turns on the answering system and displays *Silent Mode On* on each handset.
- After the selected number of hours, the phone automatically exits silent mode. To exit silent mode manually, press and hold # again.
- If the phone is in silent mode and you turn off the answering system, the phone exits silent mode.

Multihandset Features

- > To use the features in this section, you need at least 2 handsets.
- Your base supports a total of 12 cordless handsets: the one that came
 with the base and up to 11 DCX170BT accessory handsets. Your base
 also supports a total of 2 DRX100 range extenders, including any that
 came with your phone.
- You must register accessory handsets to the base before using them.
 (Handsets that came packaged with the base are already registered.)
- Handsets that aren't registered display a Not Registered message.
 For registration instructions, see page 23, or see the accessory handset manual.
- If a handset was ever registered to a base, you must reset it before it can register to a new base; seepage 23, or see the accessory handset manual.

Conference Calling

- When an outside call comes in, two handsets and one cell phone can
 join in a conference call with the outside caller.
- 16 Dewingad from Www.Somanuals.com. All Manuals Search And Download.

- To join a call that's already in progress, just press HOME/FLASH or SPEAKER.
- To leave the conference call, hang up normally; the other handset remains connected to the call.

Chain Dialing

If you often have to enter a series of digits or a code number during a call, you can save that code number to a phonebook entry and use the phonebook to send the code number.

- 1. Enter the code number (up to 32 digits) into the phonebook just like a regular phonebook entry. Be sure to enter the code number into the phonebook exactly as you would enter it during a call.
- When you hear the prompt that tells you to enter the number, open the phonebook and find the entry that contains your code number.
- 3. Press MENU/SELECT to send the code. If you change your mind, just close the phonebook.

Voice Message Notification

If you subscribe to a voice mail service, your phone displays the voice mail icon () when you have a new message.

After you listen to your messages, the message icon turns off. If it doesn't, you can reset it: With the phone in standby, open the menu and select *Global Setup*; select *VMWI Reset*, then select *Yes*.

If you change voice mail providers, you can edit your voice mail number. Open the menu and select *Global Setup/Edit Voice Mail*.

USING THE ANSWERING SYSTEM

Answering System Options (*Answering Setup***)**

You can set or change the answering system options from any handset. Just open the menu and select *Answering Setup*. Select one of the following:

Security Code	Enter a 2-digit PIN so you can access your answering system from any touch-tone phone (see page 20).
Ring Time	Set the number of rings (2, 4, or 6) before the system answers. <i>Toll Saver</i> makes the system answer after 2 rings if you have new messages or after 4 rings if you don't.

Record Time	Set the amount of time (1 or 4 minutes) callers have to leave a message. Choose Announce Only if you don't want the system to let callers to leave a message.	
Message Alert	Have the system beep every 15 seconds when you have a new message. The alert stops after you listen to all your new messages or if you press any key on the base.	
Ans. Language	Change the language of the system's voice prompts.	
Call Screen	Turn on the call screen feature so you can hear callers as they leave messages on the base speaker (see page 19).	
Ans. On/Off	Turn your answering system on or off.	
Record Greeting	Record an outgoing message or greeting.	
Greeting Options	Switch greetings or delete your greeting.	

Personalizing the Greeting

Your personal outgoing message or *greeting* can be from 2 to 30 seconds long. If you don't record a greeting, the system uses a pre-recorded greeting: *Hello, no one is available to take your call. Please leave a message after the tone.*

То	Follow these steps:	
Record a personal greeting	1. Open the menu with the phone in standby. Select Answering Setup, then Record Greeting. 2. Press MENU/SELECT to start recording. Wait until the system says "Record greeting" before speaking. 3. Press MENU/SELECT to stop recording. The system plays back your new greeting. 4. To keep the greeting, press END/CLEAR. To re-record it, press MENU/SELECT.	
Switch between greetings	1. Open the menu with the phone in standby. Select Answering Setup, then Greeting Options. 2. The system plays back the current greeting. Press MENU/ SELECT to switch greetings.	
Delete your greeting	Switch to your personal greeting, then press END/CLEAR.	

Accessing the Answering System

When the phone's in standby, you can access the answering system from any handset:

- · Only 1 handset can access the system at a time.
- If you do nothing for 30 seconds, the phone returns to standby.
- During remote access, the phone beeps so you know it's waiting for the next command.



• You can press the number key shown next to each command instead of scrolling through the screens.

Getting Your Messages

То	From the base	From a handset
play new messages	Press PLAY/STOP. The system announces the number messages, then plays each new meday and time) in the order it was re	essage (followed by the
restart this message	Wait at least 5 seconds after the press REV .	message starts playing, select <i>1:Repeat</i> .
replay an earlier message	Within 2 seconds after a mess press REV .	sage starts playing, select 1:Repeat.
skip a message	Press FWD.	Select 3:Skip.
delete a message	While a message is playing, press DELETE .	While a message is playing, select 4:Delete.
delete all messages	With the phone in standby, press DELETE ; press DELETE again to confirm.	Not available.
play old messages	After the system plays all press PLAY/STOP again.	new messages, select 2:Play.
stop playback	Press PLAY/STOP.	Select 5:Stop.

Screening Your Calls

You can use the answering system for *call screening*. While the system takes a message, you can listen on the base speaker (if you turn on Call Screen) or from a handset. Only one handset can screen calls at a time. If another handset tries to screen calls, it beeps and returns to standby.

То	From the base	From a handset
hear the caller leaving a message	Listen to the caller over the speaker.	Press MESSAGE/MUTE.
answer the call	NA	Press HOME/FLASH.
mute the call screen without answering*	Press PLAY/STOP .	Press END/CLEAR or return the handset to the cradle.

^{*} If you mute the call screen, the system continues taking the message: it just stops playing through the speaker.

Using the System While You're Away from Home

You can dial in to your answering system from any touch-tone phone. Before you can use this feature, you must program a security code.

Programming a Security Code

With the phone in standby, open the menu; select *Answering Setup*, then select *Security Code*. Use the number keypad to enter a two-digit security code (01 to 99). Press **MENU/SELECT** when you're finished.

Remember to make a note of your new security code!

Dialing In to Your System

- 1. Call your phone number & wait until the system answers. (If the system is turned off, it answers after 10 rings & sounds a series of beeps.)
- 2. During the greeting or beeps, press **0** and **immediately** enter your security code. If you enter it incorrectly 3 times, the system hangs up and returns to standby.
- The system announces the time, the number of messages in memory, and a help prompt. It beeps to let you know it's waiting for a command.
- 4. When you hear beeping, enter a 2-digit command from the chart.

01	Repeat message	05	Stop playback
02	Play message	06	Turn the system on
03	Skip message	09	Turn the system off
04	Delete message	10	Hear help prompts

If you don't press any keys for 15 seconds, the system hangs up and return to standby.

IMPORTANT INFORMATION

Solving Problems

If you have any trouble with your phone, check this section first. If you need help, call our Customer Care Line listed on the front cover.

General problems	Possible solutions	
No handsets can make or receive calls.	Check the telephone cord connection. Disconnect the base AC adapter for a few minutes; then reconnect it.	
A handset can't make or receive calls.	• Move	the handset closer to the base.
A handset can make calls, but it won't ring.		sure the ringer is turned on. sure Silent Mode is turned off (see page
A handset is not working.		e the battery for 15-20 hours. the battery connection.
The phone keeps ringing when I answer on an extension.	You may have to change the line mode. Contact Customer Service for instructions. Check for interference from appliances (microwave ovens, TVs, etc.) or wireless devices (baby monitors, WiFi equipment, etc.). Move the handset or base away from the interference source. If you have any service that uses the phone line, add a DSL or a telphone line filter (see page 22).	
There's a lot of noise or static on the line		
Caller ID problems	Possible solutions	
No handsets display Caller ID information.	 Let calls ring twice before answering. Make sure your Caller ID service is active. 	
Caller ID displays briefly and then clears.	 You may have to change the line mode. Contact Customer Service for instructions. 	
Multi-handset problems		Possible solutions
I can't transfer calls.		• Reset the handset (see page 23).
Two handsets can't talk to a caller.		• See if any handset is in Privacy Mode.
A handset says Unavailable.		 Move the handset closer to the base. See if any handset is in Privacy Mode.

Multi-handset problems		Possible solutions
I can't register a new handset.		Reset the handset (see page 23).See if you have 12 registered handsets.
Answering system problems	Ро	ssible solutions
The answering system does not work.		Make sure the answering system is on. Make sure the base is plugged in.
The system won't record messages.		ee if Record Time is set to Announce Only. Delete messages (memory may be full).
A handset can't access the answering system.		ee if another handset is using the system. lake sure the phone is in standby.
My outgoing message is gone.		there was a power failure, re-record our personal outgoing message.
Messages are incomplete.		lake sure call screening is turned on. hange the base speaker volume.
		ncrease the <i>Record Time</i> . Delete messages (memory may be full).
		ou may have to change the line node. Contact Customer Service for nstructions.

Installing a Line Filter or DSL Filter

A telephone line filter or DSL filter prevents services that use the phone line from causing interference on your phone. To get a line filter, contact your service provider or look in an electronics store.

Plug the filter into the telephone wall jack and plug the base into the filter. Make a test call to make sure the noise is gone.

Liquid Damage

CAUTION: If the base is covered in liquid, disconnect the adapter & phone cord from the wall before touching it.

If the liquid is only on the exterior housing of the base or handset, wipe it off and use as normal. If you can hear liquid inside the housing:

- 1. Remove all compartment covers, and disconnect all cables and cords.
- 2. If liquid is leaking from any vent or hole, turn the phone so that vent faces down. If not, place the largest vent face down.
- Let dry for at least 3 days. Check for liquid inside the phone before replacing compartment covers & reconnecting cords.
- 22 Download from Www.Somanuals.com. All Manuals Search And Download.

Resetting Handsets

If you have trouble with a handset or if you want to replace one, clear the registration information from the base and the handset:

- Press & hold END/CLEAR and # at the same time until you see the System Reset menu.
- 2. If you still have the base the handset is registered to, select *Deregister HS*, then select the handset you want to reset. If you don't have that base anymore, select *Base Unavailable*.
- To confirm, select Yes. The handset displays Handset not registered.

Registering Handsets

If you see a "not registered" message on a handset, you must register it to a base before using it.

- 1. Place the handset in the base; the display should say *Handset Registering*.
- Wait until the display says Registration Complete (about 30 seconds), then pick up the handset and press HOME/FLASH.
- 3. If you don't hear a dial tone or the display says *Registration Failed*, charge the battery completely, then try again.

Adapter and Battery Information

AC adapter	
Part number	PS-0034
Input voltage	120V AC, 60 Hz
Output voltage	7.8V AC @ 450mA

- Use only the supplied AC adapters.
- Use the proper adapter for the base & any chargers.
- Do not place the unit in direct sunlight or subject it to high temperatures.

Battery pack (with normal use)		
Part number	BT-1025	
Capacity	400mAh, 2.4V DC	
Talk time	about 7 hours	
Standby time	about 7 days	
Battery life	about 1 year	

- Replace the battery when the talk or standby time becomes noticeably reduced. For replacements, call the Parts Department (see the front cover).
- When the battery gets low, the handset beeps and shows a low battery alert; put the handset in the cradle for recharging.

Rechargeable Battery Warning

- This equipment contains a rechargeable Nickel-Metal-Hydride (Ni-MH) battery.
- Nickel is a chemical known to the state of California to cause cancer.
- Do not short-circuit the battery.
- The batteries in this equipment may explode if disposed of in a fire.
- Do not charge the batteries in any charger other than the one specified in the owner's manual. Using another

charger may damage the battery or cause it to explode.

As part of our commitment to protecting our environment and conserving natural resources, Uniden voluntarily participates in an RBRC* industry program to collect and recycle used Ni-MH batteries within the United States. Please call 1-800-8-BATTERY for information on Ni-MH battery recycling in your area. (RBRC* is a registered trademark of the Rechargeable Battery Recycling Corporation.)

Rechargeable batteries must be recycled or disposed of properly.

Warning! The cords on this product and/or accessories contain lead, a chemical known to the state of California to cause birth defects or other reproductive harm. Wash hands after handling.

Uniden works to reduce lead content in our products & accessories.

Compliance Information FCC Part 68 Information

This equipment complies with Part 68 of the FCC rules and the requirements adopted by the ACTA. On the bottom of this equipment is a label that contains, among other information, a product identifier in the format US: AAAEQ#TXXXX. If requested, this number must be provided to the phone company.

An applicable Universal Service Order Codes (USOC) certification for the jacks used in this equipment is provided (i.e., RJ1IC) in the packaging with each piece of approved terminal equipment. A plug and jack used to connect this equipment to the premises wiring and telephone network must comply with the applicable FCC Part 68 rules and requirements adopted by the ACTA. A compliant telephone cord and modular plug is provided with this product. It is designed to be connected to a compatible modular jack that is also compliant. See installation instructions for details.

The REN is used to determine the number of devices that may be connected to a phone line. Excessive RENs on a phone line may result in devices not ringing in response to an incoming call. In most but not all areas, the sum of RENs should not exceed five (5.0). To be certain of the number of devices that may be connected to a line, as determined by the total RENs, contact the telephone provider. The REN for this product is part of the product identifier that has the format US:AAAEQ##TXXXX. The digits represented by ## are the REN without a decimal point (e.g., 03 is a REN of 0.3). If this equipment causes harm to the telephone network, the telephone company will notify you in advance that temporary discontinuance of service may be required. But if advance notice isn't practical, the telephone company will notify the customer as soon as possible. Also, you will be advised of your right to file a complaint with the FCC if you believe it is necessary. The telephone company may make changes in its facilities, equipment, operations or procedures that could affect the operation of the equipment. If this happens the telephone company will provide advance notice in order for you to make necessary modifications to maintain uninterrupted service.

Please follow instructions for repairing, if any (e.g. battery replacement section); otherwise do not substitute or repair any parts of the device except as specified in this manual. Connection to party line service is subject to state tariffs. Contact the state public utility commission, public service commission or corporation commission for information. This equipment is hearing aid compatible.

If you experience trouble with this equipment, contact the manufacturer (see the cover of this manual for contact information) or an authorized agent. If the equipment is causing harm to the telephone network, the telephone company may request that you disconnect the equipment until the problem is resolved.

If your home has wired alarm equipment connected to a phone line, be sure that installing the system does not disable your alarm equipment. If you have questions about what will disable alarm equipment, contact your telephone company or a qualified installer.

Any changes or modifications to this product not expressly approved by the manufacturer or other party responsible for compliance could void your authority to operate this product.

NOTICE: According to telephone company reports, AC electrical surges, typically resulting from lightning strikes, are very destructive to telephone equipment connected to AC power sources. To minimize damage from these types of surges, a surge arrestor is recommended.

FCC Part 15 Information

This device complies with part 15 of the FCC rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation. Privacy of communications may not be ensured when using this phone.

FCC PART 15.105(b): Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

FCC RF Exposure Information

This product complies with FCC radiation exposure limits under the following conditions:

- The base must be placed to allow a minimum of 20 cm (8 inches) between the antenna and all persons during normal operation.
- The base must not be collocated or operated in conjunction with any other antenna or transmitter.
- The handset is designed for body-worn operation and meets FCC RF exposure guidelines when used with any belt clip,

carrying case, or other accessory supplied with this product. (All necessary accessories are included in the package; any additional or optional accessories are not required for compliance with the guidelines.) Third party accessories (unless approved by the manufacturer) should be avoided as these might not comply with FCC RF exposure guidelines.

Industry Canada (I.C.) Notice

Terminal equipment

NOTICE: This equipment meets the applicable Industry Canada Terminal Equipment Technical Specifications. This is confirmed by the registration number. The abbreviation IC before the registration number signifies that registration was performed based on a Declaration of Conformity indicating that Industry Canada technical specifications were met. It does not imply that Industry Canada approved the equipment.

NOTICE: The Ringer Equivalence Number (REN) for this terminal equipment is marked on the equipment itself. The REN assigned to each terminal equipment provides an indication of the maximum number of terminals allowed to be connected to a telephone interface. The termination on an interface may consist of any combination of devices subject only to the requirement that the sum of the Ringer Equivalence Numbers of all the devices does not exceed 5

Radio equipment

The term *IC* before the radio certification number only signifies that Industry Canada technical specifications were met. Operation is subject to the following two conditions: (1) this device may not cause interference, and (2) this device must accept any interference, including interference that may cause undesired operation of

the device. "Privacy of communications may not be ensured when using this telephone".

1-Year Limited Warranty

Evidence of original purchase is required for warranty service.

WARRANTOR: UNIDEN AMERICA CORPORATION ("Uniden")

ELEMENTS OF WARRANTY: Uniden warrants, for one year, to the original retail owner, this Uniden Product to be free from defects in materials and craftsmanship with only the limitations or exclusions set out below.

WARRANTY DURATION: This warranty to the original user shall terminate and be of no further effect 12 months after the date of original retail sale. The warranty is invalid if the Product is (A) damaged or not maintained as reasonable or necessary, (B) modified, altered, or used as part of any conversion kits, subassemblies, or any configurations not sold by Uniden, (C) improperly installed, (D) serviced or repaired by someone other than an authorized Uniden service center for a defect or malfunction covered by this warranty, (E) used in any conjunction with equipment or parts or as part of any system not manufactured by Uniden, or (F) installed or programmed by anyone other than as detailed by the owner's manual for this product.

STATEMENT OF REMEDY: In the event that the product does not conform to this warranty at any time while this warranty is in effect, warrantor will either, at its option, repair or replace the defective unit and return it to you without charge for parts, service, or any other cost (except shipping and handling) incurred by warrantor or its representatives in connection with the performance of this warranty. Warrantor, at its option, may replace the unit

26 Dewelland from Www.Somanuals.com. All Manuals Search And Download.

with a new or refurbished unit, THE LIMITED WARRANTY SET FORTH ABOVE IS THE SOLE AND ENTIRE WARRANTY PERTAINING TO THE PRODUCT AND IS IN LIEU OF AND EXCLUDES ALL OTHER WARRAN-TIES OF ANY NATURE WHATSO-EVER, WHETHER EXPRESS, IM-PLIED OR ARISING BY OPERATION OF LAW, INCLUDING, BUT NOT LIMITED TO ANY IMPLIED WAR-RANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, THIS WARRANTY DOES NOT COVER OR PROVIDE FOR THE REIMBURSEMENT OR PAYMENT OF INCIDENTAL OR CONSEQUEN-TIAL DAMAGES. Some states do not allow this exclusion or limitation of incidental or consequential damages so the above limitation or exclusion may not apply to you.

LEGAL REMEDIES: This warranty gives you specific legal rights, and you may also have other rights which vary from state to state. This warranty is void outside the United States of America and Canada.

PROCEDURE FOR OBTAINING PERFORMANCE OF WARRANTY: If, after following the instructions in the owner's manual you are certain

that the Product is defective, pack the Product carefully (preferably in its original packaging). Disconnect the battery from the Product and separately secure the battery in its own separate packaging within the shipping carton. The Product should include all parts and accessories originally packaged with the Product. Include evidence of original purchase and a note describing the defect that has caused you to return it. The Product should be shipped freight prepaid, by traceable means, to warrantor at: Uniden America Service 4700 Amon Carter Blvd. Fort Worth, TX 76155

As an Energy Star® Partner, Uniden has determined that this product meets the Energy Star® guidelines for energy efficiency. Energy Star® is a U.S. registered mark.



- Uniden[®] is a registered trademark of Uniden America Corporation.
- The pictures in this manual are for example only. Your phone may not look exactly like the pictures.

Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com