

Download from Www.Somanuals.com. All Manuals Search And Download.

Contents

| WELCOME/ FEATURES TERMINOLOGY CONTROLS & FUNCTIONS DISPLAY AND ICONS SOFT KEY FUNCTION GETTING STARTED Setting up the Phone Mounting the Base Unit on a Wall Expanding Your Phone Connecting the Charger Register the Handset Main Menu Options Setting Menu Options BASICS Making and Receiving Calls Call Waiting Placing a Call on Hold Redialing a Call Adjusting the Ringer, Earpiece and Speaker Volume Temporarily Muting the Ringer Mute Microphone Tone Dialing Switch-over (Australia only) | 2 3 4 6 8 9 9 12 14 14 15 16 17 27 29 30 31 31 32 32 |
|---|--|
| Mute Microphone Tone Dialing Switch-over (Australia only) Traveling Out of Range Privacy Mode Using One Touch Voice Mail Access PHONEBOOK Phonebook (Storing Phone Numbers, Names, Distinctive Rings and Speed Dial) Chain Dialing Steps for Entering Names and Special Characters Viewing the Phonebook | |

| Making Calls Using the Phonebook | 40 |
|---|-----------|
| Speed Dialing | 40 |
| Editing or Erasing a Stored Name, Phone Number, | |
| Distinctive Ring and Speed Dial | 41 |
| Copying Phonebook Locations | 42 |
| CALLER ID | 43 |
| Caller ID and CIDCW | 40 |
| (Caller ID on Call Waiting) | 43 |
| Viewing the Caller ID List | 45 |
| Deleting a Caller ID Message | 46 |
| Using the Caller ID Message List | 48 |
| MULTI- HANDSET FEATURES | 40 50 |
| Multi- Handset Features | 50 |
| | |
| Using DirectLink Mode | 50 |
| 3- Way Conferencing | 51 |
| Intercom/ Call Transfer Feature | 51 |
| ADDITIONAL INFORMATION | 53 |
| Changing the Digital Security Code | 53 |
| Find Handset | 53 |
| Installing the Beltclip | 53 |
| Headset Installation | 53 |
| Note on Power Sources | 54 |
| General Information | 56 |
| TROUBLESHOOTING | 57 |
| Troubleshooting | 57 |
| Liquid Damage | 61 |
| MEMORY LIST | 60 |
| INDEX | 63 |
| WARRANTY | 66 |

•

 \oplus

 \oplus

•

● | ◆

 \oplus

•

[1]

| Welcome | Congratulations on your purchase of the Uniden single (DSS7815) or dual (DSS7815+1) handset cordless phone. This phone is designed and engineered to exacting standards for reliability, long life, and outstanding performance. |
|----------|--|
| Features | Note: Some illustrations in this manual may differ from the actual unit for expanation purposes. 5.8GHz Digital Expandable 10 Multi- Handset Expandability Hands- Free Duplex Speakerphone in the Handset Caller ID* 100 programmable Memory Locations Intercom/ Call Transfer Between Handsets** 20 Distinctive Ring Options (10 ringer tones and 10 melody ringers)* Mute and Hold Features Direct Link Mode** Room/ Baby Monitoring** Battery Level Indicator Clock Display Animation Displays * Requires subscription to Caller ID service provided by Network supplier. There is usually a fee for this service. ** Requires the use of multiple handsets. |
| | [2] |

 \oplus

•

•

 \oplus

 \oplus

•

•

This series features *AutoTalk* and *AutoStandby*. AutoTalk allows you to answer a call by just removing the handset from the cradle so you don't have to waste time pushing buttons. Auto Standby allows you to hang up by simply returning the handset to the cradle.

To protect you against mis-billed calls that might result from your phone being activated by other equipment, this series has *Random Code* digital security, which automatically selects one of more than 10,00 0,000 digital security codes for the handset and base. Digital Spread Spectrum Technology uses a wider frequency band than standard digital transmissions. The result is a more secure conversation with the clarity of digital sound, extended range, and minimal interference from other cordless phones.

IntegriSound Built in sound quality which provides life-like conversations.


With *DirectLink* mode, you can use 2 or more handsets as radio transceivers (walkie-talkies). Be sure to visit our web site: **www.uniden.com.au** or **www.uniden.co.nz**

Terminology

- Standby Mode The handset is not in use, and *talk/flash* or *speaker* has not been pressed. No dial tone is present.
- Talk Mode The hand set is not in the cradle, and *talk/flash* or *speaker* has been pressed, enabling a dial tone. Talk appears on the display.



Controls & Functions



1. Handset Antenna 2. Beltclip Hole 3. Speakerphone Speaker and Ringer 4. Handset Battery Compartment 5. New Message LED 6. Handset Earpiece 7. LCD Display 8. *soft* Keys (P.8) 9. *△* /*vol* ∧ / ∨ (volume up/down) (P.31 & 17) 10. */tone/< (P.32 & 37) 11. speaker (P.27) 12. intcom/hold (P.51 & 29) 13. Headset Jack Cover 14. talk/ flash (P.28 & 29) 15. end (P.28) 16. *cid* (P.45) 17.#/>(P.37) 18. *phonebook* (P.35) 19. Handset Microphone 20. Handset Charging Contacts


[4]


•



•

 \oplus





- Base Charging Contacts
 Base Antenna
 Charge LED
 find handset (P.53)
 DC IN 9V Jack
 TEL LINE Jack


[5]

• \oplus

 \oplus

4

Display and Icons Example of the standby mode display



| ICON | Appears During | DESCRIPTION | |
|------|-----------------------|---|--|
| ▣▣▥▥ | Standby/Talk | Battery icons indicate the handset battery status. This icon cycles depending on the battery status (full, medium, low, and empty). | |
| RING | Standby | Ringer off icon indicates that ringer is turned off. | |
| M | Talk | The Mute icon appears when you mute the handset. | |
| đ | Talk speaker phone | The Speaker i con appears when the handset is used. | |
| | Talk | The Privacy icon appears when the Privacy Mode is turned on. | |



 \oplus

•


• \oplus

 \oplus

[6]

Animation Displays

The handsets have a variety of animation displays. Below are examples of the animation screens and what they mean:



[7]

 \oplus

0

Soft Key Function

"Soft" keys are keys that change function during the operation of the phone. There are three soft keys on each handset.

Soft Keys allow you to:

0

4

 \oplus

- Access the main menu
- Set up CIDCW options
- Store or edit phone numbers
- Access stored Caller ID messages
- Redial one of the last three numbers dialed from the handset
- Access Voice mail waiting


Note: The soft keys will not appear while the handsets charging.

The function of each soft key is determined by the icon that appears directly above it. For example, when the handset is in standby mode, pressing soft key 1 will redial the last dialed number. When the handset is in talk mode, pressing soft key 1 will mute the microphone.

Complete information on the features controlled by the soft keys can be found under each feature.

In standby mode


In talk mode



| Talk | |
|------------|-----------------|
| MUTE | 0:00 PRIVACY |
| Soft key 1 | Soft key 3 |

[8]







 \oplus

● —

B. Connect the base unit

- Connect the AC adapter to the DC IN 9V jack and to a standard 240VAC wall outlet. Connect the AC adapter to a continuous power supply (i.e., an outlet that is not controlled by a switch).
- Set the base on a desk or tabletop, and place the handset in the base unit. Place the base unit close to the AC outlet so that you can unplug the AC adapter easily.
- 3) Make sure that the charge LED illuminates. If the LED does not illuminate, check to see that the AC adapter is plugged in and the handset makes good contact with the base charging contacts.
- 4) After install the battery pack in the handset, charge your handset for at least 15-20 hours before plugging into the phone line.
- 5) Once the handset battery pack is fully charged, connect the telephone line cord to the **TEL LINE** jack and to a telephone outlet. If your telephone outlet isn't modular, contact your telephone company for assistance.





Telephone line cord

GETTING note • Use only the supplied [AAD-STARTED 041S] AC adapter. Do not use any other AC adapter. • Do not place the power cord where it creates a trip hazard or where it could become chafed and create a fire or electrical hazard.

 \oplus

4

 \oplus

 \oplus


Australia

[10]

C. Install the rechargeable battery pack into the handset

The handset is powered by a rechargeable battery pack. The battery recharges automatically when the handset is placed in the base unit. To maximize the charge capacity of your battery pack, DO NOT plug the telephone cord into the base unit and wall jack until the battery is fully charged.

- Press down on the handset battery case cover (use the finger indention for a better grip) and slide the cover downward to remove.
- 2) Turn the battery pack so that the connector with the red and black wires is near the jack inside the battery compartment. Match the connector's wire colors to the polarity label in the battery compartment (the connector notches fit into the grooves of the jack only one way). Push the battery pack connector into the jack until it clicks into place.
- Make sure you have a good connection by gently pulling on the battery wires. If the connection is secure, the battery jack will remain in place.
- 4) Place the battery case cover back on the handset and slide it upwards until it clicks into place.





[11]



note

• Use only the

cordless

telephone.

 Replacement battery packs are

website for

information.

available. See our

www.uniden.com.au

www.uniden.co.nz

Uniden (BT-446)


rechargeable battery pack supplied with your


Mounting the Base Unit on a Wall

Standard wall plate mounting

This phone can be mounted on any standard wall plate.

- 1) Make the AC adapter and the telephone line cord through the hole on the wall mount adapter.
- 2) Plug the AC adapter into the **DC IN 9V** jack.
- 3) Plug the telephone line cord into the TEL LINE jack.
- 4) Slide the wall mount adapter into the notches on the base.
- 5) Plug the AC adapter into a standard **240V AC** wall outlet. Hook the cord on the notch of the wall mount adapter.
- 6) Plug the telephone line cord into the telephone outlet. Hook the cord on the notch of the wall mount adapter.
- 7) Align the mounting slots on the base with the mounting posts on the wall. Then push in and down until the phone is firmly seated. To remove, push up a tab on the wall mount adapter as shown.










Direct wall mounting


If you don't have a standard wall plate, you can mount your phone directly to the wall. Before doing this, consider the following:

- Avoid electrical cables, pipes, or other items behind the mounting location that could cause a hazard when inserting screws into the wall.
- Try to mount your phone within 1.5m of a working phone jack to avoid excessive lengths.
- Make sure the wall material is capable of supporting the weight of the base and handset.
- Use #10 screws (minimum length of 35mm) with anchoring devices suitable for the wall material where the base unit will be placed.
- Insert two mounting screws into the wall (with their appropriate anchors). 100mm apart. Allow about 3mm between the wall and screw heads for mounting the phone.
 2) Pefer to store 1 through 7 on page 12 to
- 2) Refer to steps 1 through 7 on page 12 to mount the telephone.



[13]





 \oplus



• An extra handset can be registered when the main base is in standby mode.


 If you have purchased the DSS7815+1 your extra handset would have been pre-registered at factory as handset 2.

Register the Handset

If you purchase an extra handset, you need to register the handset before use. Only one handset can be registered at a time.

Handsets supplied with the phone are registered to the base by the factory. When charged, pre- registered handsets display a handset ID number. Handsets that have not been registered display Place handset on main base to register. When you register an extra handset to the base, the handset ID will be assigned.

- Before registering the extra handset, the battery pack MUST be charged for 15-20 hours.
- 2) Place the extra handset in the main base unit to begin registration.
- While the handset is registering, Handset Resistering will appear in the LCD.
 When Resistration Complete is displayed, the handset has been registered to the base.
 If Resistration Failed appears, please try these steps again.



Place handset

on main base

to register

[15]



Main Menu Options

Your phone has five main menu options: DirectLink Mode, Room/Baby Monitor, Handset Setup, Global Setup and Deregister HS.

Default Settings

The default settings set from the factory match the features that most people use. You may not need to change them. However, there are a number of options you must set and entries you must make in memory to take full advantage of all the phone features. The table below lists the default settings.

| Function | Default Settings | Function | Default Settings |
|------------------|-----------------------|--------------|-------------------|
| Edit Voice Mail | None(Aus)/ 083210(NZ) | Day & Time | SUN 12:00 AM |
| Ringer Tone | Flicker | CIDCW | Off |
| Distinctive Ring | On | Dial Mode | Tone |
| Auto Talk | On | Insert O | On (NZ)/Off (AUS) |
| Anykey Answer | On | Name Tagging | On |
| Banner | " " | | |
| Contrast | level 5 | | |
| Key touch tone | On | | |
| Animation Screen | On |] | |



 \oplus

•

 $\overline{\oplus}$

[16]



-

4

Setting Menu Options

Using the interface

· You must have at least two handsets to use Direct Link Mode.

note

- Press the **MENU** soft key to access the main menu. •
- Use $\triangle /vol/ \land$ and $\triangle /vol/ \lor$ to scroll through options.
- Press the **OK** soft key to make a selection.
- Press the **BACK** soft key to return to the previous screen.
- Press end to exit the menu.

DirectLink Mode

In DirectLink mode, a pair of handsets can function as two-way radios. DirectLink Mode allows two handsets to communicate with each other without the base unit or a telephone line. Use them at sporting events or while shop ping to stay in contact with family members or friends. You must set both handsets to DirectLink Mode to activate this feature.

Using DirectLink Mode

1) Press the **MENU** soft key and select the DirectLink Mode menu. To enter DirectLink mode press [ENTER] appears.





- 2) Press the ENTER soft key to enter DirectLink mode. You will hear a confirmation tone, and DirectLink Mode Complete appears.
- 3) To return to normal mode, press the CANCEL soft key and then the OK soft key, or return the handset to the cradle.











Download from Www.Somanuals.com. All Manuals Search And Download.

Handset Setup

The following submenu options must be set separately for each handset.

Programming your Voice Mail Access Number

- 1) Press the MENU soft key. Select the Handset Setup menu, and then the Edit Voice Mail submenu. Edit U_mail No. appears.
- 2) Enter your personal access number using the number keypad (09), */tone/<,#/>>, the DELETE soft key, or the PAUSE soft key (up to 20 digits).



3) Press the **OK** soft key. You will hear the confirmation tone. To delete the current Voice Mail Access Number, delete all numbers in step 2 using the **DELETE** soft key and the **OK** soft key.

Selecting a Ringer Tone


Ringer Tone lets you choose from 10 ringer tones or 10 melodies:

- Ringers (Flicker, Clatter, Soft Alert, Wake Up, Light Bug, Beep Boop, Tone Board, Chip Chop, Party Clap, Reminder)

- Melodies (Beethoven's Symphony #9 [Beethoven9], For Elise [Elise], We Wish You A Merry Christmas [Merry-Xmas], Home Sweet Home [Hm Swt Hm], Lorri Song #6 [Lorri Song], When Irish Eyes Are Smiling [Irish Eyes], Aura Lee, Let Me Call You Sweet Heart [Sweet heart], Waltzing Matilda[W Matilda], Old MacDonald [Old MacDld])

You must set the separate ringer tone on each handset.

You will hear a confirmation tone.



- hen the Ringer Tone submenu. 2) Press △ /vol/ ∧ or △ /vol/ ∨ to move the pointer. You will hear
- the ringer or melody as you scroll through the options. 3) When you reach the ringer tone you want, press the OK soft key.





Distinctive Ringer Setup

Distinctive Ringer allows you to assign a designated ring tone to a stored phonebook number (100 stored locations available). When a call is received and the Caller ID information matches the information in one of the phonebook memory locations, the phone uses the distinctive ring assigned to that particular Caller. You can assign distinctive rings to multiple phonebook memory locations. Switching the setting to Distinctive Off disables distinctive ringing: all incoming calls will have normal ring tone. Switching to Distinctive On activates all programmed distinctive ring memory locations.

- 1) Press the MENU soft key. Select the Handset
- Setup menu, and then the Distinctive Ring submenu.
- 2) Press $\triangle /vol/ \land or \triangle /vol/ \lor$ to select On or Off.
- 3) Press the **OK** soft key. You will hear a confirmation tone.

Setting the Autotalk

Autotalk allows you to answer the phone simply by removing the handset from the cradle. You do not have to push any buttons to answer the call.

- 1) Press the **MENU** soft key. Select the Handset Setup menu, and then the Autotalk submenu.
- 2) Press \triangle /vol/ \land or \triangle /vol/ \lor to select On or Off.
- 3) Press the **OK** soft key. You will hear a confirmation tone.

Setting Anykey Answer

Anykey Answer allows you to answer the phone by pressing any number key,*/tone/ - or #/-> on the handset.

- 1) Press menu/del. Select the Handset Setup
- Menu, and then the Anykey Answer submenu.
- 2) Press A /vol/ ∧ or A /vol/ ∨ to select 0n or 0ff
 3) Press the OK soft key. You will hear a confirmation tone.



0n

Off

0n

Off

BACK

BACK



Anskes Answer On Off BACK OK

Distinctive Rine

OK

OK

 \oplus 4 **GETTING STARTED** 4 \oplus

Setting the True Banner True Banner lets you customize the name your handset displays. The name will be displayed on the LCD screen during Standby Mode, Intercom, Intercom Hold, Room Monitor, and Copy Phonebook operation. The banner name will be displayed on the receiving handset as well. 1) Press the **MENU** soft key. Banner Select the Handset Setup menu, Moms Phone #1 and then the Banner submenu. BACK DELETE 2) Use the number keypad (0-9),*/tone/ - ,#/-> , Or **DELETE** to enter or edit the name. 3) Press the OK soft key. You will hear a confirmation tone. Adjusting the LCD Contrast Contrast adjusts the Handset LCD brightness. Choose one of the ten levels for optimum viewing. 1) Press the MENU soft key. Select the Handset Setup Contrast menu, and then the Contrast submenu. 4 2) Press $\triangle /vol/ \land$ or $\triangle /vol/ \lor$ to adjust the contrast of the BACK 0K LCD (ten levels). 3) Press the **OK** soft key.

 Press the **OK** soft key. You will hear a confirmation tone.

 \oplus

[21]

Setting the Key Touch Tone


Key Touch Tone is the tone your keypad makes when keys are pressed. You can turn this tone on or off.

- 1) Press the **MENU** soft key. Select the Handset Setup menu, and then the Key Touch Tone submenu.
- Press the **OK** soft key. You will hear a confirmation tone.

Setting the Animation Screen

The Animation screen displays animation on the handset LCD. The animations will be displayed on the LCD screen during a call, ringer volume setting, when you hang up, and so on.

- 1) Press the **MENU** soft key. Select the Handset Setup menu and then the Animation Screen submenu.
- 2) Press $\triangle /vol/ \land$ or $\triangle /vol/ \lor$ to select On or Off.
- Press the OK soft key. You will hear a confirmation tone. See "Animation Displays" on page 7 for all the available screens.



 \oplus

•

 \oplus

GETTING STARTED



Rinser Volume



[22]

| Global Setup If you change one of the global settings, you change that setting for all registered handsets and the base. Only one handset or the base can change global settings at a time. | |
|--|---|
| Setting Day and Time Day & Time sets the day and time of your display. | |
| 1) Press MENU soft key. Select the Global Setup menu, and then the Day & Time submenu option. 2) Press △ /vol/ or △ /vol/ to select the day of the week, and then the → soft key. 3) Press △ /vol/ or △ /vol/ to set hour, and then the → soft key 4) Press △ /vol/ or △ /vol/ to set hour, and then the → soft key 5) Press △ /vol/ or △ /vol/ to choose AM or PM, and then the SAVE soft key. You will hear a confirmation tone. | |
| Setting Caller ID on Call Waiting (CIDCW) Caller ID on Call Waiting (CIDCW) displays the name and number of an incoming call while you are on the line. | |
| 1) Press the MENU soft key. Select the Global Setup menu, and then the CIDCW submenu. 2) Press △ /vol/^ or △ /vol/~ to select 0n or 0ff. 3) Press the OK soft key. You will hear a confirmation tone. | |
| [23] | |
| | If you change one of the global settings, you change that setting for all registered handsets and the base. Only one handset or the base can change global settings at a time. Setting Day and Time Day & Time sets the day and time of your display. 1) Press MENU soft key. Select the Global Setup menu, and then the Day & Time submenu option. 2) Press △ /vol/^ or △ /vol/v to select the day of the week, and then the → soft key. 3) Press △ /vol/^ or △ /vol/v to set hour, and then the → soft key 4) Press △ /vol/^ or △ /vol/v to set minute, and then the → soft key 5) Press △ /vol/^ or △ /vol/v to choose RM or PM, and then the SAVE soft key. You will hear a confirmation tone. Setting Caller ID on Call Waiting (CIDCW) Caller ID on Call Waiting (CIDCW) displays the name and number of an incoming call while you are on the line. 1) Press the MENU soft key. Select the Global Setup menu, and then the CIDCW submenu. 2) Press △ /vol/~ or △ /vol/~ to select 0n or 0ff. 3) Press the OK soft key. You will hear a confirmation tone. |


•

 \oplus

 \oplus

0

• | •



 \oplus

0

 \oplus

GETTING STARTED

Setting the Dial Mode (Australia Only)

Dial Mode sets the dial mode to tone or pulse. Most phone systems use tone dialing; the default setting is tone dialing. Set the dialing mode to match the dialing system used by your local phone service.

- If you are not sure of your dialing system, make a trial call. If the call connects, leave the setting as is; otherwise set the unit to pulse dialing.
- If your phone system requires pulse dialing and you need to send DTMF tones in ٠ certain situations during a call, you may switch over to tone dialing (refer to "Tone Dialing Switch-over" on page 32).
- 1) Press the MENU soft key. Select the Global Setup menu, and then the Dial Mode submenu.
- 2) Press \triangle /vol/ \land or \triangle /vol/ \checkmark to select Tone or Pulse (the initial setting is Tone).
- 3) Press the **OK** soft key. You will hear a confirmation tone.



Download from Www.Somanuals.com. All Manuals Search And Download.

Setting Name Tag

The Name Tag feature works with the Caller Display number from Caller ID. A subscription to this service is required from your network provider. There is usually a fee for this service. When the phone rings the caller display number, when received will be compared to numbers stored in the phonebook. If there is a match any name stored with the phonebook number will be displayed.

- 1) Press the **MENU** soft key. Select the Global Setup menu, and then the Name Tag submenu.
- 2) Press △ /vol/^ or △/vol/∨ to select Ūn or Ūff (the initial setting is On).
- 3) Press the **OK** soft key. You will hear a confirmation tone.

Setting the Insert Zero

This feature adds '0' or '00' to the number, when you receive Caller ID messages. The default setting for New Zealand is On. The default setting for Australia is Off.

- 1) Press **MENU** soft key. Select the Global Setup menu, and then the Insert 0 submenu.
- Insert 0 On Off BACK OK

 \oplus

- 2) Press \triangle /vol/ \land or \triangle /vol/ \lor to select On or Off.
- 3) Press the **OK** soft key. You will hear a confirmation tone.







Name Tassins

De-register the Handset

0

 \oplus

- 1) In standby mode, select Deregister HS in the menu and press the **OK** soft key. De register HS? appears.
- Press △/vol/ ^ or △ /vol/ ∨ to select Yes, and then the OK soft key. When deregistration is complete you will hear a confirmation tone and De-resistration Complete appears.
- After de-registering the handset, place the handset to the base to register. You must reregister the handset before you can use it.



 \oplus

•

 \oplus

GETTING STARTED

[26]

note

• For best performance talk

caller in a quiet room. You can

decrease the

hearing

 \oplus

alternately with the

speaker volume if

you or the other party has difficulty

Making and Receiving Calls

With the handset's duplex speakerphone, you can have hands-free conversations.

The display screen during hands-free conversations.

You can easily switch a call from normal conversation to hands-free conversation. To switch a call, press *speaker* during the call.



| Talk | | (IIII) |
|------|----|--------|
| | | 0:00 |
| MUTE | Pr | ivacy |

 \oplus

[27]

Download from Www.Somanuals.com. All Manuals Search And Download.

From the handset

| | From the Handset | | |
|--|--|--|--|
| | Normal conversation | Hands-free conversation | |
| To answer a call | Handset On the Cradle Pickup the handset (AutoTalk is: on) or pick up the handset and press <i>talk/flash</i> (AutoTalk is: off). | | |
| | Handset Off the Cradle Press any number key,*/tone/<, or #/>(Any Key Answer),or press talk/flash. | Handset Off the Cradle Press <i>speaker</i> . | |
| To make a ca II | Handset Off the Cradle 1) Press <i>talk/flash</i>. 2) Listen for the dial tone. 3) Dial the number. OR Dial the number, and then press <i>talk/flash</i>. | Handset Off the Cradle 1) Press <i>speaker</i> . 2) Listen for the dial tone. 3) Dial the number. OR Dial the number, and then press <i>speaker</i> . | |
| To hang up | Press end or return the handset to the cradle (AutoStandby). | | |
| To enter a pause within the dialing sequence | When you dial the number in standby mode, press the PAUSE soft key. P appears in the display, which represents a pause. | | |
| | | | |

note • To set "Autotalk", see page 20 or to set "Anykey Answer" see page 20. • The handset microphone is located at the bottom of the handset. (see "Controls and Functions" on page 4). Position yourself as near to the handset as possible and speak clearly. • If the line is in use BASICS by another handset(s), "Line In Use" appears in the display of all registered handsets that are not in use.

 \oplus

 \oplus

•

 \oplus

 \oplus

0

[28]

Φ



through your local telephone

ID on call waiting

• While a call is on

not be received.

hold, CIDCW can

• You must

subscribe

company to

receive Call Waiting or Caller

service.

Call Waiting

If you have Call Waiting service and a call waiting tone sounds while you are on a call:


AUSTRALIA: Press *talk/flash* then 2 to switch between callers.

NEW ZEALAND: Press *talk/flash* to switch between callers.

Placing a Call on Hold

You can place a call on hold for 5 minutes. When 5 minutes has passed the call is disconnected Hold, to transfer

1) During a call, press *intcom/hold*. The call will be put on hold.





If you leave a call on hold for more than ten seconds, the display screen will read, Line On Hold

2) To talk to the caller press *talk/flash* or *speaker* on a handset. The phone will return back to the call.









Redialing a Call

The last three phone numbers dialed can be quickly redialed from the handset. Redial numbers stored in the handset are independent from each other.

Redialing from Standby Mode

- 1) Press the REDIAL soft key.
- Press A /vol/ ∧ or A /vol/ ∨ to scroll through the last three numbers dialed.
- 3) Press *talk/flash* or *speaker* on the handset. The selected number is dialed.
- 4) To hang up, press end.

Deleting a Redial Record

- 1) With the phone in standby mode, press the **REDIAL** soft key.
- Press A /vol/ ∧ or A /vol/ ∨ to display the number to be deleted.
- 3) Press the DELETE soft key.
- 4) Press \triangle /vol/ \land or \triangle /vol/ \lor to choose Yes.
- 5) Press the **OK** soft key. The redialed number is deleted.

Storing a Redial Record

- 1) With the phone in standby mode, press the **REDIAL** soft key.
- 2) Press ↔ /vol/ ∧ or ↔ /vol/ ∨ repeatedly to display the number to be stored.
- 3) Press the STORE key. Store/Edit Name appears.
- 4) To complete the setting, follow the steps 3-8 in "Phonebook (Storing Phone Numbers, Names, Distinctive Rings, and Speed dial)" on page 35.



<Redial1> 8007303456 BACK DELETE STORE △ /vol/∧ or ∨ 1 If the number <Redial2> 2749763990 BACK DELETE STORE △/vol/∧ or ∨ <Redial3> If the redial 2453678300 BACK DELETE STORE *A*/*vol*/∧ or ∨ ↑ beep. Delete redial1? lac. BACK OK

f the number exceeds 32 digits, only the first 32 digits are retained in redial memory. If the redial memory is empty, you will hear a beep. \oplus

4

•

 \oplus

note

• While charging the

handset you cannot mute the ringer tone for the

handset.

 \oplus

Adjusting the Ringer, Earpiece and Speaker Volume

Ringer volume

In standby mode press $\triangle /vol/\land$ or $\triangle /vol/\lor$ on the handset to select one of three ringer volumes (Off, Low or High)

Earpiece and Speaker Volume

You can select earpiece volume from among four volume levels on the handset earpiece and six levels on the handset speaker. Pressing the volume up key or volume down key on the handset during a call will change the earpiece or speaker volume. This setting will remain in effect after the telephone call has ended.

 \oplus

If you press the volume up key when the earpiece is at the maximum volume level, an error tone sounds. The error tone also sounds if you press the volume down key at the lowest volume.

Temporarily Muting the Ringer

To mute the ringer tone temporarily for each handset, while the phone is ringing, press the **MUTE** soft key on the handset you want to mute. The mute will last for the current incoming call only. The ringer tone will return to the previous setting starting with the next incoming call.

[31]

Mute Microphone

You can temporarily mute the microphone so that the caller cannot hear you.

- 1) Press the **MUTE** soft key during talk mode (while the phone is in use) to mute the microphone
- Mute On and appear in the display. To cancel muting, repeat above step again when Mute is set to on, Mute Off appears.

Tone Dialing Switch-over (Australia only)

If your telephone company requires pulse dialing, you can switchover to tone dialing after the call connects. This feature is useful when you need tone dialing to use any automated menu systems, such as telephone bank tellers, telephone prescription refills, customer support menus, etc.

If your phone is set to pulse dialing mode, make your call normally. Once your call connects, press the **/tone/* key. Any digits you enter from then on will be sent as tone digits. When this particular call ends, the phone automatically returns to pulse dialing mode.

[32]







• You can only mute

if the handset is off the cradle

when the phone starts ringing.

-

 \oplus

the handset ringer

Traveling Out of Range

During a call, as you begin to move your handset too far from your base unit, noise may increase. If you pass the range limits of the base unit, you will hear a beep and see Out. of Ranse on the display, and then the handset returns to standby mode. You may return to the call if you move your handset within the range limits of the base and press *talk/flash* or *speaker* within 30 seconds

Privacy Mode

Privacy Mode prevents interruption from other registered handsets or the base. This works only when the phone is in use.

Press the **PRIVACY** soft key on the handset during talk mode. Privacy Mode On and appear in the display. To exit the Privacy Mode, repeat above step again. Privacy Mode Off appears.

| Talk Privacy | Mode | On | | Ē |
|-----------------|------|----|-----|------|
| MUTE | | | PRI | JACY |

 \oplus

[33]

Using One Touch Voice Mail Access

If you subscribe to voice mail service, you can use your phone to access your voice mailbox. The new message LED flashes whenever you have messages waiting in your voice mailbox. Just program the handset with your access number, and you can get your messages at the touch of a button on the handset. (The voice mail service provider will supply you with the access number. This number may be simply a phone number. Refer to the provider's literature.)

To program or delete your Voice Mail Access Number, See page 19.

Dialing your Voice Mail Service

Once you've programmed your personal access number, you can dial your mailbox with the touch of a button. When you have messages, simply press the soft key. If you have not entered the access number or it has been deleted, when you press the Soft key, No Number Stored To store number press [MENU] appears and you will hear a beep. The phone returns to standby mode.

Resetting the New Message LED

The LED flashes when you have new messages in the voice mail service. If the LED remains on after you've retrieved your messages, you may need to reset the indicators. With the phone is in standby mode, press and hold find handset on the base until the paging sound stops (about 5 seconds).

[34]

 \oplus 4 note You must subscribe to voice mail service from your telephone company in order to use this feature. The voice mail service company will provide you with the access number. • For New Zealand: The Telecom Voice Mail Access Number is preprogrammed into speed dial location BASICS 4 \oplus

4.

Phonebook(Storing Phone Numbers, Names, Distinctive Rings, and Speed Dial)

You can store names and numbers in your phone's phonebook, search for names Alphabetically, and dial phonebook entries with just a few key presses. Phonebook memory is stored independently in the base and handsets. You can store up to 100 numbers in the base and in each handset.

The phone uses the same memory locations to store phonebook entries and Caller ID messages. Any empty phonebook locations are used to store Caller ID messages. For example, if you have stored 100 phonebook entries on your base unit, the base unit will not store Caller ID messages.

 When the phone is in standby mode, press *phonebook*. The following items appear. (1st Line) The number of the phone book locations used (2nd Line) How to search (press the number keypad, *A*/*vol*/ ∧ or *A*/*vol*/ ∨) (3rd Line) How to store (Press the STORE soft key) (4th Line) The BACK, COPY and STORE soft keys.
 Press the STORE soft key. Store / Edit Name appears
 Enter the name (up to 16 characters) by

using the number keypad (see "Steps for entering Names and Special Characters" on page 37. If a name is not required, go to step 4. <No Name> will be used as the name.





[35]





⊕ ____

note

• When the memory

Memory Full

appears. You cannot store

names and

counts as one

digit. Pressing

PAUSE soft key

more than once

length of the pause

between numbers.

increases the

Each pause represents a 2

second delay.

numbers.The pause key

is full, you will hear a beep and

- 4) Press OK soft key to store the name; Store/Edit No. appears.
- 5) Use the number keypad, */tone/ or #/ to enter the phone number (up to 20 digits). If you make an error, use the **DELETE** soft key to erase the incorrect digits. When you are finished, press the **OK** soft key to store the number.
- 6) Distinctive Rine appears. Press 4/vol/ or \triangle /vol to move the pointer to one of the Distinctive Ring options and then press the **OK** soft key.
- 7) Speed Dial appears. Press △ /vol/ ∧ or △ /vol ∨ To move the pointer to select the Speed dial location (10 locations: SPD1-SPD0).
- 8) Press the OK soft key. You will hear a confirmation tone, and Done! appears in the display.

Chain Dialing

The memory locations in the handset are not limited to phone numbers. You can also store a group of numbers (up to 20 digits) that you need to enter once your call connects. This is referred to as Chain Dialing. An example of this is a bank account number. Store the account number in one of the phonebook locations (refer to "Phonebook (Storing Phone Numbers, Names, Distinctive Rings and Speed Dial)" on page 35). When you call your bank and are prompted to enter the

account number, scroll through your phonebook locations until you find your account number, and then press the **DIAL** soft key.



8009675543

No Selectn

No Selectn

BACK

Movies

SPD1:(Empty)

8007303456

Flicker

BACK

Store/Edit No. note DELETE PAUSE OK If you choose not to store a Distinctive Ring, Distinctive Rins simply select the "No selection" option. If you choose not OK to store the name/number as a Speed Dial speed dial simply choose the "No selection" option. OK Beethoven9/SPD1 BACK DELETE EDIT

 \oplus

4

4

 \oplus

PHONEBOOK

Steps for Entering Names and Special Characters

Refer to the letters on the number keys to select the desired characters. With each press of a number key (**0-9**), the displayed character appears in the following order: Upper case letters first, lower case letters next and finally the number corresponding to the key.

| \square | Number of times key is pressed | | | | | | | | |
|--------------|--------------------------------|---|-----------|----|---|---|---------|----|---|
| keys | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| | 1 | | | | | | | | |
| (2 abc) | Ĥ | B | С | a | Ь | С | 2 | | |
| (3 def) | D | | F | -B | 9 | Ť | N | | |
| (4 ghi) | G | H | | 9 | h | i | 4 | | |
| <u>5 jkl</u> | J | К | L | j | k | 1 | 5 | | |
| 6 mno | М | N | 0 | M | n | O | 6 | | |
| (7 pqrs) | Р | Q | R | 5 | P | q | p. | W | 7 |
| 8 tuv | T | U | Ų | ÷ | Ч | Ų | 8 | | |
| 9 wxyz | W | X | Ŷ | Z | ω | × | Y | Z | 9 |
| | 8. | (| \rangle | < | > | 1 | (blank) | | |
| 0 oper | | 3 | : | ? | ! | 3 | 3 | 11 | * |
| | # | 0 | | | | | | | |

If you make a mistake while entering a name

Use */ tone/< or #/> to move the cursor to the incorrect character. Press the DELETE soft key to erase the wrong character, and then enter the correct character. To delete all characters press and hold the DELETE soft key.






 \oplus

For example, to enter Movies: note 1) When the phone is in standby mode, press phonebook and the STORE soft key. Store/Edit Name appears. 2) Press 6 once, and then press #/> to move the cursor to the right. • If the next same number key, 3) Press 6 six times. you must press #/> to move the 4) Press 8 six times. cursor over. 5) Press 4 six times. number key, it 6) Press 3 five times. changes the previously set. 7) Press 7 eight times. 8) When finished, press the **OK** soft key. To continue to store the telephone number, proceed to step 5 in "Phonebook (Storing Phone Numbers, Names, Distinctive Rings, and Speed dial)" on page 35.

4

-

 \oplus




 \oplus

[38]

Viewing the Phonebook note Your phone stores names/numbers in the phonebook memory locations, and you can search names in alphabetical order. You can view the phonebook even while the phone is in use. • During a call, don't press end on the Phonebook : 100 1) Press *phonebook*. If you recall the phonebook during a handset or the call Search [A-Z/ħ/↓] Store [STORE] call, the **COPY** and **STORE** soft key will not appear. will be disconnected. 2) Press \triangle /vol/ \land or \triangle /vol/ \lor or the number keypad to BACK COPY STORE scroll through the phonebook locations. Phonebook locations appear in alphabetical order (from first to last when you press //vol/v from last to first when you press 4 /vol/^). You can also use the letters on the number keys to select the first letter of the desired name. Press a number key (2-9 and 0) once for the first letter, twice for the second letter, and so on. The first location that begins with the letter you entered appears. For example, to search for an entry beginning with the letter M, press 6 once. Press $\triangle /vol/^{\circ}$ or $\triangle /vol/^{\circ}$, until the phonebook location is displayed. 3) To finish the viewing operation: From the Handset-press end (or the BACK soft key or talk/flash during a call). [39]

 \oplus

 \oplus



Editing or Erasing a Stored Name, Phone Number, Distinctive **Ring and Speed Dial** Phonebook : 100 Search [A-Z/1/4]

1) When the phone is in standby mode, press *phonebook*.

2) Use $\triangle /vol/ \land$ or $\triangle /vol/ \lor$ or the number keypad to select BRCK COPY STORE desired phonebook entry (see "Viewing the Phonebook" on page 39).

a. Editing the stored data.

- 1) When the phonebook location to be edited appears, press the EDIT soft key. Store/Edit Name appears.
- 2) Follow the steps 3-7 under "Phone book (Storing phone numbers, names, distinctive rings and speed dial)" on page 35 to complete the editing operation.
- 3) Press the **OK** soft key. You will hear a confirmation tone.

b. Deleting the stored data.

- 1) When the phonebook location to be deleted appears, press the DELETE soft key. Delete Memory? appears.
- Delete Memory? Yes No BACK Oł

Store [STORE]

Store/Edit Name

BACK DELETE

Uniden Corp

- 2) Press \triangle /vol/ \land or \triangle /vol/ \checkmark to move the pointer to yes.
- 3) Press the **OK** soft key. You will hear a confirmation tone and Deleted! appears.







Copying Phonebook Locations


Copy Phonebook allows you to transfer stored phonebook locations from handset to other handset without having to manually re-enter names and numbers. You can transfer one memory (phonebook location) at a time, or all memory locations at once.

- 1) When the phone is in standby mode, press *phonebook*.
- 2) Press the COPY key.
- 3) Press \triangle /vol/ \land or \triangle /vol/ \checkmark to select the handset to which you want to transfer the phonebook locations and then press the **OK** soft key.
- 4) Press 4 /vol/ or 4 /vol/ to select One Memory or All Memory, and then press the **OK** soft key. If you select All Memory, Are you sure? appears on the display screen.

Press \(\lambda /vol/ \lambda or \(\lambda /vol/ \lambda to select \)es, and then press the **OK** soft key.

If you select One Memory, press 4/vol/^ or 4/vo/~ or the number key (2-9 and 0) to select the phonebook location you want to export and then press the COPY soft key.

5) The phonebook locations will be transferred to the handset. Copying appears along with the name of the receiving handset. When the transfer is completed, Done! Appears.



 This feature can only be used with

note

 \oplus

4

4

 \oplus

PHONEBOOK

• If the memory location on the receiving handset is full, and cannot store the phonebook locations, you will hear a beep.

 \oplus

4

⊕ ____



• If you answer a

call before the

is received, the

received via a

Telephone

service, the

Calls.)

caller's phone number and name does not appear. (This includes

Caller ID message

Caller ID message will not appear. • When the call is

company that does

not offer Caller ID

some international

number and name may not appear.

When the call is


received via a private branch exchange (PBX), the caller's phone

Caller ID and CIDCW (Caller ID on Call Waiting)

You must subscribe to Caller ID services through your local telephone provider to use these features. CIDCW (Caller ID on Call Waiting) is available in Australia only. When the telephone rings, the Caller ID feature allows you to view the caller's name, phone number, date and time of call. With CIDCW (Caller ID on Call Waiting), you will hear a call waiting tone while you are on a call, and the Caller ID data is displayed. To accept the waiting call, press *talk/flash* on the handset. Additionally, you can dial a number stored in the Caller ID list or save data to your phonebook locations.

Important:

Memory locations for Caller ID messages and phonebook locations (including Speed Dials) are common; you can store up to all 100 locations for each handset and the base. A Caller ID message is not stored when you have stored 100 of the phonebook locations. When you have stored all 100 of the phonebook locations and Caller ID messages in total, the earliest Caller ID message is overwritten.



When the Caller ID message is received, the display shows the caller's phone number along with the date and time. The incoming call information is stored in the Caller ID record. If the Caller ID service includes the caller's name, the name will appear in the display (up to 15 characters).

[43]

•

 \oplus

 \oplus

You may receive any one of the following messages: When a private name is received; Private When a private number is received; Private When a unknown name is received; Unavailable When a unknown number is received; Unavailable When invalid data is received; Incomplete Data When an overseas call(0000) is received (New Zealand only); overseas call Data errors appear as " ." note CALLER ID

 \oplus

0

 \oplus

 \oplus

0

 \oplus

[44]

⊕ ____

 \oplus



• The number of

calls from the same Caller ID

appears next to

the number will disappear.

 \oplus

the received time.

Once you view the new message,

Viewing the Caller ID List

The Caller ID list stores information for incoming calls - even unanswered calls. You can store up to 100 Caller ID messages and phonebook locations (including Speed Dials) for each handset and the base. You can view the Caller ID list through the handset and base during a call or when the phone is in standby mode.

1) Press cid.


The summary screen appears. The screen shows the number of new messages and total messages.

2) To view the Caller ID messages in historical order (newest to oldest or from oldest to newest), use, △/vol/∧ or △/vol/∨ to scroll through the messages from the latest to the earliest, or △ /vol/∧ or △/vol/∨ to scroll back through the messages.

| | Caller New : Total : | 5 | | |
|------|----------------------------|---|--------|--|
| BACK | | | DELETE | |

[45]

Download from Www.Somanuals.com. All Manuals Search And Download.



4

 \oplus

[46]

•

-

 \oplus



4

-

 \oplus

• Once the Caller ID data has been deleted, the information cannot be retrieved

Deleting all Caller ID names/numbers

- 1) When the phone is in standby mode, press *cid*.
- 2) Press the **DELETE** soft key. Delete All? Appears.
- 3) Press △ /vol/∧ or △/vol/∨ to choose Yes.
- 4) Press the **OK** soft key. You will hear a confirmation tone.

| Caller ID New : 50 Total : 50 | |
|-------------------------------------|--------|
| BACK | DELETE |

| Delete Yes | AII? | |
|---------------|------|----|
| No | | |
| BACK | | OK |

[47]

 \oplus

Using the caller ID Message List Calling a Party from the Caller ID List

- 1) When the phone is in standby mode, select the Caller ID message (see "Viewing the Caller ID List" on page 45).
- 2) Press *talk/flash* or *speaker*. The displayed phone Number will be dialed automatically

Talk mode

- 1) When the phone is in talk mode, select the Caller ID message you want to dial (see "Viewing the Caller ID List" on page 45).
- 2) Press the **DIAL** soft key, and the number will be dialed.



• If the CallerID message does not have the number, you cannot store the message in the Phonebook. If it was received as private/unknown name, the message will be stored as <No Name>. • Even if the 100 memory locations are full, the message will be stored in the Phonebook. However, the message will be erased from the Caller ID list.

CALLER ID

•

 \oplus

note

 \oplus



Storing Caller ID messages in the Phonebook

Messages shown in the Caller ID list can be stored in the phonebook. The phone number and name of the party on the Caller ID list can be stored in memory.

- 1) When the phone is in standby mode, select the Caller ID message to be stored. Then press the **STORE** soft key. Store/Edit Name appears. If the Caller ID message is already stored in memory, you will hear a beep and This data is already stored!! appears. The number will not be stored.
- 2) To complete the setting, follow the steps 3-8 in "Phonebook (Storing Phone Numbers, Names, Distinctive Rings, and Speed dial)" on page 35


 \oplus



-

 \oplus

Download from Www.Somanuals.com. All Manuals Search And Download.



3-Way Conferencing

The phone permits 3-way conversations between 2 handsets and an outside line. 1) Initiate the call normally. Once the call is in progress, other people can join the call.

- 2) To join a conference call, press *talk/flash* or *speaker* to use the handset speaker phone.
- 3) To leave a conference call, simply hang up as you normally would. All other parties will remain connected.
- 4) To end a conference call completely, all local parties must hang up. The conference call will also end when the calling party hang up.

Intercom/Call Transfer Feature

The intercom feature lets you communicate with another handset without using the phone line.

Intercom

- 1) With the phone in standby mode, press intcom/hold.









 To answer a page, press *talk/flash*, or *intcom/hold* or the ANSWER soft key.

If Any Key Answer is enabled, pressing a number key, * /tone/ -, or # /- will answer the page. If AutoTalk is enabled, you can answer the page simply by picking up the handset.

4) To hang up the intercom call, press *end* or the **END** soft key on either handset.

Call Transfer Feature

 \oplus

- 1) During a call, press *intcom/hold* on the handset.
- Select the handset you want to talk with within 10 seconds. To select the handset press,
 △ /vol/ ∧ or △ /vol/ ∨ and then press the OK soft key.

If you select ALL, all other handsets and the base will be paged. An intercom tone sounds. To cancel intercom, Press the **CANCEL** soft key on the initiating handset.

3) To answer a page, press *talk/flash*, or *intcom/hold* or the ANSWER soft key. If Any Key Answer is enabled, pressing a number key, * /*tone/ -, or # /-* will answer the page. If AutoTalk is enabled, you can answer the page simply by picking up the handset.

4) To speak to the caller, press *talk/flash* on the receiving handset.



If you receive an outside/intercom call or page while selecting the other handset (or the base), the operation will be canceled.
 If the party does not answer within

one minute, the

operation is canceled.

(]]]]

Intercom

Handset

Handset

BACK

🛶 Handset #1

ANSWER

Hold, to transfer

#2

#3

OK

 \oplus

4

4

 \oplus

MULTI - HANDSET FEATURES

Changing the Digital Security Code

The digital security code is an identification code used to connect the handset and the base unit. Normally, setting the code is not necessary. In the rare situation that you suspect another cordless telephone is using the same security code, you can change the code. To change the digital security code:

1) De-register all the handsets you have (see "De-register the handset" on page 26).

2) Register the handsets by following step 2-3 in "Registering the handset" on page 15.

Find Handset

To locate the handset, press *find handset* on the base when the phone is in standby mode. All registered handsets beep for 60 seconds, and P = i n = appears on the handset display. To cancel paging, press any key on the handset or *find handset* on the base.

Installing the Beltclip

To attach the beltclip

Insert the beltclip into the holes on each side of the handset. Press down until it clicks.

To remove the beltclip

Pull either side of the beltclip to release the tabs from the holes.

Headset Installation

Your phone can be used with an optional headset. To use this feature, insert the headset plug into the headset pack. Your phone is ready for hands-free conversations. (Headset can be purchased from a retailer or by visiting the web site. See page 56.)



 \oplus




[53]

 If the battery pack is completely drained, the handset will not beep when

paging.

note



Note on Power Sources

Power Failure

During the period that the power is off, you will note be able to make or receive calls with the telephone.

Battery replacement and handling

When the operating time becomes short even after a battery is recharged, please replace the battery. With normal usage, your battery should last about one year. Please contact your place of purchase or the Uniden Parts Department for a replacement battery.

Warning

To avoid the risk of personal injury or property damage from fire or electrical shock, only use the Uniden battery model and Uniden adapter model specifically designated for this product.

Caution

- Use only the specified Uniden battery pack (BT- 446).
- Do not remove the batteries from the handset to charge them.
- Never throw the battery into a fire, disassemble them, or heat them.
- Do not remove or damage the battery casing.

[54]



4

Low Battery Alert

When the battery pack is very low, the phone is programmed to eliminate functions in order to save power.

The battery pack needs to be charged when:

- The empty battery icon appears.

- Low Battery appears in the display. If the phone is in standby mode, none of keys will


operate. If you are on a call, complete your conversation as quickly as possible, and return the handset to the cradle.

Cleaning the battery charging contacts

To maintain a good charge, clean the charging contacts on the handset once a month. Dampen a cloth with plain water. Gently rub the damp cloth over the charging contacts until all visible dirt is removed. Dry the contacts thoroughly before returning the handset to the

base.

Caution: Do not use paint thinner, benzene, alcohol, or other chemical products. Doing so may discolour the surface of the telephone and damage the finish.



Low Battery

 \Box

 \oplus



[55]

← ____

4

 \oplus

General Information

Operating temperature: 0 °C to +50 °C (+ 32 °F to +122 °F)

AC Adapter Information

AC Adapter part number: AAD-041S for the base Input Voltage: 230-240VAC 50Hz Output Voltage: 9V DC 350mA AAD-210 for the charger 230-240 VAC 50Hz 9V DC 210mA

Battery Information

Battery part number: BT- 446 Capacity: 800mAh, 3.6V

- To avoid damage to the phone use only Uniden AAD-041S and BT- 446, and AAD-210 with your phone.
- If the handset is left off of the base, the actual Talk mode duration will be reduced respective to the amount of time the handset is off the base.

Recharge your phone on a regular basis by returning the handset to the base after each phone call. When the operating time becomes short even after the battery is recharged, please replace the battery. With normal usage, the battery should last about one year.

Please contact your retailer for replacement adapters or batteries or visit our website at www.uniden.com.au or www.uniden.co.nz.

Specifications, features, and availability of optional accessories are all subject to change without prior notice.

[56]

 \oplus 4 ADDITIONAL INFORMATION 4 \oplus

⊕ ___

•

 \oplus

Troubleshooting

If your phone is not performing to your expectations, please try these simple steps first. If these steps do not solve your problem, visit our website for further information (www.uniden.com.au or www.uniden.co.nz).

| Symptom | Suggestion |
|---|---|
| The charge LED won't illuminate when the handset is placed in the cradle. | Make sure the AC adapter is plugged into the charger and wall outlet. Make sure the handset is properly seated in the cradle. Make sure the charging contacts on the handset are clean. |
| The audio sounds weak. | Move the handset and/ or base away from metal objects or appliances and try again. Make sure that you are not too far from the base. |
| Can't make or receive calls. | Make sure that you are not too far from the base. Make sure the line is not in use. If call is already using a line, you cannot use that line to make another outside call. Check both ends of the base telephone line cord. Make sure the AC adapter is plugged into the base and wall outlet. Disconnect the AC adapter for a few minutes, and then reconnect it. De- register the handset (see "De- register the Handset" on page 26) and register the handset (see "Register the Handset" on page 15). |
| The handset doesn't ring or receive a page. | Make sure that you are not too far from the base. Charge the batteries in the handset for 15- 20 hours by placing the handset on charging cradle. De- register the handset (see "De- register the Handset" on page 26) and register the handset (see "Register the Handset" on page 15). |
| During power failure, can't make or receive a call. | Make sure to use corded base handset to make or receive a call. Make sure that TEL line cord is connected firmly. |

[57]

Download from Www.Somanuals.com. All Manuals Search And Download.



 \oplus

•

•

 \oplus

| Symptom | Suggestion | | |
|--|--|--|--|
| Severe noise interference. | Keep the handset away from microwave ovens, computers, remote control toys, wireless microphones, alarm systems, intercoms, room monitors, fluorescent lights, and electrical appliances. Move to another location or turn off the source of interference. | | |
| The Caller ID does not display. | The handset was picked up before the second ring. The call was placed through a switchboard. Call your local telephone company to verify your Caller ID service is current. There may be a problem with your Caller ID service. | | |
| You cannot register the handset at the base. | Charge the battery pack for 15- 20 hours. De- register the handset (see "De- register the Handset" on page 26) and register the handset (see "Register the Handset" on page 15). Make sure that you have registered all handsets. | | |
| The handset doesn't communicate with other Handsets. | De- register the handset (see "De- register the Handset" on page 26) and register the handset (see "Register the Handset" on page 15). Make sure there are not two handsets already using the conference feature. Make sure that another handset or base is not in privacy mode. | | |
| An extra handset can't join the conversation. | Make sure that another handset is not in privacy mode. | | |

 \oplus

•

 \oplus

TROUBLESHOOTING

[58]

Liquid Damage Moisture and liquid can damage your cordless phone. In case of accidental submersion, please read the following steps.

| - | A |
|---|--|
| Case | Action |
| If the handset or base is exposed to moisture or liquid, but it only affects the exterior plastic housing. | Wipe off the liquid, and use as normal. |
| If moisture or liquid has entered the plastic- housing (i. e. liquid can be heard in the phone or liquid has entered the handset battery compartment or vent openings on the base). | Handset: Remove the battery cover and leave it off for ventilation. Remove the battery pack by disconnecting. Leave the battery cover off and the battery pack disconnected for at least 3 days. Once the handset is completely dry, reconnect the battery pack and he battery cover. Recharge the handset's battery pack for 20 hours before using again. Base: Disconnect the AC adapter from the base unit, cutting off electrical power. Disconnect the telephone cord from the base unit. Let dry for at least 3 days. IMPORTANT: You must unplug the telephone line while recharging the battery pack to avoid charge interruption. CAUTION: DO NOT use a microwave oven to speed up the drying process. This will cause permanent damage to the handset, base and the microwave oven. After following these steps, if your cordless telephone does not work, please visit our website for further information (www.uniden.com.au or www.uniden.co.nz). |

[59]



 \oplus

•

 \oplus

•

 \oplus

Memory List

| | Name | Phone No. | Name | Phone No. | Name | Phone No. |
|------------------|------|-----------|------|-----------|------|-----------|
| 1 | | | 35 | | 69 | |
| 2 | | | 36 | | 70 | |
| 3 | | | 37 | | 71 | |
| 4 | | | 38 | | 72 | |
| 5 | | | 39 | | 73 | |
| 6 | | | 40 | | 74 | |
| 7 | | | 41 | | 75 | |
| 8 | | | 42 | | 76 | |
| 9 | | | 43 | | 77 | |
| .0 | | | 44 | | 78 | |
| .1 | | | 45 | | 79 | |
| .2 | | | 46 | | 80 | |
| .3 | | | 47 | | 81 | |
| 4 | | | 48 | | 82 | |
| .5 | | | 49 | | 83 | |
| .6 | | | 50 | | 84 | |
| .7 | | | 51 | | 85 | |
| .8 | | | 52 | | 86 | |
| .9 | | | 53 | | 87 | |
| 20 | | | 54 | | 88 | |
| 1 | | | 55 | | 89 | |
| 22 | | | 56 | | 90 | |
| 3 | | | 57 | | 91 | |
| 4 | | | 58 | | 92 | |
| 25 26 | | | 59 | | 93 | |
| 26 | | | 60 | | 94 | |
| 27 | | | 61 | | 95 | |
| 8 | | | 62 | | 96 | |
| 9 | | | 63 | | 97 | |
| 0 | | | 64 | | 98 | |
| 1 | | | 65 | | 99 | |
| 2 | | | 66 | | 100 | |
| 0 1 2 3 | | | 67 | | · · | |
| 4 | | | 68 | | | |

 \oplus

•

MEMORY LIST

•

 \oplus

[60]


•






[61]

• | •



•

 \oplus



[62]

\oplus •

Index

0-9 20 ring options 3- Way Conferencing

Α

Animation screen Anykey Answer AutoTalk

В

Banner Battery Replacement and handling Beltclip

С

Call transfer feature Caller ID Call Waiting Caller ID services Calling CIDCW Deleting Setting Storing Viewing Chain dialing Clock Contrast Copying phonebook

| 19 51 | D De- register the handset Dial mode Digital security code DirectLink Distinctive ringer |
|--|---|
| 7 20 20 | E, F, G, H Earpiece volume Expanding your phone General information |
| 21 | Global Setup Hands- free conversation |
| 54 53 | Headset installation Hold |
| 52 29 43 48 43 47 | I, J, K, L Intercom Key touch tone Liquid damage M, N, O Making a call Mute |
| 23 49 45 36 23 21 42 | P, Q Page Phonebook Editing Erasing Making calls Storing |

Viewing

| 26 | Privacy Mode | 33 |
|----------------------------------|---|--|
| 20 24 53 17 20 | R Receiving a call Redialing a call Register the handset Ringer Adjusting Room / baby monitor | 27 30 15 31 18 |
| 31 | 0 | |
| 14 56 23 28 53 29 | S Setting up Base unit Extra handset Handset Menu options Soft Key Speed dialing | 9 10 14 11, 19 17 8 40 |
| 51 22 59 27 | T, U, V, W, X, Y, Z Transferring a call Troubleshooting Voice Mail Tone Warranty | 52 57 34 66 |
| 32 | , | |

[63]

•

 \oplus

 \oplus

•

 \oplus

4




Main Menu Flow Chart

 \oplus

•

•

 \oplus



[64]

 $| \oplus$

•

Main Menu Flow Chart

 \oplus

•

•

 \oplus

| V Handset Setup Global Setup BRCK OK V V BRCK OK V V OK < | V Handset Setup Global Setup Deresister HS BRCK Global Setup> V OK |
|--|--|
| A (Global SETUP) Day & Time Or CIDCW V Dial Mode Name Tas Insert 0 BRCK OK Australia Version | Deresister HS? Ves No BHCK OK Deresistration Complete |
| A Colobal SETUP> Day & Time OF CIDCW V Name Tas Insert 0 BRCK OK | ₽lace handset আ on main base to resister |

New Zealand Version


[65]

 \oplus

•

 \oplus

Download from Www.Somanuals.com. All Manuals Search And Download.



•

• • THANK YOU FOR BUYING A UNIDEN PRODUCT. Uniden (c) 2005 Uniden Australia Pty Limited. Uniden New Zealand Ltd. Printed in China UPZZ01748BA(0) • • \oplus \oplus

 \oplus

 \oplus

Free Manuals Download Website <u>http://myh66.com</u> <u>http://usermanuals.us</u> <u>http://www.somanuals.com</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.com</u> <u>http://www.404manual.com</u> <u>http://www.luxmanual.com</u> <u>http://aubethermostatmanual.com</u> Golf course search by state

http://golfingnear.com Email search by domain

http://emailbydomain.com Auto manuals search

http://auto.somanuals.com TV manuals search

http://tv.somanuals.com