GMR1058-2CK(4CK)

* Range may vary depending on environmental and/or topographical conditions

· Battery Level Meter

NiMH Battery Pack and

LCD DISPLAY

scan...

Charging Cradle

15 Receive Indicator

17 Call Indicator

18 Scan Indicator

19 Channel Indicator

20 CTCSS Indicator

21 Transmit Indicator

23 VOX Indicator

27 Charging LED

22 Volume Setting Indicator

24 Keypad Lock Indicator

25 GMRS/FRS Indicator

26 Charging Contacts

16 Power Boost Indicator

22 tx 22

· Channel Monitor

Channel Scan

Keypad Lock

Belt Clip

Charger

- · Power Boost Button for Maximum Range
- 15 GMRS / 7 FRS Channels
- Up to 10 Mile Range*
- 5 Selectable Call Tone Alerts
- Backlit I CD Display
- Roger Beep
- Key Beep on/off 38 CTCSS Code
- Optional Headset Accessory
- Headset Jack

GMR1058 RADIO

Antenna

Monitor Kev

Call Key

Scan Key

Speaker

10 Up Kev

12 Down Key

3 Channel Key

Headset Jack

11 On/off/select Key

14 Battery Level Meter

PTT (Push-To-Talk) Button

Power boost Button

GMR1058-2CK(4CK) (General Mobile Radio Service) radios. These products are lightweight. palm-sized radios. Use them at sporting events to stay in contact with family and friends, hiking, skiing, outdoors, or in a neighborhood watch for vital communication. These compact, state-of-theart devices are equipped with many features.

Congratulations on your purchase of the Uniden

PACKAGE CONTENTS

Your package contains two(four) radios, this reference guide including the product registration card, two(four) Belt Clips, two(four) rechargeable NiMH battery packs(#BP38), two(four) AC adapters (#AD-0001), and two(four) recharging cradles(#RC6488). To order headsets, replacement batteries, or other accessories, visit our website at www.uniden.com or call 1-800-554-3988. Mon-Fri. 8 a.m. to 5 p.m. CST. Use only Uniden accessories

NiMH Battery Pack - #BP38

 Charging Cradle - #RC6488 AC Adapter - #AD-0001

Headset - #HS2467

GMRS LICENSE

The GMR1058-2CK(4CK) radio operates on the General Mobile Radio Service (GMRS) frequencies which require a Federal Communication Commission license to operate. For licensing information and application forms, visit the FCC online at: www.fcc.gov/wtb/uls or call the FCC hotline at 1-800-418-3676. If you have any questions you can contact the FCC direct at 1-888-225-5322.

No license is required for operation on channels 8-14 or operation on any channel in Canada.

INSTALL THE BATTERIES

Your GMR1058-2CK(4CK) radio uses the NiMH battery pack or 4 AAA alkaline batteries (not included). If alkaline batteries are used, we recommend using high quality alkaline batteries.

To install the Ni-MH battery pack:

- 1) Make sure your radio is OFF.
- 2) Remove the battery compartment door by pressing up the tab at the bottom of the compartment door allowing the door to be removed.
- 3) Install the NiMH battery pack into the battery

compartment. Be certain to follow the instruction written on the label on the battery pack. Installing the battery pack incorrectly will prevent the unit from operating.

4) Replace the battery compartment door.

BATTERY LEVEL AND LOW BATTERY ALERT

This unit has a battery level meter on the display to indicate the status of the batteries. When the batteries in the unit are very low, the battery level meter icon will flash. Replace the alkaline batteries immediately or if you are using the NiMH battery pack, you must recharge the battery in order to continue using the radio.

Warning! To avoid the risk of personal injury or property damage from fire or electrical shock, only use the Uniden accessories specifically designated for this product.

USING THE CHARGING CRADLE

If you use the rechargeable NiMH battery pack, two(four) GMR1058 radios can be charged by using the charging cradles.

Make sure to turn the radio OFF before placing the radio in the charging cradle. Otherwise the battery level meter icon won't indicate properly.

- Connect the AC adapter (# AD-0001) to DC IN 9V jack and to a standard 120V AC wall outlet.
- 2) Set the charging cradle on the desk or tabletop, and place the radio in the charging cradles with the keypad facing forward.
- 3) Make sure that the LED illuminates. Charge the battery pack for 16 hours and remove the radio from the charging cradle after charge.

Note: The charge indicator LED will remain on as long as the radios are left in the charger.

USING THE RADIO

In order to get the most out of your new radio, read this reference guide completely before attempting to operate the unit.

Turning the Radio On and Adjusting the Volume

1) Press and hold the **sel/** key to turn the unit ON, and increase the speaker volume by pressing the \(\bigcap \) key. To decrease the volume. press the V key.

1) Enter the Menu. The CTCSS code on the LCD 2) Press and hold the **sel/** the key again to turn the display will appear.

oF (OFF) at this stage.

To talk to others using the radio:

3) Exit the Menu.


Talking on Your Radio

Adjusting the Sound (Key Beeps)

unit OFF

Your radio emits a beep each time one of the buttons or keys (except for the PTT and Power boost button, and call key) are pressed. To turn this sound OFF. press and hold *call* key while turning ON the radio. Repeat this step to turn the sound ON. Navigating through the Menu

To access the advanced features of the GMR1058-2CK(4CK), your radio has a Menu function.



-) To enter the Menu, press the **sel/** \circ key. 2) Additional presses of the sel/ do key will
- advance you through the Menu until exiting to "Normal" operating mode. 3) Other methods of exiting the Menu function are:
- a. Press and hold the sel/ o key again
- b. Press buttons or keys (except ▲ and ▼ keys)
- c. Wait 10 seconds until the unit automatically returns to "Normal" mode.

Choosing a Channel

Your radio has 22 channels and 38 CTCSS codes you can use to talk to others. In order to speak to someone, each of you must set to the same channel and CTCSS code.

To choose a channel:

With the radio in "Normal" mode press the *ch* key and press the ▲ or ▼ key to increase or decrease the channel number displayed.

Note: FRS Channels 8-14 have an expectancy range of up to 3 miles. GMRS channels 1-7, 15-22 have an expectancy range of up to 10 miles by pressing the **Power boost** button. You can know which GMRS or FRS channel is active by the icon. The ii icon indicates GMRS channel, and the icon indicates FRS channel.

Choosing a CTCSS Code

Each of the channels 1-22 may have any one of the codes, OFF or 1-38 selected. Code oF (OFF) indicates no CTCSS code selected and your radio can receive a signal regardless of the code settings of the transmitting radio.

1) Press and hold the PTT button and speak in a clear, normal voice about 2-3 inches away from the microphone. While you are transmitting, the tx icon will appear on the display. To avoid cutting off the first part of your transmission. pause slightly after pressing the PTT button before you start talking.

2) Press the ▲ or ▼ key to increase or decrease

the code number displayed. You can also select

When you are finished speaking, release the **PTT** button. You can now receive incoming calls. While receiving, the **rx** icon will appear on the display.

Note: When you press the **Power boost** button. boost and tx icon appear on the display. The radio will transmit Maximum power when a GMRS channel is selected. After one minute past when the boost transmission is established, the transmission stops automatically, and you will hear a boost time out error tone.

Voice Operated Transmission

Your GMR1058-2CK(4CK) radio is equipped with a user selectable Voice Operated Transmitter (VOX) that can be used for automatic voice transmissions. The VOX feature is designed to be used with a headset with a microphone. Transmission is initiated by speaking into the remote microphone instead of pushing the PTT button.

To select the VOX level:

- 1) Enter the Menu. Advance through the Menu until the vox icon appears on the display. The current level (OFF, 1-3) will be indicated. Level oF (OFF) disables VOX, while levels (1-3) set the sensitivity of the VOX circuit.
- Press either the ▲ or ▼ kev to the desired VOX sensitivity level. Use level 1 for increased sensitivity to voice in normally quiet environments, and use a higher level to reduce undesired activation in very noisy environments
- Exit the Menu.

Transmitting a Call Tone

Your GMR1058-2CK(4CK) radio is equipped with 5 selectable call tones that will be transmitted when the call key is pressed.

Download from Www.Somanuals.com. All Manuals Search And Download.

To select a call tone:

- 1) Enter the Menu. Advance through the Menu until the call icon is shown on the display. The current call tone number (1-5) will be indicated.
- Press the ▲ or ▼ key to increase or decrease the number to the desired call tone. Fach tone will be heard through the speaker.
- Exit the Menu.

To transmit the selected call tone, press the call key. The selected tone will automatically be transmitted for a fixed length of time.

Keypad Lock

To Lock the keypad:

- 1) Enter the Menu. Advance through the Menu until the **a** icon appears on the display. The current key Lock status oF (OFF) blinks on the display.
- 2) To switch the key Lock mode from OFF to ON. press the A kev.
- 3) To confirm the setting, press the **sel/** key. The radio returns to the "Normal" mode.

Note: If you exit the setting mode by pressing other than the **sel/** bev. the key Lock setting will be set to OFF.

To Unlock the keypad:

- 1) Press and hold the **sel/** key to turn the unit
- 2) Press and hold the **sel**/ \oplus key again to turn the unit ON. The keypad is unlocked.

Channel Scan Feature

Your GMR1058-2CK(4CK) radio has a channel Scan feature that allows you to easily Scan all 22 channels. When an active channel is detected, the unit will pause on that channel until the channel is clear. Then after a 2 second delay, the unit will continue scanning. Pressing the PTT or Power boost button while the Scan is paused on a channel will allow you to transmit on that channel.

To turn ON channel scanning:

Press **scn** key until the **scan...** icon is displayed. The channel number on the display will change as the radio rapidly cycles through the channels.

To turn OFF channel scanning:

Press the sel/ kev. call kev. scan kev. PTT button or Power boost button.

Please do not send products or other correspondence to this address.

039 Q

PLACE FIRST-CLASS STAMP HERE

Uniden®

PRODUCT REGISTRATION DEPARTMENT PO BOX 44486 **DENVER CO 80201-4486** USA

Uniden® **PRODUCT REGISTRATION CARD**

Failure to complete and return this card does not diminish the consumers warranty rights concerning this product.

PLEASE FOLD AND SEAL WITH TAPE BEFORE MAILING. DO NOT STAPLE.

	Please fill-out and return this card	w t	
	First name: Initial:	Las	o39 Q CARA III CARA CARA CARA CARA CARA CARA
Į	Address: (number and street)		Apt number:
ĺ	Audiess. (number and street)		Apt number.
(City:	-	State: Zip code:
	E-mail address: (Example: yourname@yourhost.com)		
	Yes! I want to receive offers or communications from Uniden via Yes! I want to receive offers or communications that may interes be shared with and/or combined with information from other sour	t me	from other companies via e-mail. I understand this e-mail address ma
	Date of purchase: Day Year	1	6 Date of birth of children in your household 18 years of age and younger: Gender Birth Date
	Purchase Price: \$		Male Female Month Year Child #1 1 2
	Serial Number: (Located on the back of each unit)		Child #2 1 0 2 0 0
		1	7 For your primary residence, do you: 1. □ Own 2. □ Rent
	(Applies to FRS/GMRS only)	1	8 Education:
	Model Number: (Example: GMRS540-2, WX500)		(Please check which category applies to you): 1. □ Some high school 2. □ Completed high school 4. □ Graduate degree
	Which Uniden product did you purchase? 1. □ FRS/GMRS Radio 2. □ Weather Radio	1	9 I/we buy these things through the mail, over the Internet, or from television:
	1. ☐ FRS/GMRS Radio 2. ☐ Weather Radio Store Name:		A. Mail B. Internet C. TV 1. Books/magazines □ □ □
			2. Checks (not from a bank)
	Check the two (2) most important reasons influencing your		5. Computer products \square \square \square 6. Cosmetics/jewelry \square \square
	purchase of this Uniden Product: 1. □ Uniden reputation 6. □ Style/appearance		7. Crafts/hobbies 🗆 🗆 🗆
	2. ☐ Previous experience 7. ☐ Warranty		8. Gardening supplies
	3. ☐ Features 8. ☐ Received as a gift 4. ☐ Value for price 9. ☐ Other		10. Housewares/furnishings
	5. Quality/durability		12. Music/video/DVD
	Check the two (2) most important features to you on this		13. Sports equipment \square \square \square 14. Travel \square \square
	Uniden product:		15. Other
	1. ☐ Range 6. ☐ Color 2. ☐ Low battery alert 7. ☐ Design	2	0 I/we have these credit cards:
	3. ☐ Clarity 8. ☐ Channel scan		1. ☐ American Express/Diners Club 4. ☐ Visa/MasterCard 2. ☐ Discover 5. ☐ Other
	4. ☐ Number of channels 9. ☐ LCD backlight 5. ☐ Auto squelch	ο.	3. ☐ Retail/Gas 6. ☐ None
	How did you first become aware of this product?	2	Someone in my home enjoys: 1. □ Astrology 21. □ Gourmet food/cooking
	1. ☐ Previous Use 7. ☐ Recommendation 2. ☐ Comparison Shopping of Salesperson		2. ☐ Auto racing 22. ☐ Grandchildren 3. ☐ Automotive work 23. ☐ Home decorating
	3. ☐ In-Store Display 8. ☐ Recommendation		4. ☐ Books 24. ☐ Hunting/shooting
	4. ☐ Newspaper Ad of Friend/Family		5. ☐ Camping/hiking 25. ☐ Investing
	5. ☐ Magazine Ad 9. ☐ Direct Mail 6. ☐ TV Ad		6. ☐ Casino gambling 26. ☐ Lottery/sweepstakes 7. ☐ Cigars 27. ☐ Pets-cats
			8. Collecting 28. Pets-dogs 9. Computers/Internet 29. Pets-other
	Your gender: 1. ☐ Male 2. ☐ Female		10. ☐ Cooking/recipes 30. ☐ Photography
	Your marital status: 1. □ Married 2. □ Single		11. ☐ Crafts/needlework 12. ☐ Cultural art/events 13. ☐ Cycling 31. ☐ Play sports 32. ☐ Self improvement 33. ☐ Skiing/snowboarding
	Date of your birth: Day Year		14. □ Dieting/weight control 15. □ Do-it-yourself 16. □ Donating to charity 17. □ Fishing 18. □ Vitamins/natural foods
	Including yourself, how many people live in your household?		18. ☐ Fitness/exercise 38. ☐ Wines 19. ☐ Gardening 39. ☐ Woodworking
	(Examples: 01, 02, etc.) Children (18 and younger) Adults		20. □ Golf 40. □ Worship/Bible
	Thank you for completing this questionnaire. Your answers will help		
	If you prefer not to receive the PLEASE FOLD AND SEAL WITH TAPE		

Automatic Power Save Feature

Your GMR1058-2CK(4CK) radio has a unique circuit designed to dramatically extend the life of the batteries.

If there is no transmission nor an incoming call within 3 seconds, your radio switches to the Power Save mode. The radio is still able to receive transmissions in this mode.

LCD Backlight

The LCD backlight will automatically turn ON when any key (except for the PTT and Power boost button) is pressed. The LCD display will illuminate for 10 seconds before turning OFF.

Monitor Mode Feature

Your GMR1058-2CK(4CK) radio allows you to listen for weak signals on the current channel at the press of a key.

To turn ON the monitor mode:

- Press mon for brief listening, the TX icon will
- Press and hold mon for 2 seconds for continuous listening. The receiver circuit will stay open, and letting in both the noise & weak

To turn OFF monitor mode:

• Press mon to return to "Normal" mode, and the **rx** icon stops blinking.

Roger Beep

Roger Beep is a BEEP that is sent to notify the end of transmission (PTT transmission, power boost transmission and VOX.) Roger Beep can be heard through the speaker when Key Beep is on. If key beep is turned off, Roger Beep will not be heard from the speaker.

To turn ON Roger Beep:

Press and hold the A key while turning ON the

To turn OFF Roger Beep:

Press and hold the **A** key while turning ON the

SPECIFICATIONS

15 GMRS / 7 FRS Channels Operating Frequency UHF 462.5500-467.7125 MHz 4 AAA Alkaline Batteries or Power Source NiMH Battery Pack Range Channels 8-14 up to 3 miles Channels 1-7, 15-22 up to 6 miles (10 miles with Power boost button) Battery Life 22 Hours tvp. -Alkaline Batteries (5/5/90 duty cycle) 15 Hours tvp. - NiMH Battery Pack

Frequency Chart

Cross

TX Power TX Power

Ch. Freq.

•		0.000	174 1 01101	174 1 01101	1 11 11			
No.	(MHz) Reference		(ptt/vox) (Boost)		even when it is operating whether your radio is caus			
1	462.5625	FRS & GMRS 1	Mid High it off. Mid High causi movii	it off. If the interference go				
2	462.5875	FRS & GMRS 2		High	causing it. Try to eliminate moving your radio away fro cannot eliminate the interfo			
3	462.6125 FRS & GMRS	FRS & GMRS 3		High				
4	462.6375	FRS & GMRS 4	Mid	High	that you stop using the rac			
5	462.6625	FRS & GMRS 5	Mid	High	Hazardous Environments radio in hazardous environ may result. Do not operate			
6	462.6875	FRS & GMRS 6	Mid	High				
7	462.7125	FRS & GMRS 7	Mid	High unshielded electrica Under certain cond	unshielded electrical blasti			
•					Under certain conditions, i			
8	467.5625	FRS8	Low	Low	blasting operations and ma			
9	467.5875	5875 FRS9	Low	I OW	Turn your radio OFF to pre transmission when in a bla			
10	467.6125	FRS10	Low Low	Low	posted: "Turn off two-way crews often use remote co			
11	467.6375	FRS11		Low				
12	467.6625	FRS12	Low	Low	Care and Safety: To clear			
13	467.6875	FRS13	Low	Low	solvents because they car			
14	467.7125	25 FRS14	Low	Low				
15	462.5500	GMRS11	Mid	High	Use a dry, lint-free cloth to			
			Mid High	•	contacts. Do not submergunit gets wet, turn it off an			
16	462.5750			High				
17	462.6000	GMRS12	Mid	High	immediately.			
18	462.6250	6250 GMRS9	Mid	High	Dry the battery compartme minimize potential water date			
19	462.6500	GMRS13	Mid Mid	High	compartment cover off ov complete drying. Do not u			
20	462.6750	GMRS10		High				
21	462.7000	GMRS14	Mid	High	is completely dry.			
22	462.7250	GMRS15	Mid	High				
Download from Www.Somanuals.com. All Manuals Search And Download								

REGULATORY INFORMATION

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) This device may not cause harmful interference. (2) This device must accept any interference received, including interference that may cause undesired operation.

Important: Changes or modifications to this unit not expressly approved by Uniden could void your authority to operate this unit. Your radio is set up to transmit a regulated signal on an assigned frequency. It is against the law to alter or adjust the settings inside the radio to exceed those limitations. Any adjustments to your radio must be made by qualified technicians.

To be safe and sure:

- Never open your radio's case.
- Never change or replace anything in your radio except the batteries.

Your radio might cause TV or radio interference even when it is operating properly. To determine whether your radio is causing the interference, turn it off. If the interference goes away, your radio is causing it. Try to eliminate the interference by moving your radio away from the receiver. If you cannot eliminate the interference, the FCC requires that you stop using the radio.

Hazardous Environments: Do not operate the radio in hazardous environments. Explosion or fire may result. Do not operate the radio near unshielded electrical blasting caps. Under certain conditions, radios can interfere with blasting operations and may cause an explosion. Turn your radio OFF to prevent accidental transmission when in a blasting area or in areas posted: "Turn off two-way radio." Construction crews often use remote control RF devices to set off explosives.

Care and Safety: To clean the radio, use a soft cloth dampened with water. Do not use cleaners or solvents because they can harm the body of the unit and leak inside, causing permanent damage. Use a dry, lint-free cloth to clean the battery contacts. Do not submerge the unit in water. If the unit gets wet, turn it off and remove the batteries immediately.

Dry the battery compartment with a soft cloth to minimize potential water damage. Leave the battery compartment cover off overnight to ensure complete drying. Do not use the radio until the unit is completely dry.

RF EXPOSURE INFORMATION

WARNING! Read this information before using the radio In August 1996 the Federal Communications Commission (FCC) of the United States with its action in Report and Order FCC 96-326 adopted an updated safety standard for human exposure to radio frequency electromagnetic energy emitted by FCC regulated transmitters.

Those guidelines are consistent with the safety standard previously set by both U.S. and international standards bodies. The design of the radio complies with the FCC guidelines and these international standards. Never allow children to operate the radio without

adult supervision and the knowledge of the following guidelines.

WARNING! It is up to the user to properly operate this radio transmitter to insure safe operation. Please adhere to the following: Use only the supplied or an approved antenna. Unauthorized antennas, modifications, or

attachments could impair call quality, damage the radio, or result in violation of FCC regulations. Do not use the radio with a damaged antenna. If a damaged antenna comes into contact with the skin, a minor burn may result. Please contact your local dealer for a replacement

Body-worn Operation

This device was tested for typical body-worn operations using the supplied belt-clip. To maintain compliance with FCC RF exposure requirements. Body-worn operations are restricted to the supplied belt-clip.

For hand-held operation, the radio should be held 1 inch from the user's face. The use of accessories that do not satisfy these requirements may not comply with FCC RF exposure requirements and should be avoided. For more information about RF exposure, please

visit the FCC web site at www.fcc.gov.

ONE YEAR LIMITED WARRANTY Important: Evidence of original purchase is

required for warranty service. WARRANTOR: UNIDEN AMERICA CORPORATION ("Uniden") ELEMENTS OF WARRANTY: Uniden warrants, for one year, to the original retail owner, this Uniden Product to be free from defects in materials and craftsmanship with only the limitations or exclusions set out below.

WARRANTY DURATION: This warranty to the

original user shall terminate and be of no further

effect 12 months after the date of original retail sale. The warranty is invalid if the Product is: (A) damaged or not maintained as reasonable or necessary, (B) modified, altered, or used as part of any conversion kits, sub-assemblies, or any configurations not sold by Uniden, (C) improperly installed. (D) serviced or repaired by someone other than an authorized Uniden service center for a defect or malfunction covered by this warranty, (E) used in any conjunction with equipment or parts or as part of any system not manufactured by Uniden, or (F) installed or programmed by anyone other than as detailed by the owner's manual for this product. STATEMENT OF REMEDY: In the event that the

product does not conform to this warranty at any

time while this warranty is in effect, warrantor will either, at its option, repair or replace the defective unit and return it to you without charge for parts. service, or any other cost (except shipping and handling) incurred by warrantor or its representatives in connection with the performance of this warranty. Warrantor, at its option, may replace the unit with a new or refurbished unit. THE LIMITED WARRANTY SET FORTH ABOVE IS THE SOLE AND ENTIRE WARRANTY PERTAINING TO THE PRODUCT AND IS IN LIEU OF AND EXCLUDES ALL OTHER WARRANTIES OF ANY NATURE WHATSOEVER, WHETHER EXPRESS, IMPLIED OR ARISING BY OPERATION OF LAW, INCLUDING, BUT NOT LIMITED TO ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.THIS WARRANTY DOES NOT COVER OR PROVIDE FOR THE REIMBURSEMENT OVERPAYMENT OF INCIDENTAL OR CONSEQUENTIAL DAMAGES. Some states do not allow this exclusion or limitation of incidental or consequential damages so the above limitation or exclusion may not apply to you. LEGAL REMEDIES: This warranty gives you specific legal rights, and you may also have other rights which vary from state to state. This warranty

is void outside the United States of America and Canada. PROCEDURE FOR OBTAINING PERFORMANCE

OF WARRANTY: If, after following the instructions in the owner's manual you are certain that the Product is defective, pack the Product carefully (preferably in its original packaging). The Product should include all parts and accessories originally packaged with the Product, Include evidence of original purchase and a note describing the defect that has caused you to return it. The Product should be shipped freight prepaid, by traceable means, to warrantor:

Uniden America Corporation Parts and Service Division 4700 Amon Carter Blvd., Fort Worth, TX 76155 (800) 297-1023, 8 a.m. to 5 p.m. Central. Monday through Friday www.uniden.com

Covered under one or more of the following U.S. patents: 4.684.870 4.734.049 5.203.015 5.214.789

5.491.745 5.497.508 5.517.677 5.557.606 5,574,994 5,610,946 5,613,201 5,625,870 5.627.876 5.628.059 5.634.196 5.634.205 5.678.176 5.697.096 5.717.312 5.722.070 5.787.345 5.901.341 6.021.326 6.084.861 6.163.691 6.195.415 6.353.730



© 2005 Uniden America Corporation All rights reserved Printed in China UTZZ01006ZA

Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com