



MAJESTIC


The Royal Ambience of a Wood Fire. The Timeless Value of Majestic.


Download from Www.Somanuals.com. All Manuals Search And Download.

There's no limit to your style with the Majestic Royal Collection.

Majestic[®] lets you create a gathering place like no other – with the authentic style of a natural woodburning fireplace. Best of all, they provide generous amounts of radiant heat with no smoke baffles to obstruct your view of the fire. Ready to unleash the designer in you?







NOTE: BR & BC models have the same framing dimension. BR36 has no louvers and BC42 has louvers.

Optional Accessories

- Tempered Bi-Fold Glass Doors are simple to install and operate. These doors provide a great view of the fire while helping to reduce heat loss. Available in Black, Pewter, Brushed Brass, and Deluxe Polished Brass finishes
- Insulated models for cold-climate installations available as an option
- Full surround mantels are available in a variety of materials and come pre-cut for fast, easy installation

The Royalton Woodburning Fireplace.

Enjoy the Warmth, Comfort, and Elegance of a Royal Wood Fire.

Nothing can beat the Royalton BR/BC Wood Fireplace from Majestic[®] for adding warmth and comfort to your home. These fireplaces offer top-of-the-line features and aesthetics, all in an economical and easy-to-install package.

Standard Features and Benefits

- Available in 36" and 42" Radiant (BR36/BR42)
- Totally refractory-lined firebox. The hearth is lined with a classic brick pattern for easy ash clean up
- · Tapered Firebox Sides assure greater reflection of radiant heat
- Clean Surround Face on BR series permits flush finished around the firebox for a traditional appearance of a firebrick surround finish
- Black Wire Mesh Firescreen with stylish black pulls protects against sparks
- Built-In Cast Iron Flue Damper that helps reduce home heat loss when the fireplace is not in use
- · Built-In Ash Lip helps to reduce ash spillage
- Generous wood basket grate made of durable 1/2" steel
- Factory installed connection for Outside Air System assists with flow of combustion air to firebox. Venting and termination sold separately
- Uses Majestic's 8" double-wall chimney system that keeps installation simple and economical. No tools or fasteners are required for this snap-together pipe system
- Gas Line Access has easy knockout on both sides of firebrick for optional gas logs
- · UL Listed and Tested to meet and exceed safety standards
- 30 Year Protection Plan and limited warranty to assure quality and dependability




The Royal SuperHearth

Get more choices, more value and more of what you're looking for.

The Royal SuperHearth SHR Series woodburning fireplaces are the perfect solution to create a totally authentic, custom built masonry setting. The SuperHearth series offers one of the most expansive hearth areas in the industry and is the largest firebox that Majestic has to offer. The SuperHearth series fireplaces can be installed quickly and easily due to the zero clearance design.





Royal SuperHearth Series

	SHR36	SHR42A	SHR48	SHR52		
A	461/4"	521/4"	581/4"	62%"		
В	44"	481⁄8"	481/2"	521/2"		
С	36"	42"	48"	52"		
D	24"	281/2"	281/2"	33"		
E	121/2"	121⁄4"	121/2"	12"		
F	71/16"	77/16"	77/16"	77/16"		
G	29"	321/2"	41"	41"		
н	151/8"	191⁄4"	151/8"	23"		
1	13¾"	14¼"	13¾"	131/2"		
J	73/4"	9"	73⁄4"	91⁄4"		
К	141/2"	105/32"	141/2"	121/2"		
L	10%	101/2"	103/8"	81/2"		
М	811/8"	921/8	937/8"	105"		
N	57 ¹⁵ /16"	651/8"	663/8"	74¼"		
0	41%16"	461/8"	47%16"	521/2"		
Framing Dimensions						
Р	48¼"	54¼"	53"	681/8"		
Q	473/4"	53¾"	59¾"	637⁄8"		
R	263/4"	291⁄4"	26¾"	31¼"		

Standard Features and Benefits

- · Available in 36", 42", 48" and 52" opening width models
- Totally refractory-lined firebox. Sides and back are lined with a realistic herringbone firebrick pattern imprint for beauty and durability. The hearth is lined with a classic brick pattern for easy ash clean up
- Built-In Steel Flue Damper. Dampers help reduce home heat loss when the fireplace is not in use
- Tapered Firebox Sides assure greater reflection of radiant heat
- Clean Surround Face permits flush finishing around the firebox for a traditional appearance of a firebrick surround finish
- Fully insulated firebox construction helps improve heat efficiency by reducing outside cold infiltration
- · Built-In Ash Lip helps to reduce ash spillage
- Black Wire Mesh Firescreen with stylish brass pulls protects against sparks
- Generous wood basket grate made of 5/8" diamond stock steel
- Factory installed connection for Outside Air System assists with flow of combustion air to firebox. Venting and termination sold separately
- Uses Majestic 11" double-wall chimney system that keeps installation simple and economical. No tools or fasteners are required for this snap-together pipe system
- Gas Line Access has easy knockout on both sides of firebrick for optional gas application
- UL Listed and Tested to meet and exceed safety standards
- 30 Year Protection Plan and limited warranty to assure quality and dependability

Optional Accessories

- Tempered Bi-Fold Glass Doors are simple to install and operate. These doors provide a great view of the fire while helping to reduce heat loss. Available in Black, Brushed Brass, and Deluxe Polished Brass finishes
- AK-MST Outside kit provides constant flow of fresh air to the fire box for tightly sealed homes
- Full surround mantels are available in a variety of materials and come pre-cut for fast, easy installation


Simple, Economical Chimney System

The SuperHearth Series is designed to utilize our 11CF double wall chimney system to keep installation simple and economical. No tools or fasteners are needed for this snap-lock pipe section and elbow system. The $13\frac{1}{2}$ " slim outer wall construction uses the traditional $17\frac{1}{2}$ " x $17\frac{1}{2}$ " ceiling opening.

The Sovereign

Due to extra tall, wide and deep dimensions, the Sovereign SR/SC wood burning fireplace provides an expansive viewing area for dramatic flames. From its full insulated construction to the smart brass screen pulls, the Sovereign delivers the performance and value you expect from Majestic.






Circulating Models

Standard Features and Benefits

- Available in 36" and 42" opening widths in both Radiant (SR36A/SR42A) and Heat Circulating Models (SC36A/SC42A)
- · Expanded firebox allows for usage of larger logs
- Tapered Firebox Sides assure greater reflection of radiant heat
- Built-In Cast Iron Flue Damper in 42". Steel Damper in 36" Dampers help reduce home heat loss when the fireplace is not in use
- · Aesthetically appealing "Vane" Louvers (SC Series A only)
- Totally refractory-lined firebox. The hearth is lined with a classic brick pattern for easy ash clean up
- Black Wire Mesh Firescreen with stylish brass pulls
 protects against sparks
- · Built-In Ash Lip helps to reduce ash spillage
- Clean Surround Face on SR Series A permits flush finishing around the firebox for a traditional appearance of a firebrick surround finish
- Fully insulated firebox construction helps improve heat efficiency by reducing outside cold infiltration
- Generous wood basket grate made of 5/8" diamond steel stock steel
- Factory installed connection for Outside Air System assists with flow of combustion air to firebox.
 Venting and termination sold separately





Download from Www.Somanuals.com. All Manuals Search And Download


Standard Features and Benefits (continued)


- Uses Majestic 8" double-wall chimney system that keeps installation simple and economical. No tools or fasteners are required for this snap-together pipe system
- Gas Line Access has easy knockout on both sides of firebrick for optional gas applications
- · UL Listed and Tested to meet and exceed safety standards
- 30 Year Protection Plan and limited warranty to assure quality and dependability

Optional Accessories

- Tempered Bi-Fold Glass Doors are simple to install and operate. These doors provide a great view of the fire while helping to reduce heat loss. Available in Black, Pewter, Brushed Brass, and Deluxe Polished Brass finishes
- Forced Air Fan (Model FK12 for SC Series A models only) distributes a flow of warmed air into the room
- Full surround mantels are available in a variety of materials and come pre-cut for fast, easy installation









NOTE: SR Series A models have same framing dimensions as the SC Series A models, but without louvers.

Royal WarmMajic

The Royal 'WarmMajic' features a dual chambered heat circulating design, which takes in cool room air through the lower grille, heats the air as it passes around the bottom back and sides of the hot firebox surface, then returns that air out the top grille into the room.

Standard Features and Benefits

- Available in 36" and 42" models
- Adjustable Flue Damper assures easy control of firebox temperature and heat output
- 160 –cfm Forced Air Fan System with adjustable speed controls distribute a constant flow of warm room air through the dual-chambered heat exchanger
- Totally refractory-lined firebox. The hearth is lined with a classic brick pattern for easy ash clean up
- Tapered Firebox Sides assure greater reflection of radiant heat
- Fully insulated firebox construction helps improve heat efficiency by reducing outside cold infiltration
- Black Wire Mesh Firescreen with stylish brass pulls protects against sparks
- · Black door with black tracks give a custom look
- · Built-In Ash Lip helps to reduce ash spillage
- Generous wood basket grate made of durable 5/8" diamond stock steel
- Factory installed connection for Outside Air System assists with flow of combustion air to firebox. Venting and termination sold separately
- Uses Majestic 8" double-wall chimney system that keeps installation simple and economical. No tools or fasteners are required for this snap-together pipe system
- Gas Line Access has easy knockout on both sides of firebrick for optional gas applications
- 30 Year Protection Plan and limited warranty to assure quality and dependability
- UL Listed and Warnock Hersey tested to meet and exceed safety standards

Optional Accessories


- Ornamental grille are available in Polished Brass with Black Mesh
- Full surround mantels are available in a variety of materials and come pre-cut for fast, easy installation
- Brushed Brass, Polished Brass or Pewter Tempered Bi-Fold Doors are also available


Flexible, Simple-to-Install Chimney System

The WarmMajic Series is designed to use our time proven eight-inch triple wall chimney system that keeps installation simple and economical. The WMC36 model is approved for use with our "SK8" double wall chimney system for cost efficiency applications. The WMC42 can only use the "S" Series Triple-Wall system. The triple-wall chimney is a sealed system that reduces cold-air infiltration into the home and is ideal for cold climate areas.









The Monarch Pure Energy Balanced-Flue Fireplace

Using a balanced flow of outdoor air for optimal combustion, the Monarch PureEnergy Balanced-Flue Fireplace provides for cleaner air both indoors and out, provides an efficient source of heat, and uses less firewood.

The patented, balanced-flue process uses no indoor air for combustion. The Monarch is designed to draw a controlled amount of outside air into the firebox from its air-cooled chimney system, achieving optimum combustion. This process ensures cleaner, more efficient combustion and results in a brighter fire while using less wood.

Standard Features and Benefits

- Low maintenance Clean-Burn Technology eliminates the need for a catalytic combustor
- Brushed black doors with fallaway handles eliminate heat loss and use ceramic glass for greater heat transfer
- The standard 160 cfm adjustable forced-air fan system distributes a constant flow of warm room air
- Fan and junction box come factory installed and pre-wired for easy connection
- The hearth is lined with a classic brick pattern for easy
 ash clean up
- Tapered Firebox Sides assure greater reflection of radiant heat
- Fully insulated firebox construction helps improve heat efficiency by reducing outside cold infiltration
- · Built-In Ash Lip helps to reduce ash spillage
- Generous wood basket grate made of durable 5/8" diamond stock steel
- Uses Majestic 8" triple-wall chimney system that keeps installation simple and economical. No tools or fasteners are required for this snap-together pipe system
- Gas Line Access has easy knockout on both sides of firebrick for optional gas logs
- UL Listed and Tested to meet and exceed safety standards
- 30 Year Protection Plan and limited warranty to assure quality and dependability


Optional Accessories


- Ornamental Grills available in Polished Brass with Black Mesh or all Black
- Full surround mantels are available in a variety of materials and come pre-cut for fast, easy installation

Flexible, Simple-to-Install Chimney System

The Monarch PureEnergy fireplace is designed to use our time proven eight-inch triple wall chimney system that keeps installation simple and economical. The triple-wall chimney is a sealed system that reduces cold-air infiltration into the home. The pipe sections and elbows snap together, so no tools or fasteners are needed. The system offers a choice of a traditional brick look, contemporary or contemporary chase termination top.







Draws outside combustion air from its air-cooled chimney system into the airtight firebox. This provides optimum combustion while eliminating the need for a separate outside air system. Its heat-circulating system circulates and warms cool room air for added comfort.


The Royal Collection Woodburning Fireplaces Models • Royalton • Sovereign • Monarch • Royal WarmMajic • Royal SuperHearth



GLASS DOOR TRIM OPTIONS

Our various wood models offer Pewter, Polished Brass, Black and Brushed Brass trim options. Please see each model description for the specific trims available.









	← B→	
t C		
ł	A	

Hearth Dimensions Trying to determine which gas log size will fit?						
Model	Front Width A	Back Width B	Depth C			
BR36	33 1/4" (845 mm)	19 5/8" (499 mm)	15 1/4" (387 mm)			
BR42	39 1/4" (997 mm)	25 5/8" (651 mm)	15 1/4" (387 mm)			
SR/SC36A	31 1/8" (791 mm)	19 7/8" (499 mm)	15 1/2" (394 mm)			
SR/SC42A	36 3/4" (934 mm)	22 7/8" (581 mm)	15 1/2" (394 mm)			
BFC36	32 1/2" (826 mm)	20 7/16" (519 mm)	17 3/4" (451 mm)			
WMC36	33 1/2" (851 mm)	20 1/4" (514 mm)	18 1/4" (464 mm)			
WMC42	39 5/8" (1007 mm)	23 1/4" (591 mm)	18 1/4" (464 mm)			
SHR36	35 3/4" (908 mm)	22" (559 mm)	20 3/8" (516 mm)			
SHR42A	41 7/8" (1064 mm)	26 5/8" (676 mm)	23 3/8" (594 mm)			
SHR48	47 3/4" (1213 mm)	34" (864 mm)	20 1/4" (514 mm)			
SHR52	52" (1321 mm)	34 1/2" (876 mm)	25 1/4" (641 mm)			



CFM

ph: 1.800.525.1898

www.vermontcastings.com www.majesticproducts.com YOUR DEALER

© 2008 CFM Corporation - All rights reserved. Majestic[®] Fireplaces is a registered trademark of CFM Corporation. In the interest of constant product improvements, we reserve the right to change specifications without notice. Before installations, please read Installation Instructions and check all local Building Codes and Gas Regulations. Please see your Dealer or visit www.majesticproducts.com for complete warranty information. Free Manuals Download Website <u>http://myh66.com</u> <u>http://usermanuals.us</u> <u>http://www.somanuals.com</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.com</u> <u>http://www.404manual.com</u> <u>http://www.luxmanual.com</u> <u>http://aubethermostatmanual.com</u> Golf course search by state

http://golfingnear.com Email search by domain

http://emailbydomain.com Auto manuals search

http://auto.somanuals.com TV manuals search

http://tv.somanuals.com