

# VX2739wm

**27" 16:9 WIDESCREEN LCD  
WITH FULL HD 1080P, HDMI AND 1MS**

## Full HD, full sound, big fun.

Big screen, sleek design, fast response time and diverse connectivity options – everything you need to work or play. With 27" 1080p panel, 1ms super fast response time, HDMI, DVI, VGA inputs and 4-port USB hub, ViewSonic's VX2739wm LCD will make your games seem real and your graphics picture perfect. All your entertainment is enhanced by 100,000:1 dynamic contrast ratio for crystal crisp images and SRS® Premium Sound for super crisp sound. ECO-mode saves up to 35% energy use making this an eco-friendly choice. It fits in anywhere. Put it on your desk or wall mount, use it as a monitor or a game console, hook it up to your cable/satellite box or to your DVD player, you will get the most out of your investment with ViewSonic's strongest pixel performance guarantee and 3-year warranty!



### FULL HD 1080P PERFORMANCE

- > Full HD 1080p display with 1920x1080 resolution
- > Diverse inputs expand your connectivity  
Multi-mode input technology supports both digital (DVI, HDMI) and analog (VGA) signals for ultimate compatibility and configuration flexibility.
- > ClearMotiv™ 1ms video response time  
Ultra-fast 1ms video response provides blur-free gaming and video experience.
- > USB hub  
4-port USB hub provides convenient connectivity to external devices.
- > ECO-mode  
Environmentally-friendly Eco-mode reduces power consumption and extends backlight life.
- > Aspect ratio adjustment  
Eliminates image distortion by maintaining correct image proportions for both widescreen and native 4:3 content.
- > Stereo speakers with SRS® Premium Sound
- > Windows® 7 and Windows Vista™ certified
- > PC and Mac® compatible



**ViewSonic®**  
See the difference® 

# VX2739wm

27" 16:9 WIDESCREEN LCD WITH FULL HD 1080P, HDMI AND 1MS



ViewSonic Corporation's QMS & EMS have been registered to ISO 9001 & ISO 14001, respectively, by TUV NORD.

Sales: (888) 881-8781 • SalesInfo@ViewSonic.com • ViewSonic.com

\*Adapter may be required. Analog adapter available from ViewSonic. \*\*Requires SRS Audio Soundbox Software to be installed. Specifications subject to change without notice. Selection, offers and programs may vary by country; see your ViewSonic representative for complete details. Corporate names, trademarks stated herein are the property of their respective companies. Copyright © 2010 ViewSonic Corporation. All rights reserved. [14891-00C-03/10] VX2739wm-1

<b>LCD</b>	Type	27" Wide Color TFT Active Matrix LCD 16:9 aspect ratio
	Display Area	23.5" horizontal x 13.2" vertical; 27" diagonal
	Optimum Resolution	1920x1080 WUXGA
	Contrast Ratio	1200:1 (typ); 100,000:1 (dynamic)
	Viewing Angles	170° horizontal, 160° vertical @ 5:1 contrast ratio
	Response Time	1ms (typ)
	Light Source	Long life, 50,000 hrs. (typ)
<b>VIDEO INPUT</b>	Analog	RGB analog (75 ohms, 0.7 Vp-p)
	Digital	DVI-D (TMDS, 100 ohms with HDCP), HDMI 1.3
<b>COMPATIBILITY</b>	PC	VGA up to 1920x1080 non-interlaced
	Mac®*	Power Mac™ G3/G4/G5 up to 1920x1080
<b>CONNECTOR</b>	Analog	15-pin mini D-sub (VGA)
	Digital	DVI-D (with HDCP), HDMI 1.3
	Audio	3.5mm audio in / 3.5mm audio out
	Power	3-pin AC plug (CEE22)
<b>POWER</b>	Voltage	AC 100–240V (universal), 50/60Hz (auto switch)
	Consumption	58W (typ); 38W (Eco-mode)
<b>AUDIO</b>	Speakers	2x2W with SRS Premium Sound**
<b>CONTROLS</b>	Basic	Power, 1, down, up, 2
	OSD	Auto image adjust, contrast, brightness, input select (D-sub, DVI, HDMI PC, HDMI AV), audio adjust (volume, mute), color adjust (sRGB, 9300K, 7500K, 6500K, default 5000K, user color RGB), information, manual image adjust (H/V position, horizontal size, fine tune, sharpness, dynamic contrast, response time, aspect ratio, display mode, Eco-mode), setup menu (language, resolution notice, OSD position, OSD timeout, OSD background, sleep), memory recall
<b>ERGONOMICS</b>	Tilt	Down 5°, Up 20°
<b>OPERATING CONDITIONS</b>	Temperature	32–104° F (0–40° C)
<b>DIMENSIONS (W x H x D)</b>	Humidity	20–90% (non-condensing)
	Physical with stand	25.5" x 19.3" x 9.9" (648mm x 490mm x 251mm)
	Physical without stand	25.5" x 16.2" x 2.6" (648mm x 411mm x 66mm)
<b>WEIGHT</b>	Packaging	29.7" x 23.2" x 6.9" (755mm x 589mm x 175mm)
	Net with stand	15.0 lb. (6.8 kg)
	Net without stand	13.6 lb. (6.2 kg)
<b>VESA® MOUNT REGULATIONS</b>	Gross	19.9 lb. (9.0 kg)
	VESA® MOUNT	200mm x 100mm
<b>REGULATIONS</b>		UL, cUL, FCC-B (ICES), CD, CE, CES-003B, VCCI, Nemko ERGO (MPR II, ISO 13406-2), TUV-S, NOM, GOST-R, HYGIENIC (20 copies), CCC, BSMI, PSB, C-TICK, KTL/MIC, SASO, WEEE, RoHS, Ukraine
<b>RECYCLE/DISPOSAL</b>		The lamp in this product contains mercury. Please dispose of in accordance with local, state or federal laws.
<b>PACKAGE CONTENTS</b>		LCD display, VGA cable, DVI cable, audio cable, power cable, USB cable, Quick Start Guide, ViewSonic Wizard CD (User Guide & drivers).
<b>WARRANTY</b>		Three-year limited warranty on parts, labor and backlight.

**ViewSonic®**  
See the difference® 

For more product information, visit us on the web at [ViewSonic.com](http://ViewSonic.com)

Download from [www.Somanuals.com](http://www.Somanuals.com). All Manuals Search And Download.

## Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>