N1630w

16" (15.6" VIEWABLE) WIDESCREEN HDTV

WITH 10,000:1 Dynamic Contrast Ratio

Performance and style in a small package.

ViewSonic's high-style, high-performance N1630w 16" (15.6" viewable) widescreen HDTV/PC monitor is the perfect solution for dual purpose use in dorms, kids' rooms, dens, kitchens and other small rooms. It features 1360x768 resolution, high brightness and 10,000:1 DYNAMIC CONTRAT RATIO and fast 8ms video response for crystal-clear, blur-free videos, games and movies. The high resolution and brightness also make it easy to read word processing documents, spreadsheets and other business/ student applications. With support for HD SIGNALS UP TO 1080i, you'll thoroughly enjoy your digital entertainment. Watch your favorite movies and TV shows and surf the Internet in amazingly crisp detail. With multiple inputs and HDMI CONNECTIVITY, the N1630w is the versatile, high-performance HDTV that fits your lifestyle.







IDEAL FOR SMALL LIVING SPACES

> Experience widescreen HDTV

Enjoy a widescreen theater experience and high-definition picture quality with this display's widescreen aspect ratio, true HDTV capability, and wide viewing angles.

- > ClearPicture™ electronics deliver clearer, crisper, sharper images
 ClearPicture electronics eliminate noise, increase contrast and
 detail and optimize color for rich, vibrant images. High-definition
 images look amazing and even standard television images are
 unbelievably smooth and sharp.
- > Vivid graphics, clear text, stunning TV

 Ultra-high brightness of 250 nits (typ), dynamic contrast ratio of 10,000:1, and 1360x768 PC resolution provide vibrant video and crisp data images on the desktop or in the living room.
- > Expand your options with plug-and-play connectivity
 This HDTV provides the ultimate viewing experience with integrated
 HDTV tuner and plug-and-play, high-end connectivity for HD set-top
 boxes, DVDs, game consoles and camcorders.
- > OptiSync® technology now features HDMI
 Add versatility to your LCD TV with support for
 HDMI with high-definition content protection
 (HDCP) and analog (VGA) signals, plus
 component, S-video, composite,
 and TV/cable input.
- > Built-in stereo speakers Integrated stereo speakers complete with multimedia experience.

VIEWSONIC
PRODUCTS, PROGRAMS,
AND SERVICES



N1630w

16" (15.6" VIEWABLE) WIDESCREEN LCD HDTV WITH 10,000:1 DYNAMIC CONTRAST RATIO

LCD

Туре





LCD	туре	16 (15.6 viewabie) color 1F1 active matrix, wide LCD
	Display Area	13.5" horizontal x 7.6" vertical; 15.6" diagonal
	Optimum Resolution	1366x768
	Contrast Ratio	10,000:1 dynamic
	Viewing Angles	160° horizontal, 160° vertical
	Response Time	8ms
	Light Source	Long life 50,000 hrs (typ)
	Brightness	250 cd/m² (typ)
	Aspect Ratio	16:9
	Glass Surface	Anti-glare, anti-reflective coat
INPUT	PC	RGB analog (75 ohms, 0.7 Vp-p)
	TV	TV/cable, composite (RCA), component YPbPr/YCbCr, S-video
	Audio	3.5mm mini stereo audio in/out and RCA (left/right) audio in
	RGB Frequency	F _h : 24~82kHz, F _v : 50~75Hz
	Sync	H/V separated (TTL)
	Digital	HDMI (with HDCP and audio support)
	Tuner	ATSC/NTSC
AUDIO OUTPUT	Speakers	2 x 2.5-watt
	RCA	Left/right
COMPATIBILITY	PC	1360x768 (preferred), 1280x1024, 1360x768
	Mac®*	Power Mac [™] G3/G4/G5 up to 1440x900
INPUT SIGNAL	TV/Video comp.	480i, 480p, 720p, 1080i
CONNECTOR	Analog	15-pin mini D-sub (VGA)
	Digital	HDMI
	Power	3-pin plug
POWER	Voltage	AC 100–240V, (universal), 47–63Hz
	Consumption	48W (typ)
CONTROLS	Basic	Power, enter, channel +/-, volume +/-, menu, source
	OnView® (PC mode)	Auto adjust, contrast, brightness, H position, V position,
		fine tune, color temperature, picture mode
	(Video Mode)	Picture (contrast, brightness, color, tint, sharpness, color
		temperature), sound (volume, balance, bass, treble), input
		menu (TV, AV, S-video, YCbCr, YPbPr, HDMI, VGA), parental
		control (caption, change password, V-chip temporary
		disable), setup menu (time out, language, memory recall)
	(TV Mode)	TV/CATV, auto scan, set channel, channel delete,
	,	label, favorite, fine tune
OPERATING	Temperature	32-104°F (0-40°C)
CONDITIONS	Humidity	10–65% (non-condensing)
DIMENSIONS	Physical with stand	14.8" x 11.8" x 4.7" (375mm x 300mm x 120mm)
(W x H x D)	Physical without stand	14.8" x 10.0" x 2.6" (375mm x 254mm x 67mm)
WEIGHT	Net with stand	6.4 lb. (2.9 kg)
	Net without stand	5.9 lb. (2.7 kg)
	Gross with stand	9.4 lb. (4.3 kg)
VESA® MOUNT		75mm x 75mm
REGULATIONS		UL, FCC, NOM, EN 55013, CB
RECYCLE/DISPOSAL		
	AL	The lamp in this product contains mercury. Please dispose
	AL	
		The lamp in this product contains mercury. Please dispose of in accordance with local, state and federal laws LCD TV display, power cable(s), remote control with
RECYCLE/DISPOS		

16" (15.6" viewable) color TFT active matrix, wide LCD





FM 40187 FM 40968
ViewSonic Corporation's QMS & EMS have been registered to ISO 9001 & ISO 14001, respectively, by the British Standards Institution.



Sales: (888) 881-8781 • SalesInfo@ViewSonic.com • ViewSonic.com

*Adapter may be required. Analog adapter available from ViewSonic. All stated contrast ratios are typical. Specifications subject to change without notice. Selection, offers and programs may vary by country; see your View-Sonic representative for complete details. Windows Vista and the Windows logo are trademarks or registered trademarks of Microsoft Corporation in the United States and/or other countries. Corporate names, trademarks stated herein are the property of their respective companies. Copyright © 2009 ViewSonic Corporation. All rights reserved. [13906-03B-12/08] N1630w-1

Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com