



Projector PJ400









> Big Screen Entertainment For Your Living Room.

A new generation of home projector — PJ400

The PJ400 produces a dazzling big-wide screen image - transforming any size living room into a movie theatre. A stunning visual experience is yours with a built-in progressive scan that converts traditional signals into lifelike high definition. Easily connect your entertainment, computer, and game sources via HDTV and component input connectors. Big screen home entertainment projector, the PJ400 - a new generation of home theatre.





Ultra-high Lumens

Pack 1,600 lumens in just 2.2 kg. It's the bright choice for the mobile presenter.

■ Keystone Correction

Techniques used in the projector to minimize the visible effect of keystoning. Images are typically trapezoidal in shape and keystone correction is used to square the image.

Displays HDTV signals

ViewSonic projectors project a wide variety of content which including HDTV signals (480i, 480p, 576i, 720p and 1080i).

Automatic source detection for easy setup

Identify and project RGB and video inputs sources automatically, this is no need to switch source modes before projection.

Supports 4:3 and 16:9 aspect ratio

Offer increased flexibility for multiple viewing formats.

■ Easy setup and auto tuning

One-touch setup button for fast, easy sync and sharp focus.

■ Whisper-Mode

Whisper-mode allows the user to operate the projector at two settings - "normal" for maximum performance and "whisper" for low noise levels plus extended lamp life.

Built-in Progressive Scanning

The function satisfies the requirements of local digital television systems and global satellite programming. The superb visual quality of HDTV programs is displayed to the fullest.

3:2 Pull down

Precision de-interlacing and 3:2 pull down enhance DVD movies for clear, smooth, sharp images.

■ Digital Gamma Correction

The 10-bit digital gamma correction circuits enable fine tonal expressions that cannot be reproduced by conventional technologies. Being able to reproduce fine differences in light and shade gives images a more 3D feel and permits a rich range of image expressions.

■ Best Service & Support

At ViewSonic, we are devoted to customer satisfaction. We strive constantly to understand your interests and concerns, and treat you with respect, courtesy and consideration. For the warranty information, please contact your local ViewSonic distributor or ViewSonic service center.

P1400



ViewSonic® PJ	400 Project	Model NO: VS10459
LCD	Туре	0.55" inches (x3) Poly-Si TFT with Micro Lens
	Resolution	SVGA 800x600
	Support Resolution	1600x1200 (compressed)
	Lens	Manual focus, Digital Zoom (1:1.2x)
DISPLAY	Size	30"-300" (Diagonal)
	Throw Distance	0.9m-9.2m (2.95ft-30.18ft)
	Lamp	165 watt UHB
	Brightness	1600 Lumens
	Contrast Ratio	300:1
	Keystone Correction	n Vertical Digital keystone correction: +/- 15 degrees
	Aspect Ratio	4:3 & 16:9
AUDIO	Speakers	1w Mono speaker
INPUT SIGNAL	RGB	RGB analog
	Video	NTSC, PAL, SECAM
	HDTV	HDTV (480p, 576i, 720p, 1080i)
	Frequency	Fh:15-91 KHz, Fv:50-120 Hz
COMPATIBILITY		VGA to UXGA
	Mac	Up to SXGA (may require Mac Adapter)
CONNECTOR		
	RGB Input Composite Video	15-pin HD D-sub (x1) RCA Jack (x1)
		• •
	S-Video	Mini-Din 4 pin (x1)
	Component Video	With DSub-15 to Component Video Adapter 3.5 mm Stereo Mini Jack (x1)
	Audio Input	• •
	Control	RS-232 (9 Pin D-sub) x1
POWER	Voltage	100~120VAC/200~240VAC(Auto Switching), 50/60Hz (universal)
	Consumption	240W (Typical)
Language		English, French, German, Spanish, Italian, Norwegian, Dutch, Japanese Portuguese, Shimplified Chinese, Korean, Swedish, Russian, Finnish, Polish.
USER CONTROLS Control Panel		TEMP indicator, POWER indicator, LAMP indicator, Standby/On, Ment cursor(Up/Down/Right/Left), Input
	Remote	Standy/On, Search, Blank, Auto, Mute, Volume, Enter, Menu, Reset, Keystone
		Video, RGB, Magnify(On/Off), Aspect, Menu cursors (Up/Down/Right/Left) Position, ESC (Escape), Freeze, Zoom(+/-)
	OSD	Easy Menu: Aspect, Zoom, Keystone, Mode, Bright, Contrast, Color, Tint
		Sharpness, Whisper, Mirror, reset, Filter Time, Language, Go To Advance Menu
		Picture : Bright, Contrast, Gamma, Color Temp, Color, Tint, Sharpness, Progressive
		My Memory
		Image: Aspect, OverScan, V position, H position, H Phase, H size, Auto Adjust
		Input: Color Space, Video Format, Frame Lock, Information
		Setup: Zoom, Keystone, Whisper, Mirror, Volume
		Screen: Language, Menu Position, OSD bright, Blank Color, Start up, MySscreen
		MyScreen Lock, Message
		Option: Auto Search, Auto off, Lamp time, Filter Time, Service
OPERATING DIMENSIONS	Temperature	0 C-35 C (32 F-95 F)
	Humidity	10%-85% (non-condensing)
	Physical	285mm x 202mm x 73mm
(W x D x H)	. Hysicai	11.22" x 7.95" x 2.87"
WEIGHT	Net	2.2 kgs (4.84 lbs)
***************************************		Z.Z. (135 (1.0) 103)

Specifications subject to change without notice. Selection, offers, warranties and programs may vary by country; see your ViewSonic representative for complete details.

PSB

3 years

-service.tw@viewsonic.com China---service.cn@viewsonic.com -service.jp@viewosnic.com S. Asia & S. E. Asia---service.sg@viewsonic.com Australia & New Zealand---service.au@viewsonc.com

REGULATIONS

WARRANTY

H.K & S. Africa & other countries---service.em@viewsonic.com www.viewsonic.com

UL60950/C-UL,FCC B, UL-DEMKO/GS, S-Mark,CB, CE, C-Tick, GOST, NOM, CCC, and

. reauquarters: Asia Pacific: 381 Brea Canyon Road, Walnut, CA91789, U.S.A 9F, No. 192 Lien Chien Road, Chung Tel:(800)888-8583 (909)444-8888 Ho, Taipei, R.O.C Fax:(909)839-7927 Fax:886-2-8242-3666 www.viewsonic.com.tw



Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com