PJD6210-3D

VERSATILE, PORTABLE XGA DLP® PROJECTOR

120HZ AND 3D-READY

Digital clarity in a portable projector.

ViewSonic's PJD6210-3D DLP® projector delivers amazingly clear images with the digital clarity of DLP's BrilliantColor[™] technology. It's ideal for use in the office or bring it home for bigger than life home entertainment. With 2,700:1 dynamic contrast, and 2,200 lumens (max) this powerful projector displays crisp text and vivid images. ViewMatch[™] technology adjusts colors perfectly so you enjoy rich, vibrant colors regardless of the setting. This projector is a lightweight powerhouse that offers multiple inputs, including support for 720p and 1080i HDTV signals. Eco-mode extends lamp life and reduces fan noise as low as 32dB. Enjoy easy set up with auto source detection and auto sync. When you're done, just unplug it and go. The PJD6210-3D DLP projector delivers excellent performance and value for small business and home entertainment applications.



VERSATILE PRESENTATIONS ANYWHERE

> Bright in virtually any setting

Packs 2200 ANSI lumens in just 2.4 kg, and with a high 2700:1 contrast ratio, your presentations are guaranteed to be vibrant - even with a lot of ambient light.

> BrilliantColor™ technology

 $Latest\ Brilliant Color^{\tiny{\texttt{TM}}}\ technology\ delivers\ stunning\ all\text{-}digital$ clarity with life-like color, sharp graphics and outstanding video. The sophisticated 5-segment color (RGBWY) wheel provides greater color accuracy than standard DLP projectors with a 4-segment color wheel.

> Lowest "Total Cost of Projection"

Top cover lamp replacement ensures easy and cost-effective maintenance, while prices for replacement lamps are incredibly low. High performance is guaranteed by 3500 hours of lamp life or 4000 hours in eco mode! In addition, filter-less design means there is no need to clean or change filters.

> Protection and Personalisation

Assign a PIN code to prevent unauthorised use or theft, and customise your start-up screen to suit your needs.

> Ease of use

The PJD6210-3D comes with a suite of electronic features to make the setup process easy. Electronic keystone correction (+/- 40 vertical degrees) maintains a squared image. In addition, this projector's automatic signal detection reduces setup times, while a new button on the remote enables

easy toggling between high brightness and brilliant color mode.



TEXAS INSTRUMENTS







VIEWSONIC

PRODUCTS, PROGRAMS, AND SERVICES

PJD6210-3D

VERSATILE, PORTABLE XGA DLP® PROJECTOR - 120HZ AND 3D-READY









Optional Accessories

> Replacement Lamp

RLC-046

Projection Distance		4:3 Screen Size			
		Wide		Tele	
M	Feet	M	Inches	M	Inches
1.5	4.92	0.99	38.85	0.89	35
1.8	5.90	1.18	46.62	1.07	42
2	6.56	1.32	51.80	1.19	47
3	9.84	1.97	77.70	1.79	70
5	16.40	3.29	129.51	2.98	117
10	32.80	6.58	259.01	5.95	234

DISPLAY	Туре	0.55" Digital Micromirror Device (DLP™)	
w. ()	Resolution	XGA 1024x768 (native) / SXGA 1280×1024 (compressed)	
	Lens	1.1× manual optical zoom / manual optical focus	
	Keystone	Vertical digital keystone correction: +/- 40 degrees	
	Size	30"-300" / 0.8m-7.6m (diagonal)	
	Throw Distance	1.2m-10m / 3.9ft-32.8ft	
	Throw Ratio	1.97:1–16:1	
	Lamp	180 watt	
	Lamp Life (Normal / Eco-mode)	3500 / 4000* hours	
	Brightness	2200 Lumens	
	Contrast Ratio	2000:1 (typ), 2700:1 (dynamic)	
	Aspect Ratio	4:3 (native) and 16:9	
INPUT SIGNAL	Computer and Video	RGB analog, NTSC M (3.58 MHz), NTSC 4.43MHz,	
INPUT SIGNAL	Computer and video		
		PAL (B, D, G, H, I, M, N, 60), SECAM, SDTV/EDTV (480i/p,	
	<u></u>	576i/p), HDTV (720p, 1080i)	
COMPATIBILITY	Frequency	Fh: 31–100KHz, Fv: 50–120Hz	
COMPATIBILITY	PC Mac [®]	Analog: VGA up to SXGA scaled	
		Analog: up to XGA scaled (may require Mac Adapter)	
CONNECTOR	RGB Input	1 × 15-pin mini D-sub	
	Composite Input	1 × RCA jack	
	Control	1 × RS-232 (9-pin D-sub)	
POWER	Voltage	90~240VAC (auto switching), 50/60Hz (universal)	
	Consumption	230W (typ) / 9W (stand-by mode)	
LANGUAGE		English / Dutch / French / Spanish / Italian / Korean / Thai /	
		Portuguese / Traditional Chinese / Simplified Chinese /	
		Japanese / Russian / German / Swedish / Turkish / Finnish / Polish	
CONTROLS	Basic	Standby/on, input, menu	
	OSD	Picture: Brightness, contrast, color setting, keystone,	
		aspect ratio, image, white intensity, gamma	
		Computer Image: Frequency, tracking, H. position, V. position	
		Video Image: Saturation, sharpness, Tint	
		Setting: Manual position, projection, signal type, lamp hour	
		lamp hour reset, power saving, auto source, eco-mode,	
		high altitude, OSD timeout	
		Advance: Blank screen, brilliant color, password, factory reser	
OTHER FEATURES		Bright in virtually in any setting with 2,200 lumens	
		5-segment color wheel, 2700:1 high dynamic contrast ratio,	
		eco-mode	
OPERATING	Temperature	41°F–95°F (5°C–40°C)	
CONDITIONS	Humidity	10%–80% (non-condensing)	
	Altitude	0 to + 6,000 ft	
NOISE LEVEL	Normal / Eco-mode	34dB / 32dB	
DIMENSIONS	Physical	10.7 × 4.3 × 8.5 (in) / 273 × 108 × 215 (mm)	
(W x H x D)	Packaging	12.8 × 12.0 × 7.2 (in) / 325 × 305 × 183 (mm)	
WEIGHT	Net	5.3 lb (2.4 kg)	
REGULATIONS		CB, RoHS, WEEE, UL/cUL, FCC-B, ICES-003, IRAM	
		(Argentina), NOM, PSB, C-tick, EK, CE, TUV/GS, GOST-R,	
		Hygienic, SASO UKrSEPRO, CCC	
PACKAGE CONTENTS		ViewSonic projector, power cable, VGA cable, remote control,	
.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		lens cap, Quick Start Guide, ViewSonic Wizard CD (with	
		User Guide)	
WARRANTY		3-year limited warranty on parts, 1-year limited warranty	
Wannall I		on lamp, 1st year Express Exchange® service.	
		on ramp, 1st year express exchange service.	









Sales: (888) 881-8781 . SalesInfo@ViewSonic.com . ViewSonic.com

*Running eco-mode exclusively can extend lamp life. See ViewSonic.com for full Express Exchange details. Specifications subject to change without notice. Selection, offers and programs may vary by country; see your ViewSonic representative for complete details. Corporate names, trademarks stated herein are the property of their respective companies. Copyright © 2009 ViewSonic Corporation. All rights reserved [14496-02B-12/09] PJD6210-3D-1



Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com