



Standard Features & Accessories

All models include:

- Exclusive Vari-Pressure Intelli-Wash[™] System
 - o Exclusive variable speed 1/2 horsepower commercial-type motor
 - o Exclusive multi-level washing with two stainless steel wash arms
 - o Exclusive Block-proof Flexible-Fluid[™] coupling direct water feed
- Exclusive Central Intelligence™ System
 - o Constant communication
 - o Measures water temperature and water volume
- Exclusive Five-Stage Filtration and Waste Removal System
 - o Removable coarse strainer
 - o **Exclusive** Triple-Clean[™] filtration with self-cleaning jets
- o Exclusive ultra hard food waste disposer/motor/pump
- Exclusive Sure-Temp[™] Water Heating

- o 1400 watt HydroFlo™ water heater
- o Operable with "cold" ground water Air-Flo™ Gentle Drying
- o Gentle, effective and safe heated fan-driven system
- o Fan circulates gentle air over, under and around dishes
- QuietClean[™] Performance Package o Separate motor/pump assemblies for washing and draining
 - o Multi-stage sound absorbing/heat retaining insulation
 - o Blue LED power-on light in kickplate indicates cycle is operating
- "Load-As-You-Like" Versa-Load™ Racks o Accommodates 15 international place settings
- o Fully extendable nylon coated racks o Two-Piece silverware/cutlery basket
- o Lower rack has 4 rows of 3 position one-piece fold-down tines

- o Roller Bearing[™] upper rack has 3 rows of multi-position Hold Tight™ dividers, 1 one-piece stemware cradle/cup shelf and 1 one-piece cup shelf
- Exclusive Diamond-Brite[™] stainless steel tank and inner door
- Cycles Pots/Pans, Normal Wash, Econo Wash, Light/China, Rinse/Hold
- Options Econo Dry, 155°F Final Rinse, Top Wash Only, Delay Start (up to 10 hours)
- Energy Star Qualified

Model Options



VDB450 Professional **Built-In Dishwasher**

Finish details for VDB model Stainless Steel (SS)



DFB450 Custom Front Built-In Dishwasher

Finish details for DFB model

- Handles not included-opt for custom handles or purchase a Viking Professional or Designer handle kit (see Installation Notes & Accessories)
- Door panel not included.*
- See Custom Panels section for more information and additional specifications.

ORDERING INSTRUCTIONS

*Door panel not included. Must order either a Professional w/o louvers (PDDP24), Professional w/louvers (PDDPL24), or Designer (DDDP24) door panel if a custom panel will not be used. Specify color code at end (PDDP24SS). If ordering optional brass trim, specify code at end (PDDP24SSBR). If ordering a custom model (to be fit with a custom panel or with a color panel), use no color or trim code (DFB450).







23-3/4"

23-1/8"

Dimensions & Specifications Please see Installation Notes & **PRODUCT DIMENSIONS** Accessories for important installation information, including panel and handle kits. **VDB450 DFB450 Custom Front** Professional **Built-In Dishwasher Built-In Dishwasher** See Custom Panels section for more information and additional specifications. (60.3 cm) Cabinet flush 23.7/8" (60.6 cm (59.0 cm) Panel flush 33 (86.0 min (89.0 cm) wax 20-1/4" 61.0 cm) (51.4 cm) **49"** (124.5 cm)

Note: If the dishwasher is installed in a corner, there must be a minimum clearance of 2" (5.1 cm) from the side wall so the door can open.

All models		
Overall width	23-7/8" (60.6 cm)	
Overall height (from floor)	33-7/8" (86.0 cm) min. to 35" (89.0 cm) max.	
Overall depth (from rear)		
To edge of side (includes door panel)	24" (61.0 cm)—includes door panel	
With door open	49" (124.5 cm)	

designed to be installed without trim. All dimensions include trim. e: This unit is NC

PLANNING AND DESIGN GUIDE

VIKING





UTILITY REQUIREMENTS

Installation Requirements

10.

ACCESS REQUIREMENTS



Not applicable

• Five-foot (1.5 m), electrical cord with 90

GAS

- ţ
- degree 3-prong plug • 120V/60 Hz • Maximum amp
- usage—15.0 amps • Water-heating element rating— 1,400 watts



PLUMBING • 120°F (49°C) hot

- water recommended; dishwasher will, however, perform properly with cold water*
- Inlet water pressure operating range—
 10 – 125 psi (0.69 –
 8.62 bar)
- Five foot (1.5 m) braided stainless steel water line with 3/8" (0.95 cm) compression fitting supplied with dishwasher
- Seven-foot (2.13 m) 1/2" (1.3 cm) ID "crimp-proof" flexible drain hose with clamp attached to dishwasher; connections provided for 5/8" (1.5 cm), 3/4" (1.9 cm), or 1" (2.5 cm) cut as required
- High loop of drain hose required; min. height from floor— 20" (50.8 cm)
- Check local codes for drain air gap requirement

*Cycle times will be extended


1000	1.1.1.1.1
part of	1.000
100 C	10.00
100	
and the second se	1000
VINING	1.111
Sector Sector	and the second second second

VDB450 Professional Built-In Dishwasher



DFB450 Custom Front Built-In Dishwasher

See **Custom Panels** section for more information and additional specifications.



All models		
Cutout width	24″ (61.0 cm)	
Cutout height	34" (86.4 cm) min. to 35" (89.0 cm) max.	
Cutout depth	24" (61.0 cm)	







S Installation Notes & Accessories Door Panel Kits

- For use with DFB450 custom front dishwasher
- Kit includes one panel and installation hardware
- Add **BR** to end of model number for brass trim option

Model	Description	Approx. ship wt. lbs. (kg)
PDDP24-SS	Professional door panel – no louvers (Stainless Steel)	14 (6.3)
PDDP24-BK	Professional door panel – no louvers (Black)	14 (6.3)
PDDP24-WH	Professional door panel – no louvers (White)	14 (6.3)
PDDP24-MS	Professional door panel – no louvers (Metallic Silver)	14 (6.3)
PDDP24-GG	Professional door panel – no louvers (Graphite Gray)	14 (6.3)
PDDP24-SG	Professional door panel – no louvers (Stone Gray)	14 (6.3)
PDDP24-TP	Professional door panel – no louvers (Taupe)	14 (6.3)
PDDP24-BT	Professional door panel – no louvers (Biscuit)	14 (6.3)
PDDP24-CW	Professional door panel – no louvers (Cotton White)	14 (6.3)
PDDP24-OG	Professional door panel – no louvers (Oyster Gray)	14 (6.3)
PDDP24-GM	Professional door panel – no louvers (Golden Mist)	14 (6.3)
PDDP24-LE	Professional door panel – no louvers (Lemonade)	14 (6.3)
PDDP24-SA	Professional door panel – no louvers (Sage)	14 (6.3)
PDDP24-MJ	Professional door panel – no louvers (Mint Julep)	14 (6.3)
PDDP24-SE	Professional door panel – no louvers (Sea Glass)	14 (6.3)
PDDP24-IB	Professional door panel – no louvers (Iridescent Blue)	14 (6.3)
PDDP24-VB	Professional door panel – no louvers (Viking Blue)	14 (6.3)
PDDP24-PM	Professional door panel – no louvers (Pumpkin)	14 (6.3)
PDDP24-RR	Professional door panel – no louvers (Racing Red)	14 (6.3)
PDDP24-AR	Professional door panel – no louvers (Apple Red)	14 (6.3)
PDDP24-BU	Professional door panel – no louvers (Burgundy)	14 (6.3)
PDDP24-PL	Professional door panel – no louvers (Plum)	14 (6.3)
PDDP24-CH	Professional door panel – no louvers (Chocolate)	14 (6.3)
PDDP24-CB	Professional door panel – no louvers (Cobalt Blue)	14 (6.3)
PDDPL24-SS	Professional door panel – louvers (Stainless Steel)	14 (6.3)
DDDP24-SS	Designer door panel (Stainless Steel)	14 (6.3)
DDDP24-BK	Designer door panel (Black)	14 (6.3)
DDDP24-WH	Designer door panel (White)	14 (6.3)
DDDP24-MS	Designer door panel (Metallic Silver)	14 (6.3)
DDDP24-GG	Designer door panel (Graphite Gray)	14 (6.3)
DDDP24-SG	Designer door panel (Stone Gray)	14 (6.3)
DDDP24-TP	Designer door panel (Taupe)	14 (6.3)
DDDP24-BT	Designer door panel (Biscuit)	14 (6.3)
DDDP24-CW	Designer door panel (Cotton White)	14 (6.3)
DDDP24-OG	Designer door panel (Oyster Gray)	14 (6.3)
DDDP24-GM	Designer door panel (Golden Mist)	14 (6.3)
DDDP24-LE	Designer door panel (Lemonade)	14 (6.3)
DDDP24-SA	Designer door panel (Sage)	14 (6.3)
DDDP24-MJ	Designer door panel (Mint Julep)	14 (6.3)
DDDP24-SE	Designer door panel (Sea Glass)	14 (6.3)
DDDP24-IB	Designer door panel (Iridescent Blue)	14 (6.3)
DDDP24-VB	Designer door panel (Viking Blue)	14 (6.3)
DDDP24-PM	Designer door panel (Pumpkin)	14 (6.3)
DDDP24-RR	Designer door panel (Racing Red)	14 (6.3)
DDDP24-AR	Designer door panel (Apple Red)	14 (6.3)
DDDP24-BU	Designer door panel (Burgundy)	14 (6.3)
DDDP24-PL	Designer door panel (Plum)	14 (6.3)
DDDP24-CH	Designer door panel (Chocolate)	14 (6.3)
DDDP24-CB	Designer door panel (Cobalt Blue)	14 (6.3)








Installation Notes & Accessories Handle Kits

- For use on locally supplied full overlay panels
- Includes handle and installation hardware
- Allows dishwashers with full overlay panel to coordinate with other Professional and Designer products

Model	Description	Approx. ship wt. lbs. (kg)
PHK23-SS	Professional handle (Stainless Steel)	5 (2.3)
PHK23-BR	Professional handle (Brass)	5 (2.3)
DHK20-SS	Designer handle (Stainless Steel)	5 (2.3)
DHK20-BR	Designer handle (Brass)	5 (2.3)



WARRANTY INFORMATION*

- One-year full warranty—all components
- Lifetime limited warranty-stainless steel tanks, inner door liner
- Five-year limited warranty—electronic control (two-years with certified installation), racks, motor/pump assemblies, and water distribution system
- Ninety-day limited warranty—cosmetic parts (painted and decorative items)

*For complete warranty information info see Use & Care Guide. Warranty valid on Viking products shipped within the United States and Canada.



Free Manuals Download Website <u>http://myh66.com</u> <u>http://usermanuals.us</u> <u>http://www.somanuals.com</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.com</u> <u>http://www.404manual.com</u> <u>http://www.luxmanual.com</u> <u>http://aubethermostatmanual.com</u> Golf course search by state

http://golfingnear.com Email search by domain

http://emailbydomain.com Auto manuals search

http://auto.somanuals.com TV manuals search

http://tv.somanuals.com