



Standard Features & Accessories

Both models include

- Capacitor start motor is one of most powerful residential motors available
- Convenient wall switch start
 - Operates with or without cover for easy loading of food waste
- Super-quiet operation
 - Sound-absorbing, grind-area insulation
 - Six isolating gaskets in key operating areas for sound absorption and reduced vibration
 - Quiet, efficient fixed impellers eliminate noise generated by ordinary swivel blades and will not swing away from waste
- Durable components
 - Stainless steel corrosion-resistant upper housing
 - Cast aluminum drain chamber with protective polymer shield
 - Permanently lubricated primary bronze bearing
- Quick groove-twist lock installation makes it easy to install, or to replace your old disposer
- Anti-jam auto reversing
 - Grind wheel moves in opposite direction with each start, breaking the jams that stop ordinary disposers
 - Reverse action doubles cutter life
- Exclusive grind system
 - Solid cast grind wheel
 - Two fixed stainless steel impellers for quick, quiet grinding
 - Continuous cutting from 18 uppercutters and 16 undercutters
 - Precision balanced for smooth, vibration-free performance
- Solid cast shredder ring
 - 45 double-edge cutters
 - **Exclusive**—1.4 million uppercuttings and 1.3 million undercuttings per minute (15 times that of the nearest high-end competitor)
- Highly effective for use with septic tanks

Model Options



VCFW750
3/4 HP

- 3/4 HP CONTINUOUS FEED DISPOSER INCLUDES**
- 3/4 horsepower motor
 - Seven-year full warranty



VCFW1000
1 HP

- 1 HP CONTINUOUS FEED DISPOSER INCLUDES**
- 1 horsepower motor
 - Ten-year full warranty
 - **Exclusive** Power Plus Jam-inator® button—this solid-state device causes the grind wheel to oscillate approx. 7,000 times per minute, pulverizing even the toughest jams.



UTILITY REQUIREMENTS



GAS

Not applicable



ELECTRICAL

- Hard wire direct with two-wire with ground
- 120 VAC/60 Hz
- Maximum amp usage—
 - o 750—8.0
 - o 1000—10.0



PLUMBING

- Shipped with 1-1/2" OD waste line spout with gasket and 7/8" OD dishwasher connect tube

Dimensions & Specifications


PRODUCT DIMENSIONS



VCFW750



VCFW1000



Note: Centerline of disposer discharge to centerline at waste pipe entering wall—must be greater than 1/4" (0.6 cm) to prevent standing water in disposer.

*Add 1/2" (1.3 cm) when stainless steel sink is used.

All models

Overall width	10-1/16" (25.6 cm)
Overall height	13-11/16" (34.8 cm)
Overall depth	10-1/16" (25.6 cm)



KITCHEN CLEANUP Heavy-Duty Food Waste Disposal



★ Installation Notes & Accessories

Batch Feed Accessory Kit

- Kit converts a continuous feed disposer into magnetically activated batch feed unit

Model	Description	Approx. ship wt. lbs. (kg)
BFAK	Batch feed converter	3 (1.4)

Counter/Sink Switch Kit

- Easily mounts to sink or countertop
- Perfect for island installations
- Air-activated
- Provides extra outlet
- Kit includes chrome and white buttons

Model	Description	Approx. ship wt. lbs. (kg)
STSK	Counter/sink switch	2 (0.9)

Sink Stopper

- Available in Brass (BR), White (WH), and Biscuit (BT), to coordinate with sink flanges
- Master pack of five

Model	Description	Approx. ship wt. lbs. (kg)
SSTP5	Sink stoppers	5 (2.3)

Sink Flange

- Available in Brass (BR), White (WH), and Biscuit (BT)
- Master pack of five

Model	Description	Approx. ship wt. lbs. (kg)
SFLG5	Sink flanges	5 (2.3)

Deep Sink Flange

- Available in Stainless Steel (SS)
- Accommodates up to 1-3/4"-thick sinks (farmhouse style)
- Master pack of five

Model	Description	Approx. ship wt. lbs. (kg)
SFLGD5	Deep sink flanges	6 (2.7)

Compliance Information



WARRANTY SUMMARY*

- Ten-year full warranty for 1000 model—covers complete disposer
- Seven-year full warranty for 750 model
- Ninety-day limited warranty—cosmetic parts (painted and decorative items)

*For complete warranty see *Use & Care Guide*. Warranty valid on Viking products shipped within the United States and Canada.



Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>