

MICROWAVE HOODS

RDMOR200 – 30" WIDE – CONVENTIONAL

RDMOR206 – 30" WIDE – CONVECTION



Features and Functions

- Instant sensor settings for cooking, reheating foods, and popping popcorn
- Add-A-Minute adds one minute of extra cooking time with the touch of a button
- Child lock safety feature locks the control panel to prevent unwanted operation
- Built-in exhaust system
 - 300 CFM
 - Unit shipped assembled to recirculate; may also be vented out the rear or vertically
- Recommended for use with 30" wide ranges and 30" wide cooktops

Additional Features

- Conventional Microwave Hood
 - Fast action keys save time and make microwaving easy
 - Defrost programs quickly defrost meat and poultry by weight
 - Warm/Hold feature allows you to keep food warm for up to 30 minutes
 - Interior light
- Convection Microwave Hood
 - Convection microwave cookbook comes standard with unit
 - Four convection settings: ConvecBroil, ConvecRoast, ConvecBake, and a manual convection setting option
 - Low Mix Bake and High Mix Roast settings offer use of convection heat to seal and brown outside of foods while using microwave energy to ensure the interior is cooked
 - Interior light

Spacious Oven Cavity

- Conventional Microwave Hood
 - 1.5 cubic ft. oven capacity
 - 14 1/8" diameter turntable
- Convection Microwave Hood
 - 1.1 cubic ft. oven capacity
 - 13" diameter turntable

Finish

- Available in Stainless Steel (SS)

Warranty Highlights*

- Three-year full – complete unit
- Ninety-day full – cosmetic parts such as glass, painted items, and decorative items
- Lifetime limited – stainless steel exterior
- Five-year limited – magnetron tube

* Warranty valid on Viking products shipped within the United States and Canada



30" Wide Conventional Microwave Hood



30" Wide Convection Microwave Hood

DESCRIPTION	30" WIDE MICROWAVE HOODS	
	RDMOR200	RDMOR206
Overall Width	30" (76.2 cm)	29 5/16" (74.5 cm)
Overall Height	16 1/2" (41.9 cm)	16 11/32" (41.5 cm)
Overall Depth	15 1/2" (39.4 cm)	15 9/32" (38.8 cm)
Electrical Requirements	120VAC/60Hz	
Maximum Amp Usage	1.6 kW, 13.0 amps	
Oven Interior Dimensions	Width – 16 3/4" (42.5 cm) Height – 9 1/4" (23.5 cm) Depth – 14" (35.6 cm) Overall Size – 1.5 cu. ft.	Width – 17 1/8" (43.5 cm) Height – 8 1/16" (20.5 cm) Depth – 13 13/16" (35.1 cm) Overall Size – 1.1 cu. ft.
Approximate Shipping Weight	85 lb. (38.6 kg)	103 lb. (46.7 kg)



Viking Range Corporation • 111 Front Street • Greenwood, Mississippi 38930 USA • (662) 455-1200
For product information, call 1-888-VIKING1 (845-4641), or visit the Viking website at vikingrange.com.



© 2012, Viking Range Corporation • Specifications subject to change without notice.



Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>