
# use&care guide






# NO-FROST REFRIGERATOR-FREEZER

Model 3ED26MM

2-93

reezers. Refrigerator-Freezers. Ice Makers. Dishwashers. Built in Ovens, and Surface Units. Ranges. Microwave Ovens. Trash Compactors. Room Air Conditioners. Dehumidifie




# Please read this Use and Care Guide before you do anything else...

This booklet tells you how to start your refrigerator, clean it, move shelves and adjust controls. It even tells you what new sounds to expect from your refrigerator.

Treat your new refrigerator with care. Use it only to do what home refrigerators are designed to do.


# Parts and features



Copy your Model and Serial Number	ers here
Affect in the diservice or including within have this information ready  1. Complete Made, and Servic Numbers from the place according to shown."	Model Number
2. Furthase date from sales six  2. Dock this information in these statues is executed.	Serial Number
pock your warranty area sales of together by har as blace	Purchase Date
	Service Company and Telephone Number

Contents	Page	Ę	Dage
SAFETY FIRST		Removing the Crisper, Meat Pan	ago
BEFORE YOU PLUG IT IN		and Covers	9
Install Properly	. 4	Changing the Light Bulbs	9
Level Refrigerator-Freezer	. 4	Removing the Base Grille	
Remove Sales Labels	. 4	Sounds You May Hear	10
Clean It		Energy Saving Tips	10
Plug It In	. 4	CLEANING YOUR REFRIGERATOR	
USING YOUR REFRIGERATOR		Cleaning Chart	11
Setting the Controls		FOOD STORAGE GUIDE	
Changing the Control Settings	. 5	Storing Fresh Food	12
Power Saving Control	5	Freezing and Storing Frozen Foods	13
Adjusting Crisper Humidity Control	6	VACATION AND MOVING CARE	16
Adjusting Meat Pan Temperature		IF YOU NEED SERVICE OR ASSISTANCE.	17
Adjusting the Shelves		Before Calling for Assistance	17
Cold Water and Ice Dispenser	. 6	2. If You Need Service	18
Removing the Freezer Basket	8	3 If You Have a Problem	18
Removing the Freezer Shelves	. 9		

c 1986 Whiripool Corporation




# Before you plug it in

# **IMPORTANT**

Before using your refrigerator you are personally — Is not near an over irradiator or other neat source responsible for making sure that it


- is installed and leveled on a froct that will hold. is out of the weather the weight, and in an area suitable for its size. • is used in an area where the room temperature will and use
- is connected only to the right kind of outlet, with the used by those who may not understand how right electrical supply and grounding (Refer to your "Electrical Requirements and Grounding" • is not loaded with food before it has time to get Instructions")
- is used only for jobs expected of home refr-aerators

- is properly maintained.
- not fall below 55 F (13 C)
- it should be used.
- properly cold



- 1. Allow  $\frac{W}{a}$  (.2cm) space on each side and at top for ease of installation.
- 2. The refrigerator back can be flush against the wail.
- 3. If the refrigerator is to be in a corner, keep 1½ inches (3.1 cm) between the wall and side of the refrigerator so there is room to open the SERVA-DOOR\* or to clear the ice and water dispenser.

# Level refrigerator-freezer...



- 1 Remove base grille (see page 10)
- 2. To raise front, turn each screw to the right
- 3 To lower front, turn each screw to the left.
- 4 Check with level.

# Remove sales labels...

Remove the Consumer Buy Guide label, tape and any **inside** labels before using the refrigerator

### To remove any remaining glue:

- 1 Rub briskly with thumb to make a ball then remove. OR
- 2 Soak area with dishwashing detergent solution (1 teaspoon detergent in 1 quart warm water) before removing glue as described in step 1

DO NOT USE rubbing alcohol or flammable or toxic solvents, such as acetone, gasoline, carbon tetrachloride, etc. These can damage the material.


NOTE: DO NOT REMOVE ANY PERMANENT IN-STRUCTION LABELS INSIDE YOUR REFRIGERATOR. Do not remove the Tech Sheet fastened under the refrigerator at the front.

# Clean\_it...

Clean your refrigerator before using it See cleaning instructions on page 10



# Plug it in...




# RECOMMENDED GROUNDING METHOD

A 230 Volt, 50 Hz., AC only, 7.5 ampere fused and properly grounded electrical supply is required. It is recommended that a separate circuit serving only this appliance be provided.

Do not use an extension cord. Use a receptacle which cannot be turned off with a switch or pull chain. See individual electrical requirements and grounding instruction sheet in your literature package.


# Using your refrigerator



# Setting the controls...

The Temperature Control is in the left gerator and the Air Control is in the freezer section. When the refrigerator is plugged in for the first time.







2 Set the AiR CON-TROL to 3

Give the refrigerator time to cool down completely before adding food. (This may take several hours.)

# These settings should be about right for normal household refrigerator usage.

The controls will be set about right when milk or juice is as cold as you like and when ce cream is firm.

Do not block the air outlet on the control panel. Blocking it can slow the air movement needed to keep temperatures at the level you set.

# Changing the control settings...

If you need to adjust temperatures in the refriger after or freezer use the settings i step in the chart below.

- Adjust the Temperature Control first
- Wait at least 24 hours between adjustments
- Then adjust the Air Control, fineeded

CONDITION:	REASONS:	RECOMMENDED SETTIN	IGS:
If Refrigerator Section: .s TOO WARM	Door apened ofter Large amount of food added Room temperature too warm	Temperature Control Air Control	4 3
If Freezer Section is TOO WARM	Deor opened ofter: Earge amount of tood aaded Very hald room temperature (car it ay ble often endugh)	Temperature Contro Air Control	3 4
if Refrigerator Section is TOO COLD	Controls not set correctly for your conditions	Temperature Control Air Contro	2 3
If ICE isn * MADE FAST ENOLIGH	Heart be usage Very ficial room temperature (car if circle often enough)	Temperature Control Air Control	3 4
If BOTH SECTIONS are TOO WARM	Door opened often Large amount of food added Very warm or very cold room temperatures	Temperature Control Air Control	3 2

# Power Saving Control...

**The Power Saving Control** on the Control Console operates electric heater around the aborroperungs. These heaters help keep moisture from forming on the outside of the refrigerator.



Use the OFF set ting when hum aity side.



2. Use the "ON" setting of moisture forms on the outside of the refrigerator.


# Adjusting crisper Humidity Control...

You can control the amount of humidity in the moisture-sealed crisper.

- The control can be adjusted to any setting be tween LO and HI
- LO (open) lets moist air out of crisper for best storage of fruits and vegetables with skins.
- HI (closed) keeps moist air in the crisper for best storage of fresh leafy vegetables.



# Adjusting meat pan temperature...



Cold air flows against the meat pan through an opening between the freezer and the refrigerator. This helps keep the meat pan colder than the rest of the refrigerator.

Set the control to let more or less coid air through.

Use Control to Adjust Meat Pan Temperatures

# Adjusting shelves...

Shelves can be adjusted to match the way you use your refrigerator. Glass shelves are strong enough to hold bottles, milk and other heavy food items. The roll-out shelf should be the bottom shelf in your arrangement.

Glass shelves are heavy Be careful

# To remove glass shelves:

- 1. Tilt up at front.
- 2. Lift up at back
- 3. Pull shelf straight out.

### To replace:

- Guide the rear hooks into the slots in the shelf supports.
- Tilt up front of shelf until hooks drop into slot. Lower front of shelf to level position

The rollout shelf is removed the same as the other shelves. However, it must be completely rolled in to be removed.



# To remove SERVA-DOOR shelves:

Lift up and out

### To replace:

- Insert hooks into guides on both sides
- Push down

# Cold Water and Ice Dispenser...

#### FOR ICE:

Press a **sturdy** grass agains' the ice dispenser bar. (Pressure and tumbling can break a fragile glass.) Remove the glass to stop dispensing

The first few batches of ce from the ice maker may have a bad taste. Throw them away This is from new plumbing and parts



### FOR CHILLED WATER:

Press a **sturdy** glass against the water dispenser bar. (Pressure can break a fragile glass.) Remove the glass to stop dispensing.

If the dispenser is not used regularly, dispense enough every week to freshen the supply. Allow 2-3 hours for chilling

The small tray beneath the dispenser is designed to hold **small** spills. There is no drain in this tray.

Do not pour water into it. Water from small spills will evaporate.

Ice is dispensed from the ice maker storage bin in the freezer. When the dispenser bar is pressed, a trapdoor opens in a chute between the dispenser and the ice bin. Ice is moved from the bin and falls through the chute. When the dispenser bar is released, a faint buzzing sound may be heard for a few seconds.

Chilled water comes from a tank behind the meat pan. It holds about 50 ounces (1.5 L)  $\,$ 

When the refrigerator is first hooked up, press the water dispenser with a glass or a jar until you have drawn and discarded 2 or 3 quarts (1.9 to 2.8 L).


Only air will come out to start with The water you draw and discard will rinse the tank and pipes

# **Common Problems**

PROBLEM	CAUSE
Dispenser won't work.	Freezer door open
Ice dispenser won't work.	lce bin not property installed Wrong ice in bir
lce dispenser stops working.	lce dispenser bar heid in too long
Off-taste or odor in ice.	lce attracts airborne odors Ola ice Water quality
	Foods not properly wrapped. Ice bin and freezer may need cleaning. Plumbing to ice maker
	New ice maker

#### SOLUTION

- Close the freezer door.
- Make sure bin is pushed all the way in.
- Use only ice crescents from the ice maker. Other shapes won't dispense properly.
- Wait about 3 minutes for the dispenser motor to reset
- Large amounts of ice should be taken from the bin, not through the dispenser.
- Use rapidly or store in covered container.
- Dump old ice and make new supply.
- Water containing minerals (such as sulfur) may require a filter to remove.
- Wrap properly See pages 13 and 14
- Clean freezer and ice bin. See Cleaning. Chart on page 11.
- Follow installation instructions for proper ice maker water supply hook-up.
- The first few loads of ice from a new ice maker may have an off-taste. Dump ice and make new supply




### TIPS

- The dispensers will work only with the freezer door closed.
- The ice dispenser will work only if the bin is pushed all the way in.
- **Use only ice crescents from the ice maker.**Other shapes won't dispense properly.
- When you need more ice than a glass or two, scoop it from the bin or remove the bin.
   The dispenser motor may stop if the dispenser bar is held in too long. It will be ready to run again in about 3 minutes.
- Ice stored too long can go stale...like water. Throw it away.
- Ice can shrink. Cold moving air slowly evaporates them. If you use ice often, you may never notice the change.
- Good water quality is important for good ice quality. It is not recommended that the ice maker be connected to a softened water supply. Water softener chemicals such as salt from a malfunctioning softener can damage the ice maker mold and lead to poor quality ice. If a softened water supply cannot be avoided, then it is important that the water softener be well maintained and operating properly.

# Plan to remove and empty the storage bin:


- If the ice dispenser has not, or will not be used for a week or more:
- If a power failure causes ice in the bin to melt and freeze together;
- If the ice dispenser is not used regularly




1. Pull the covering panel out from the bottom and slide it to the rear.



2 Lift the signal arm so it clicks into the OFF position. Ice can still be dispensed, but no more will be made.



- 3. Lift the front of the storage bin. Pull it out
- 4. Empty the bin. Use hot or warm water to melt the ice if necessary. **Never use anything sharp** to break up ice in the bin. This can aamage the bin and dispenser mechanism
- 5. Wash with mild detergent Rinse well Do not use harsh or abrasive cleansers or solvents
- 6. When replacing the bin, make sure it is pushed in all the way. Push the signal arm down to the ON position to restart ice production.



**The night light** uses a heavy-duty 10-watt bulb. It should last about 10,000 hours. When it burns out, purchase another from your dealer.

# Removing the freezer basket...


For proper air movement, keep the freezer basket in place when the freezer is operating


# To remove the basket:

- Slide out to the stop.
- Lift the front to clear the stop.
- Slide out the rest of the way

# To replace the basket:

- Place basket on the slides
- Make sure the wire stops clear the front of the slides
- Slide basket in






# Removing the crisper, meat pan and covers...

# To remove the crisper and meat pan:

- 1 Slide crisper and meat pan straight out to stop
- 2. Lift the front
- 3 Slide the rest of the way out
- 4 Replace in reverse order


### To remove the covers:

- Covers are held in place by two pegs at the back and two notched tabs in front
- Press front tabs out of the way
- 2 Lift cover front
- 3 Lift back off the pegs
- 4 Replace in reverse order



# Changing the light bulbs...

# WARNING: Before removing a light shield for cleaning or replacing the bulb, either unplug the refrigerator or disconnect the electricity leading to the refrigerator at the main power supply. Shock and injury can occur if electricity remains connected.



# Light bulbs behind refrigerator and freezer control consoles:

- 1. Pur control knob straight off
- 2. Pull pottom of control panel straight out
- 3 Lift top of panel off supports
- 4 Replace with a 40 wattrappliance bulb.
- 5 Replace panetur reverse order

### Light bulb behind ice maker:

- 1 Remove the celbin (see ide maker instructions page 6)
- . Replace with a 40 watt appliance pulb
- it. Replace ice biri


### Light bulb above crisper:

- 1 Put top of the partishield away from the back wall
- 2 Lift shield off base supports
- 3 Replace with a 40 wattappliance bulb.
- 4 Replace shield in reverse order


# Dispenser light:

- \* Reach the bulb through the dispenser area.
- 2. Replace with a heavy auty 10-wat bulb.

# Removing the base grille...



- 2. Pull ariile outwards as shown
- 3. Do not remove Tech sheet faster ealbehind grille



# To replace:

- 1 Line up grille support labs with metal clips
- 2 Push firmly to snap into place
- 3. Close the acors

# Sounds you may hear...



Your new refrigerator may make sounds that your old one didn't Because the sounds are new to you you might be concerned about them. Don't be Most of the new sounds are normal. Hard surfaces like the floor, walls and cabinets can make the sounds seem louder.

The following chart describes the kinds of sounds that might be new to you, and what may be making them.

### **Possible Sounds:**

- Slight Hum, Soft Hiss:
- Clicking or Snapping Sounds:
- Water Sounds:
- Ice Maker Sounds: —trickling water
  - -thud (clatter of ice)
- Running Sounds:

### **Probable Causes:**

You may hear the refrigerators fan motor and moving air

The defrost timer makes a definite click when the refrigerator stops running. It also makes a sound when the refrigerator starts.

When the refrigerator stops running, you may hear gurgling in the tubing for a few minutes after it stops. You may also hear defrost water running into the defrost water pan

You may hear buzzing (from the water valve), trickling water and the clatter of ice aumped into the bin

Your refrigerator has a high-efficiency compressor and motor. It will run longer than older designs, it may even seem to run most of the time.

# Energy saving tips...

You can help your refrigerator use less # ectricity.

- Check door gaskets for a tight seal us we the cablenet to be sure of a good seal.
- Clean the condenser coll regular.
- Open the door as few times as pasitive. Think aprill
  what you need before you upen the door Get
  everything out at one time. Keep todas organized
  so you won't have to search for what you wan't.
  Close door as soon as food is reniptled.
- Go ahead and fill up the refrigeration but don to vercrowd it so air movement is blocked.
- it is a waste of electricity to set the refrigerator and freezer to temperatures ob der than they need to be if be cream is firm in the freezer and drinks are as polid as your family, kesittlem that spould enough.
- keep the Fower baying Control on OFF unless motisture forms on the refrigerator exterior.
- Make sure your refrigerator is not next to a heat source such as a range water heater furnace, radiator, in it rect survight.

# Cleaning your refrigerator


Both the refrigerator aria freezer sections defrost automatically. But both should be pleaned about once a month to help prevent oddrs from building up. Of course, spills should be wiped up right away.

To clear your refrigerator turn the Temperature Control to OFF uniply to take out all removable parts and clean it according to the following directions.

# Cleaning chart...

Part	What to use	How to clean
Removable parts (shelves, crisper, meat pan etc.)	Sponge or cloth, mild detergent and warm water	<ul> <li>Wash removable parts with warm water and a mila detergent</li> <li>Rinse and dry.</li> </ul>
Outside	Spor gelicloth or paper towe i mild detergent appliar de wax for good auto paste wax)	<ul> <li>Wash with warm water and a mild detergent. Do not use abrasive or harsh cleansers.</li> <li>R nse and ary</li> <li>Wax painted metal surfaces at least twice a year with appliance wax or a good auto paste wax. Apply wax with a clean, soft cloth. Do not use wax on plastic parts.</li> </ul>
	Waxing painted metal su	ırfaces provides rust protection.
Inside walls (Freezer should be allowed to warm up so cloth won <sup>4</sup> stick )	Sponge soft aloth or paper towell baking sodal warm water mild aetergent	<ul> <li>Wash with warm water and mild aetergent or baking soda (2 tablespoons, 26 g) to 1 auart 195 1 warm water</li> <li>Rinse and ary</li> </ul>
Door liners and gaskets	Sponge soft cloth or paper towel imila detergent iwarm water	<ul> <li>Wash with mild detergent and warm water</li> <li>Rinse and ary</li> </ul>
		xes, concentrated detergents, ontaining petroleum on plastic parts.
Serva-Door back, slide- out tray, utility door, and other dark panels	Mild detergent and warm water soft, clean sponge and soft, clean cloth	<ul> <li>Wash with a soft grit-free cloth or sponge</li> <li>Rinse and dry with a damp grit-free cloth or chamois.</li> </ul>
	DO NOT USE paper towels or solvents like acetone, These can scratch or dar	s, window sprays, scouring cleansers, benzine, carbon tetrachloride, etc. nage the material.
	Sporige or cloth mild detergent and warm water	<ul> <li>Remove base grille. (See page 10.)</li> <li>To remove defrost pan, lift pan over wire brace (remove tape, if any).</li> <li>Wash defrost pan with warm water and mild detergent.</li> <li>Rinse and dry.</li> <li>Replace with notched corner to the rear.</li> <li>Push it al' the way in.</li> <li>Make sure defrost drain tube is pointing into pan.</li> <li>Replace base grille.</li> </ul>
Condenser Coil	Vacuum cleaner using the extended harrow attachment	<ul> <li>Remove base grille.</li> <li>Clear dust and lint from condenser at least every other month.</li> <li>Replace base grille.</li> </ul>
Floor under refrigerator	Usua 'bor cleaners	<ul> <li>Roll refrigerator out only as far as water supply line allows</li> <li>Wash floor</li> <li>Roll refrigerator back</li> <li>Check to see if the refrigerator is level.</li> </ul>

# Food storage guide STORING FRESH FOOD



There is a right way to package and store refrigerated or frozen foods. To keep foods fresher, longer, take the time to study these recommended steps

**Leafy Vegetables** . Remove store wrapping and trim or tear off bruised and discoicired areas. Wash in cold water and aram Place in plastic bag or plastic container and store in crisper Cold moist air helps keep leafy vegetables fresh and ririsp.

**Vegetables with Skins** (carrots depotes) Store in orisper, plastic bags or prastic container

**Fruits** Wash let dry and store in retrigerator in plastic bags or crisper. Do not wash or hull perries until they are ready to use. Sort and keep berries in their store container in a crisper little store in a cosely closed paper bag on a retrigerator shelf.



**Meat**: Meat is perishable and expensive... you won't want to waste an ounce of it through careless handling. The following list and chart give you packaging hints and time limits. Store meat in the meat pan

Fresh, Prepackaged Meat. From the store wrapping. Vacuum packaged meat can be frozen for as long as one month of the sea is not broken. If you want to keep it frozen longer, bu should wrap it with special freezer wrapping material.

**Fresh Meat, Not Prepackaged.** Remove the market wrapping paper and re-wrap in aluminum foil for storing it unfrozen

**Cooked Meat.** Wrap or cover cooked meat with plastic wrap or aluminum foil. Store immediately

**Cured or Smoked Meat and Cold Cuts.** Ham, bacon, sausage, cold cuts, etc., keep best in original wrappings. Once opened, tightly re-wrap in plastic wrap or a uminum to.l.

**Canned Ham.** Store in refrigerator unless the label says it's okay to store on the shelf. Do not freeze.

**Fresh Poultry.** Wrap in plastic wrap. The plastic wrap on poultry, as purchased, may be used for storage

Туре	Approximate Time (days)
Variety Meats	
	1 to 2
	1 to 2
	ts 3 to 5
	7 to 10
	5 to 7
Oald Oak	3 to 5

**NOTE:** Fresh fish and shellfish should be used the same day as purchased.



**Eggs**. Store without washing in the original carton or use the Utility Bin that came with your refrigerator.

**Milk** Wipe milk cartons. For best storage, place milk on interior shelf or bottom door shelf.

**Beverages** Wipe bottles and cans Store on a door shelf or inside the refrigerator


**Butter** Keep opened butter in covered dish or in the Utility Compartment, When storing an extra supply, wrap in freezer packgains and freeze

**Cheese** Store in the original wrapping until you are ready to use it. Once opened, re-wrap tightly in plastic wrap or aluminum foil.

**Condiments** . Store small jars and bottles (catsup, mustara, jelly, olives) on the door shelves where they are in easy reach.

**Leftovers** "Cover leftovers with plastic wrap or aluminum to to keep food from drying out and transferring tood odors. Plastic containers with tight last are fine too.

# FREEZING & STORING FROZEN FOODS




The freezer section is designed for storage of commercially frozen foods and for freezing foods at home.


**Packaging** – The secret of successful freezing is in the packaging. The wrap you use must be air, moisture and vapor proof. The way you close and seal the package must not allow air, moisture or vapor in or out. Packaging done in any other way could cause food odor and taste transfer throughout the refrigerator and drying of frozen food.

Rigid polyethylene (plastic) containers with tightfitting lids, straight-sided canning/freezing jars, heavyduty aluminum foil, plastic-coated paper and nonpermeable plastic wraps (made from a saran film) are recommended. NOTE: Heat-sealed boiling bags are easy to use and can be used by themselves or as carton liners.

**Sealing** – When sealing foods in bags **squeeze out the air** (liquids need headspace to allow for expansion.) Twist the top and turn it back. Fasten tie securely around the doubled-over tail. Put the label inside transparent bags; use self-adhes ve label on outside of opaque ones.



Air-fight wrapping calls for "drugstore" wrap. Cut the sheet about one-third longer than the distance around the food. Bring the ends together and fold in (toward the food) at least twice to seal out air. Crease ends close to food, press air from package. Foid tips




over twice. Finish package and tape closed NOTE-With unboned meats, pad sharp edges with extra wrap or use stockinette to protect the wrap from punctures.

# DO NOT USE:


- Bread wrappers
- Non-polyethylene plastic containers
- Containers without tight lids
- Waxed paper
- Waxed-coated freezer wrap
- Thin, semi-permeable wrap


None of these are totally moisture, air or vapor proof. The use of these wrappings could cause food odor and taste transfer and drying of frozen food.



**Freezing Fruits** — Select ripe, blemish-free fruits Be sure they taste as good as they look. Wash 2 to 3 quarts (Liters) at a time and drain. Fruit that stands in water may lose food value and become, soggy. Sort, peel frim, pit and slice as needed


Pack in rigid wide-mouthed containers or other recommended material. Leave head space to allow liquids to expand during freezing





**Freezing Vegetables** – Freeze only, fresh high quality vegetables picked when parely mature. For best results, freeze no more than 2 to 3 nours after picking. Wash in cold water sort and cut into appropriate sizes. Blanch or scald. Pack in recommended container and freeze.


Do not freeze lettuce, celery, carrot sticks, potatoes or fresh tomatoes. All will become limp or mushy. Tomatoes will collapse when thawea



Freezing Meats – The meat you thaw carrior be as good as the meat you freeze. Drugstore wrap in meal-size packages. Flat outs or patties should be wrapped individually or in layers separated by a double thickness of freezer wrap.

Make sure store wrappings are moisture and vapor proof. If not, re-wrap meats with one of the wraps recommended under Packaging **Freezing Cooked Food** – Prepare cooked foods as you would for the table, snorten cooking time 10 to 15 minutes to allow for additional cooking during reheating. Omit seasonings and part of the liquid. Plan to add them at reheating time. Potatoes should also be added to soup and stew at heating time. Add crumb and cheese toppings at heating time.

Cool as rapidly as possible and freeze at once Liquid or semi-liquid dishes may be frozen in recommended containers with nead-space. Casserbles and other more solid foods may be frozen in the baking container. If you don't want to leave your casserble dish in the freezer, line it with foil Bake, cool freezer, lift out the foll package, bag it and return to freezer.



**Freezing Baked Goods** – Wrap baked breads in recommended material. Thatwir wrapping Unbaked yeast breads can be frozen after the first rising. Purich abwir wrap and freeze.

Bake cockies as usual. Cool and freeze on trays, then back in recommended freezer bags or cartons unbaked cookies may be dropped, moided or roled and frozen on cookie trays. Store in bag or carton, bake without thawing. Refrigerator-type cookies can be wrapped and frozen in roll form. Thaw only enough to slice when ready to bake.

Fruit pies are best frozen unbakea. Bake without thawing. Bake pecan and similar bies before freezing inchinings do not freeze solia. Cut steam vents in top crusts when ready to bake.

IMPORTANT: Do not expect your freezer to quick freeze any large quantity of food. Put no more unfrozen food into the freezer than will freeze within 24 hours. (No more than 2 to 3 pounds of food per cubic foot of freezer space.) Leave enough space for air to circulate around packages. Be careful to leave enough room at the front so the door can close tightly.

### **FOOD STORAGE CHART**

Storage times\* will vary according to the quality of the food, the type of packaging or wrap used (moisture and vapor-proof), and the storage temperature which should be  $0^{\circ}$  F ( $-17.8^{\circ}$ C).


0° F (−17.8°C).
FoodStorage time
FRUITS
Fruit juice concentrate 12 months
Commercially frozen fruit . 12 months
Citrus fruit and juices 4 to 6 months
Others 8 to 12 months
VEGETABLES
Commercially frozen 8 months
Home frozen 8 to 12 months
MEAT
Bacon 4 weeks or less
Corned beef 2 weeks
Cured ham 1 to 2 months
(Salting meat shortens freezer life)
Frankfurters 1 month
Ground beef, lamb, veal 2 to 3 months
Roasts:
Beef 6 to 12 months
Lamb and veal 6 to 9 months
Pork 4 to 8 months
Sausage, fresh 1 to 2 months
Steaks and chops:
Beef 8 to 12 months
Lamb, veal, pork 3 to 4 months
Cod, flounder, haddock
Sole
Mackerel, perch 2 to 3 months Breaded fish (purchased) 3 months
Clams, oysters, cooked
fish, crab, scallops 3 to 4 months
Alaskan king crab 10 months
Shrimp, uncooked 12 months
POULTRY
Whole chicken or turkey 12 months
Duck 6 months
Giblets 2 to 3 months
Cooked poultry w/gravy 6 months
Slices (no gravy) 1 month

### If electricity goes off

Call the power company. Ask how long power will be off

- If service is to be interrupted 24 hours or less, keep both doors closed. This will help frozen foods to stay frozen.
- 2. If service is to be interrupted longer than 24 hours
  - (a) Remove all frozen food and store in a frozen food locker. Or
  - (b) Place 2 lbs (0.9 kg) of dry ice in freezer for every cu. ft. of freezer space. This will keep frozen foods for 2 to 4 days. Wear gloves to protect your hands from dry ice burns.
  - (c) If neither food locker storage nor dry ice is available, use or can perishable food at once
- 3. A full freezer will stay cold longer than a partly filled one. A freezer full of meat will stay cold longer than a freezer full of baked goods. If food contains ice crystals, it may be safely refrozen, although the quality and flavor may be affected. Use refrozen foods quickly. If the condition of the food is poor or you have any suspicions it is wise to dispose of the

# Vacation and moving care



# Short vacations. . .

No need to shut off the refrigerator 'you will be away for less than four weeks. Use up perishables freeze other items. Turn off your ice maker shut off the water supply; empty the ice bin and make sure all ice cubes are dispensed out of the mechanism

# Long vacations. . .

Remove all the food if you are going for a month or more. At least a day ahead, turn off the water supply to the ice maker. When the last load of ice drops, turn off the ice maker.

Unplug the refrigerator and clear it, rinse well and dry. Tape rubber or wood blocks to both doors ...keeping them open far enough for air to get in This will keep odor and mold from building up.

WARNING: Tape blocks out of a child's reach...do not allow children near the refrigerator when the doors are blocked open. They may become injured or trapped.

To restart refrigerator, see "Using Your Refrigerator

# Moving...

Shut off the ice maker water supply a day ahead of time. Disconnect the water line. After the last supply of ice drops, turn off the ice maker.

Remove all food. Pack frozen foods in dry ice. Unplug the refrigerator and clean it thoroughly. Remove everything that comes out. Wrap all parts well and tape them together so they don't shift and rattle.

Also, remove the water supply tank behind the meat pan by

- 1 Disconnecting water inlet and outlet tubes at the top of the tank
- 2 Removing three mounting screws from the tank.
- 3 Draining the tank

**Re-install the empty tank,** and remember to check for tight water connections when the refrigerator is hooked up at your new location.

Screw in the leveiling rollers tape the doors shut; tape the electric cord to the cabinet. When you get to your new home, put everything back, and refer to page 4. Don't forget to reconnect the water supply line.

# If you need service or assistance, we suggest you follow these three steps:


# 1. Before calling for assistance...

Performance problems often result from little things you can find and fix yourself without tools of any kind.

### If your refrigerator will not operate:



 Is the power supply cord plugged into a live circuit with the proper voitage? (See page 4.)



- Have you checked your homes main fuses or circuit breaker box?
- Is the Temperature Control turned CNT

# If there is a rattling or jingling noise, or other unfamiliar sounds:

- Is something on top or behind the retrigerator making noise when the refrigerator is running?
- New features on your new refrigerator make new sounds. You may be hearing air flowing from the fans, timer clicks for the defrosting cycle, defrost water draining into the defrost par-

### If your ice maker will not operate:

- Has the freezer had enough time to get do d? With a new refrigerator, this might take overnight
- Is the signal arm ON in the down position?
- Is the water valve turned on? Is water getting to the ice maker?



# If there is water in the defrost pan:

 In hot, muggy weather, this is normal. The pan can even be half full. Make sure the refrigerator is level so the pan doesn't overflow

# If the light does not work:

- Have you checked your home's main fuses or circuit breaker box?
- is the power supply cord plugged into a live circuit with the proper voltage? (See page 4.)

### If a bulb is burned out:

 See instructions for changing I ght bulbs on page 9 Use appliance bulbs only.

# If the motor seems to run too much:

- Is the condenser, behind the base grille, free of aust and lint?
- On hot days, or if the room is warm, the motor naturally runs longer.
- If the door has been opened a lot, or if a large amount of food has been put in, the motor will run longer to cool down the interior

**Remember:** Motor running time depends on aifferent things, number of door openings, amount of food stored, temperature of the room, setting of the controls

And, your new refrigerator may be larger than your old one so it has more space to be cooled. It also has a regular freezer instead of a frozen food compartment. All this means better refrigeration and may require more running time than your old one.

# 2. If you need service\*...

Your Whirlpool dealer has a nationwide network of service technicians. They are trained to fulfill the product warranty and provide after-warranty service

# 3. If you have a problem\*...

Call your dealer or write:
Service Manager, International Division
Whirlpool Corporation
Administrative Center
2000 U.S. 33 North
Benton Harbor, Michigan 49022

\*If you must write, please provide your name, address, telephone number, type of appliance, brand, model serial number, date of purchase, the dealer's name, and a complete description of the problem. This information is needed in order to better respond to your request for assistance



The anterest masser of the first of the control of

Notes



Making your world a little easier.

Part No. 1111724 ©1986 Whirlpool Corporation

Printed in U.S.A.

makers, Distinguishers, Durit-III Ovens, and Surface Units, Ranges, Microwave Ovens, Trash Compactors, Room Air Conditioners, Dehumidifiers, Automatic Washers, Clothes Or



Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com