




rs, Freezers, Refrigerator-Freezers, Ice Makers, Dishwashers, Built-In Ovens, and Surface Units, Ranges, Microwave Ovens, Trash Compactors, Room Air Conditioners, Dehumidifi




Download from Www.Somanuals.com. All Manuals Search And Download.

# Pleause read this Use and Care Guide before you do ary baing else ...

this brocklet tells you how to start your retrig-erator, steam it, racive shelvers and adjust controis, it event als you what new sounds to expect The four new refrigerator with care. Use it only to do what home refrigerators are de-

signed to cia.

# Parus and features



**Contents** 

SAFETY FIRST	3
BEFORE YOU PLUG IT IN	3
Install Properly	4
Level Refrigerator-Freezer	4
Remove Sales Labels	4
Clean It	4
Plug It in	 4
USING YOUR REFRIGERATOR	5
Setting the Controls	 5
	 5
Power Saving Control	 5
Adjusting the Refrigerator Shelves	6
	 6
Removing the Crispers and Covers	 6
Adjusting the Door Bins	 6
Removing the Freezer Shelf	- 6
-	

F Changing the Light Bulb Automatic Ice Maker Removing the Base Grille Sounds You May Hear Energy Saving Tips CLEANING YOUR REFRIGERATOR Cleaning Chart FOOD STORAGE GUIDE Storing Fresh Food Freezing and Storing Frozen Foods VACATION AND MOVING CARE	Page 7 7 8 8 8 8 9 10 10 10 11
IF YOU NEED SERVICE OR ASSISTANCE	14
<ol> <li>Before Calling for Assistance</li> <li>If You Need Assistance</li> <li>If You Need Service</li> <li>If You Have a Problem</li> </ol>	15 15 15 15

#### c 1986 Whirlpool Corporation

Page

# Safety first

Child entrapment, and suffocation, are not things of the past. Junked or abandoned refrigerators are still dangerous...even if they will "just sit in the garage for a few days.'

If you are getting rid of your old refrigerator, do it safely. Please read the enclosed safety booklet from the Association of Home Appliance Manufacturers. Help prevent accidents.


# Before you plug it in

#### **IMPORTANT**


Before using your refrigerator, you are personally • is not near an oven, radiator or other heat source. responsible for making sure that it...

- is installed and leveled on a floor that will hold
   is out of the weather. the weight, and in an area suitable for its size and use.
- is connected only to the right kind of outlet, with the right electrical supply and grounding. (Refer to your "Electrical Requirements and Grounding Instructions."
- is used only for jobs expected of home refrigerators.


- is properly maintained.
- is used in an area where the room temperature will not fall below 55' F (13° C).
- is not used by those who may not understand how it should be used.
- is not loaded with food before it has time to get properly cold.



#### Install properly...



- 1. Allow 1/2 inch (1.25 cm) space on each side and at the top of the refrigerator for ease of installation.
- 2. If the refrigerator is to be against a wall, you might want to leave extra space so the door can be opened wider.
- 3. The refrigerator back can be flush against the wall



- 2. To raise front, turn each screw to the right.
- 3. To lower front, turn each screw to the left.
- 4. Check with level.

#### Remove sales labels...

Remove the Consumer Buy Guide label, tape and any inside labels before using the refrigerator.

#### To remove any remaining alue:

1. Rub briskly with thumb to make a ball then remove. OR


2. Soak area with dishwashing detergent solution (1 teaspoon detergent in 1 quart warm water) before removing glue as described in step 1.

DO NOT USE rubbing alcohol or flammable or toxic solvents, such as acetone, gasoline, carbon tetrachloride, etc. These can damage the material.

NOTE: DO NOT REMOVE ANY PERMANENT IN-STRUCTION LABELS INSIDE YOUR REFRIGERATOR. Do not remove the Tech Sheet fastened under the refrigerator at the front.



## Plug it in...




#### RECOMMENDED GROUNDING METHOD

A 115 Volt, 60 Hz., AC only 15 or 20 ampere fused and properly grounded electrical supply is required. It is recommended that a separate circuit serving only this appliance be provided.

Do not use an extension cord. Use a receptacle which cannot be turned off with a switch or pull chain. See individual electrical requirements and grounding instruction sheet in your literature package.

# Using your refrigerator



# Setting the controls...

Controls for the refrigerator and freezer are in the refrigerator. When the refrigerator is plugged in for the first time





2. Set the AIR CON

1 Set the TEMPERA TURE CONTROL to 3.

TROL to B

#### Changing the control settings...

If you need to adjust temperatures in the refrigerator or freezer, use the settings listed in the chart below.

Give the retrigerator time to cool down completely before adding food. (This may take several hours.)

#### These settings should be about right for normal household refrigerator usage.

The controls will be set about right when milk or juice is as cold as you like and when ice cream is firm.

Do not block the air outlet on the control panel. Blocking it can slow the air movement needed to keep temperatures at the level you set.

- Adjust the Temperature Control first.
- Wait at least 24 hours between adjustments.
- Then adjust the Air Control, if needed.



#### CONDITION:

If Refrigerator Section is TOO WARM If Freezer Section is

#### QUESTIONS?

service assistance telephone number (page 15).

TOO WARM COOL-LINE® of Refrigerator Section is TOO COLD If ICE isn't

MADE FAST ENOUGH If BOTH SECTIONS are TOO WARM

**REASONS:** 

Door opened often Large amount of food added Room temperature too warm Door opened often Large amount of food added Very cold room temperature (can't cycle often enough)

Controls not set correctly for your conditions

Heavy ice usage Very cold room temperature (can't cycle often enough) Door opened often Large amount of food added Very warm or very cold room temperatures



#### Use the "OFF" setting when humidity IS OW

2. Use the "ON" setting if moisture forms on the outside of the refrigerator.

0

#### **RECOMMENDED SETTINGS:**

Temperature Control	4
Air Control	C
Temperature Control	4
Air Control	A
Temperature Control	2
Air Control	B
Temperature Control	3
Air Control	A
Temperature Control	4
Air Control	B

on the outside of the refrigerator.


sole operates electric heater around the door open-

ings. These heaters help keep moisture from forming


# Adjusting the refrigerator shelves...

Shelves can be adjusted to match the way you use your refrigerator. Glass shelves are strong enough to hold bottles, milk and other heavy food items.

Glass shelves are heavy. Be careful.



The meat pan can be taken out and moved the same way as the shelves. Remove the meat pan first.



#### To remove glass shelves:

- 1. Tilt up at front.
- 2. Lift up at back.
- 3. Pull shelf straight out.

#### To replace:

- Guide the rear hooks into the slots in the shelf supports.
- 2. Tilt up front of shelf until hooks drop into slot. Lower front of shelf to level position.

#### Removing:

- 1. Slide the meat pan out to stop.
- 2. Lift the front of meat pan.
- 3. Slide pan the rest of the way out.
- 4. Tilt cover up at front.
- 5. Lift up at back.
- 6. Pull straight out.

#### **Replacing**:

- Guide the rear hooks into the slots in the shelf supports.
- 2. Till up front of cover until rear hooks drop into slots. Lower front of cover to level position.
- 3. Replace meat pan in reverse order.

#### Removing the crispers and crisper covers...

Push the Tab

to Clear

the Cover.

#### **Removing crispers:**

- 1. Slide crispers straight out to stop
- 2 Lift the front.
- 3. Slide the rest of the way out
- 4. Replace in reverse order

#### **Removing covers:**


- Covers are held in by two pegs at the back and two notched tabs in front
- 1. Press front out of way
- 2 Lift cover front
- 3 Lift back out of pegs
- 4 Replace in reverse order

### Adjusting the door bins...


The 4 door bins are adjustable to meet your storage needs.


#### To remove door bins:

- 1. Lift front of bin slightly.
- 2. Slide bin out of support slot.
- 3. Replace in reverse order.



- 1. Lift front slightly.
- 2. Lift back off supports.
- 3. Replace in reverse order.








If necessary, the center leg can be made shorter or onger to help level the crisper covers. Turn the leg clockwise to make it longer. Turn the leg counterclockwise to shorten it

Ó

# USING YOUR REFRIGERATOR

# Changing the light bulb...


WARNING: Before removing the light shield for cleaning or for replacing the bulb, either unplug refrigerator or disconnect electricity leading to refrigerator at the main power supply. Shock and injury can occur if electricity remains connected.



#### Automatic ice maker...


The automatic ice maker is in the freezer section of your refrigerator. The following things should be known for proper ice maker use:

- The ON OFF lever is a wire signal arm Down...for making ice automatically Up...to shut off the ice maker.
- Shake the bin occasionally to keep cubes separated, and to obtain increased storage capacity



- It is normal for ice crescents to be attached by a corner. They will break apart easily
- You will hear water running when ice maker is working. You'll hear ice fall into the bin Don't et.

#### Removing the base grille...




- 2. Pull grille outwards as shown.
- 3. Do not remove Tech sheet fastened behina grille

- 1. Push lightly on the top center of the light shield until the notched tab unhooks from the control panel
- 2. Pull down on the shield until the tab clears the control panel.
- 3. Lift the back hooks out of their slots.
- 4. Replace with a 40-watt appliance bulb
- 5. Replace light shield in reverse order.

these sounds bother you.

- The ice maker will not operate until the freezer is cold enough to make ice. This can take overnight.
- Because of new plumbing connections, the first ice may be discolored or off-flavored. Discard the first few batches of ice.
- If ice is not being made fast enough and more ice is needed, turn the Temperature Control toward a higher number. Wait a day and, if necessary, turn the Air Control toward A.
- If you remove the ice bin, raise the signal arm to shut off the ice maker. When you return the bin, push it all the way in and lower the arm to the ON position.
- If cubes are stored too long, they may develop an off-flavor. .like stale water. Throw them away. They will be replaced. Cubes in the ice bin can also become smaller by evaporation.
- Good water quality is important for good ice quality.
   It is not recommended that the ice maker be connected to a softened water supply. Water softener chemicals such as salt from a malfunctioning softener can damage the ice maker mold and lead to poor quality ice. If a softened water supply cannot be avoided, then it is important that the water softener be well maintained and operating properly.



#### To replace:

- 1 Line up grille support tabs with metal clips.
- 2. Push firmly to snap into place.
- 3 Close the doors.

#### Sounds you may hear...



Your new refrigerator may make sounds that your old one didn't. Because the sounds are new to you, you might be concerned about them. Don't be. Most of the new sounds are normal. Hard surfaces like the floor, walls and cabinets can make the sounds seem louder.

The following chart describes the kinds of sounds that might be new to you, and what may be making them.

#### Probable Causes:

You may hear the refrigerator's fan motor and moving air.

The defrost timer makes a definite click when the refrigerator stops running. It also makes a sound when the refrigerator starts.

When the refrigerator stops running, you may hear gurgling in the tubing for a few minutes after it stops. You may also hear defrost water running into the defrost water pan.

If your refrigerator has an ice maker, you may hear buzzing (from the water valve), trickling water and the clatter of ice dumped into the bin.

- thud (clatter of ice)Running Sounds:

• Ice Maker Sounds:

-trickling water

**Possible Sounds:** 

• Water Sounds:

Sounds:

Slight Hum, Soft Hiss:

Clicking or Snapping

Your refrigerator has a high-efficiency compressor and motor. It will run longer than older designs. It may even seem to run most of the time.

## Energy saving tips...

You can help your refrigerator use less electricity

- Check door gaskets for a tight seal. Level the cabinet to be sure of a good seal
- Clean the condenser coil regularly.
- Open the door as few times as possible. Think about what you need before you open the door. Get everything out at one time. Keep foods organized so you won't have to search for what you want Close door as soon as food is removed.
- Go ahead and fill up the refrigerator, but don't over crowd it so air movement is blocked.

# **Cleaning your refrigerator**

Both the refrigerator and freezer sections defrost automatically. But both should be cleaned about once a month to help prevent odors from building up. Of course; spills should be wiped up right away

To clean your refrigerator, turn the Temperature Control to OFF, unplug it, take out all removable parts, and clean it according to the following directions.


- It is a waste of electricity to set the refrigerator and freezer to temperatures colder than they need to be If ice cream is firm in the freezer and drinks are as cold as your family likes them, that's cold enough.
- Keep the Power Saving Control on OFF unless moisture forms on the refrigerator exterior.
- Make sure your refrigerator is not next to a heat source such as a range, water heater, furnace, radiator, or in direct sunlight.



# Cleaning chart...

Part	What to use	How to clean
Removable parts (shelves, crispers, meat pan, etc.)	Sponge or cloth; mild detergent and warm water.	<ul><li>Wash removable parts with warm water and a mild detergent.</li><li>Rinse and dry.</li></ul>
Outside	Sponge, cloth or paper towel; mild detergent; appliance wax (or good auto paste wax).	<ul> <li>Wash with warm water and a mild detergent. Do not use abrasive or harsh cleansers.</li> <li>Rinse and dry.</li> <li>Wax painted metal surfaces at least twice a year with appliance wax or a good auto paste wax. Apply wax with a clean, soft cloth. Do not use wax on plastic parts.</li> </ul>
Inside walls (Freezer should be allowed to warm up so cloth won't stick.)	Sponge, soft cloth or paper towel, baking soda, warm water, mild detergent.	<ul> <li>Wash with warm water and <ul> <li>mild detergent or</li> <li>baking soda (2 tablespoons [26 g] to 1 quart [.95 l] warm water.</li> </ul> </li> <li>Rinse and dry.</li> </ul>
Door liners and gaskets	Sponge, soft cloth or paper towel; mild detergent, warm water.	<ul><li>Wash with mild detergent and warm water.</li><li>Rinse and dry.</li></ul>
	DO NOT USE cleaning wax cleansers containing petrole	es, concentrated detergents, bleaches or um on plastic parts.
Dark plastics (covers, panels and door bins)	Mild detergent and warm water; soft, clean sponge and soft, clean cloth.	<ul> <li>Wash with a soft, grit-free cloth or sponge.</li> <li>Rinse and dry with a damp, grit-free cloth or chamois.</li> </ul>
	DO NOT USE paper towels, wir or toxic solvents like acetone, scratch or damage the mate	ndow sprays, scouring cleansers, or flammable , gasoline, carbon tetrachloride, etc. These can rial.
Defrost pan	Sponge or cloth; mild detergent and warm water	<ul> <li>Remove base grille. (See page 7.)</li> <li>To remove defrost pan, lift pan over wire brace (remove tape; if any).</li> <li>Wash defrost pan with warm water and mild detergent.</li> <li>Rinse and dry.</li> <li>Replace with notched corner to the rear.</li> <li>Push it all the way in.</li> <li>Make sure defrost drain tube is pointing into pan.</li> <li>Replace base grille.</li> </ul>
Condenser coils	Vacuum cleaner; using the extended narrow attachment.	<ul> <li>Remove base grille.</li> <li>Clean dust and lint from condenser at least every other month.</li> <li>Replace base grille.</li> </ul>
Floor under refrigerator	Usual floor cleaners.	<ul> <li>Roll refrigerator out only as far as water supply line allows.</li> <li>Wash floor.</li> <li>Roll refrigerator back into place.</li> <li>Check to see if the refrigerator is level.</li> </ul>

# Food storage guide STORING FRESH FOOD



There is a right way to package and store refrigerated or frozen foods. To keep foods fresher, longer, take the time to study these recommended steps.

Leafy Vegetables ...Remove store wrapping and trim or tear off bruised and discolored areas. Wash in cold water and drain. Place in plastic bag or plastic container and store in crisper. Cold, moist air helps keep leafy vegetables fresh and crisp

**Vegetables with Skins** (carrots, peppers) Store in crisper, plastic bags or plastic container

**Fruits** . Wash, let dry and store in refrigerator in plastic bags or crisper. Do not wash or hull perries until they are ready to use. Sort and keep berries in their store container in a crisper, or store in a loosely closed paper bag on a refrigerator shelf.



Meat<sup>2</sup>....Meat is perishable and expensive....you won't want to waste an ounce of it through careless handling. The following list and chart give you packaging hints and time limits. Store meat in the meat pan.

Fresh, Prepackaged Meat. Store fresh meat in the store wrapping. Vacuum packaged meat can be frozen for as long as one month if the seal is not broken. If you want to keep it frozen longer, you should wrap it with special freezer wrapping material.

**Fresh Meat, Not Prepackaged.** Remove the market wrapping paper and re-wrap in aluminum foil for storing it unfrozen.

**Cooked Meat.** Wrap or cover cooked meat with plastic wrap or aluminum foil. Store immediately.

Cured or Smoked Meat and Cold Cuts. Ham, bacon, sausage, cold cuts, etc., keep best in original wrappings. Once opened, tightly re-wrap in plastic wrap or aluminum foil.

**Canned Ham.** Store in refrigerator unless the label says it's okay to store on the shelf. Do not freeze.

**Fresh Poultry**...Wrap in plastic wrap. The plastic wrap on poultry, as purchased, may be used for storage.

Approximate Time (days)
1 to 2
1 to 2
1 to 2
3 to 5
5 to 7
3 to 5

**NOTE:** Fresh fish and shellfish should be used the same day as purchased.



**Eggs** ....Store without washing in the original carton or use the Utility Bin that came with your refrigerator.

**Milk...**Wipe milk cartons. For best storage, place milk on interior shelf

**Beverages**...Wipe bottles and cans. Store in a door bin or inside the refrigerator.

**Butter**...Keep opened butter in a covered dish or in the Butter Compartment. When storing an extra supply, wrap in freezer packaging and freeze.


**Cheese**...Store in the original wrapping until you are ready to use. Once opened, re-wrap tightly in plastic wrap or aluminum foil.

**Condiments**...Store small jars and bottles (catsup, mustard, jelly, olives) in a door bin where they are in easy reach.

**Leftovers**...Cover leftovers with plastic wrap or aluminum foil to keep food from drying out and transferring food odors. Plastic containers with tight lids are fine, too.

# FOOD STORAGE GUIDE

#### FREEZING & STORING FROZEN FOODS




The freezer section is designed for storage of commercially frozen foods and for freezing foods at home.


**Packaging** – The secret of successful freezing is in the packaging. The wrap you use must be air, moisture and vapor proof. The way you close and seal the package must not allow air, moisture or vapor in or out. Packaging done in any other way could cause food odor and taste transfer throughout the refrigerator and drying of frozen food.

Rigid polyethylene (plastic) containers with tightfitting lids, straight-sided canning freezing jars, heavy-duty aluminum foil, plastic-coated paper and non-permeable plastic wraps (such as saran) are recommended. Note: Heat-sealed boiling bags are easy to use and can be used by themselves or as carton liners.

Sealing – When sealing foods in bags squeeze out the air (liquids need headspace to allow for expansion.) Twist the top and turn it back. Fasten the securely around the doubled-over tail. Put the label inside transparent bags; use self-adhesive label on outside of opaque ones.



Air-tight wrapping calls for "drugstore" wrap. Cut the sheet about one-third longer than the distance around the food. Bring the ends together and fold in (toward the food) at least twice to seal out air. Crease ends close to food, press air from package. Fold tips




over twice. Finish package and tape closed. NOTE: With unboned meats, pad sharp edges with extra wrap or use stockinette to protect the wrap from punctures.

#### DO NOT USE:


- Bread wrappers
- Non-polyethylene plastic containers
- Containers without tight lids
- Waxed paper
- Waxed-coated freezer wrap
- Thin, semi-permeable wrap

None of these are totally moisture, air or vapor proof. The use of these wrappings could cause food odor and taste transfer and drying of frozen food.




**Freezing Fruits** – Select ripe, blemish-free fruits. Be sure they taste as good as they look. Wash 2 to 3 quarts (liters) at a time and drain. Fruit that stands in water may lose food value and become, soggy. Sort, peel, trim, pit and slice as needed.

Pack in rigid wide-mouthed containers or other recommended material. Leave head space to allow liquids to expand during freezing.




**Freezing Vegetables** – Freeze only fresh highquality vegetables picked when barely mature For best results, freeze no more than 2 to 3 hours after picking. Wash in cold water, sort and cut into appropriate sizes. Blanch or scald. Pack in recommended container and freeze.

Do not freeze lettuce, celery, carrot sticks, potatoes or fresh tomatoes. All will become limp or mushy. Tomatoes will collapse when thawed




**Freezing Meats** – The meat you thaw can only be as good as the meat you freeze. "Drugstore wrap in meal-size packages. Flat cuts or patties should be wrapped individually or in layers separated by a double thickness of freezer wrap.

Make sure store wrappings are moisture and va por proof. If not, re-wrap meats with one of the wraps recommended under "Packaging"



Freezing Cooked Food – Prepare cooked foods as you would for the table; shorten cooking time 10 to 15 minutes to allow for additional cooking during reheating. Omit seasonings and part of the liquid. Plan to add them at reheating time. Potatoes should also be added to soup and stew at heating time. Add crumb and cheese toppings at heating time.

Cool as rapidly as possible and freeze at once. Liquid or semi-liquid dishes may be frozen in recommended containers with *head-space*. Casseroles and other more solid foods may be frozen in the baking container. If you don't want to leave your casserole dish in the freezer, line it with foil. Bake, cool, freeze, lift out the foil package, bag it and return to freezer.



**Freezing Baked Goods** – Wrap baked breads in recommended material. Thaw in wrapping. Unbaked yeast breads can be frozen after the first rising. Punch down, wrap and freeze.

Bake cookies as usual. Cool and freeze on trays, then pack in recommended freezer bags or cartons. Unbaked cookies may be dropped, molded or rolled and frozen on cookie trays. Store in bag or carton: bake without thawing. Refrigerator-type cookies can be wrapped and frozen in roll form. Thaw only enough to slice when ready to bake.

Fruit pies are best frozen unbaked. Bake without thawing. Bake pecan and similar pies before freezing...rich fillings do not freeze solid. Cut steam vents in top crusts when ready to bake. IMPORTANT: Do not expect your freezer to quick-freeze any large quantity of food. Put no more unfrozen food into the freezer than will freeze within 24 hours. (No more than 2 to 3 pounds of fresh meat or 3 to 4 pounds of vegetables per cubic foot of freezer space.) Leave enough space for air to circulate around packages. Be careful to leave enough room at the front so the door can close tightly.

#### **FOOD STORAGE CHART**

Storage times\* will vary according to the quality of the food, the type of packaging or wrap used (moisture and vapor-proof), and the storage temperature which should be  $0^{\circ}$  F (-17.8°C).

	Storage time
FRUITS	
Fruit juice concentrate	12 months
Fruit juice concentrate Commercially frozen fruit	1 12 months
Citrus fruit and juices	4 to 6 months
Others	8 to 12 months
VEGETABLES	
Commercially frozen	8 months
Home frozen	8 to 12 months
MEAT	
Bacon 4	weeks or less
Corned beef	2 weeks
Cured ham	1 to 2 months
(Salting meat shortens fre	ezer life)
Frankfurters	
Ground beef, lamb, veal	2 to 3 months
Roasts:	
Beef	6 to 12 months
Lamb and veal	
Pork	
Sausage, fresh	1 to 2 months
Steaks and chops:	
Beef	8 to 12 months
Lamb, veal, pork	
FISH	
Cod, flounder, haddock	
Sole	6 months
Blue fish, salmon	
Mackerel, perch	
Breaded fish (purchased)	) 3 months
Clams, oysters, cooked	
fish, crab, scallops	3 to 4 months
Alaskan king crab	10 months
Shrimp, uncooked	
POULTRY	
Whole chicken or turkey .	12 months
Duck	6 months
Giblets	2 to 3 months
Cooked poultry w/gravy	6 months
Slices (no gravy)	1 month

Food Si	orage time
MAIN DISHES	
Stews; meat, poultry	
and fish casserole 21	o 3 months
TV dinners 3 1	o 6 months
DAIRY PRODUCTS	
Butter 61	o 9 months
Margarine	o 9 months
Cheese:	
Camembert, brick,	
Mozzarella, farmer's	: 3 months
Creamed cottage DO	NOT FREEZE
Cheddar, Edam, Gouda,	
Swiss, etc 6	
Freezing can change textur	e of
cheese.	
lce cream, ice milk	
sherbet	4 weeks
EGGS	
Whole (mixed)	o 12 months
Whites	
Yolks 9 to	
(Add sugar or salt to yolks or w	hole mixed
eggs)	
BAKED GOODS	<b>A</b>
Yeast breads and rolls	. 3 months
Baked Brown 'N Serve	<b>a</b>
Unbaked breads	
Quick breads	o 3 months
Cakes, unifosted	ro 4 months
Cakes, frosted 8 to	
Fruit cakes	
Cookle dough	
Baked cookles 8 to	
Baked ples 11 Bie dough oply	
Pie dough only 4 1 *Based on U.S.D.A. and Michigan Cooperative	Extension Service
suggested storage times.	

#### If electricity goes off

Call the power company. Ask how long power will be off

- 1. If service is to be interrupted 24 hours or less, keep both doors closed. This will help frozen foods to stay frozen.
- 2. If service is to be interrupted longer than 24 hours:
  - (a) Remove all frozen food and store in a frozen food locker. Or...
  - (b) Place 2 lbs (0.9 kg) of dry ice in freezer for every cu. ft. of freezer space. This will keep frozen foods for 2 to 4 days. Wear gloves to protect your hands from dry ice burns.
  - (c) If neither food locker storage nor dry ice is available, use or can perishable food at once.
- 3. A full freezer will stay cold longer than a partly filled one. A freezer full of meat will stay cold longer than a freezer full of baked goods. If food contains ice crystals, it may be safely refrozen, although the quality and flavor may be affected. Use refrozen foods quickly. If the condition of the food is poor or you have any suspicions, it is wise to dispose of it.

# Vacation and moving care



#### Short vacations...

No need to shut-off the refrigerator if you will be away for only a few weeks. Use up the perishables; freeze other items. Turn off your ice maker; shut off the water supply; empty the ice bin and make sure all ice cubes are dispensed out of the mechanism

#### Long vacations...

Remove all the food if you are going for a month or more. At least a day ahead, turn off the water supply to the ice maker. When the last load of ice drops, turn off the ice maker.

Unplug the refrigerator and clean it...rinse well and dry. Tape rubber or wood blocks to both doors ...keeping them open far enough for air to get in. This will keep odor and mold from building up.

WARNING: Tape blocks out of a child's reach...do not allow children near the refrigerator when the doors are blocked open. They may become injured or trapped.

To restart refrigerator, see "Using Your Refrigerator.

#### Moving...

Shut off the ice maker water supply a day ahead of time. Disconnect the water line. After the last supply of ice drops, lift the signal arm to turn off the ice maker.

Remove all food. Pack frozen foods in dry ice. Unplug the refrigerator and clean it thoroughly.

Remove everything that comes out. Wrap all parts well and tape them together so they don't shift and rattle

Screw in the levelling rollers; tape the doors shut; tape the electric cord to the cabinet. When you get to your new home, put everything back, and refer to page 4. Don't forget to reconnect the water supply line if you have an icemaker.

#### QUESTIONS?

...call your COOL-LINE\* service assistance telephone number (page 15).



# If you need service or assistance, we suggest you follow these four steps:

# **1.** Before calling for assistance...

Performance problems often result from little things you can find and fix yourself without tools of any kind.

#### If your refrigerator will not operate:

- Is the power supply cord plugged into a live circuit with the proper voltage? (See page 4.)
- Have you checked your home's main fuses or circuit breaker box?
- Is the Temperature Control turned ON?

#### If there is a rattling or jingling noise, or other unfamiliar sounds:

- Is something on top or behind the refrigerator making noise when the refrigerator is running?
- New features on your new refrigerator make new sounds. You may be hearing air flowing from the fans, timer clicks for the defrosting cycle, defrost water draining into the defrost pan.

#### If your ice maker will not operate:

- Has the freezer had enough time to get cold? With a new refrigerator, this might take overnight.
- Is the signal arm ON...in the down position?
- Is the water valve turned on? Is water getting to the ice maker?

#### If there is water in the defrost pan:

 In hot, muggy weather, this is normal. The pan can even be half full. Make sure the refrigerator is level so the pan doesn't overflow.

#### If the light does not work:

- Have you checked your home's main fuses or circuit breaker box?
- Is the power supply cord plugged into a live circuit with the proper voltage? (See page 4.)

#### If a bulb is burned out:

• See instructions for changing light bulbs on page 7. Use appliance bulbs only.

#### If the motor seems to run too much:

- Is the condenser, behind the base grille, free of dust and lint?
- On hot days, or if the room is warm, the motor naturally runs longer.
- If the door has been opened a lot, or if a large amount of food has been put in, the motor will run longer to cool down the interior.

**Remember:** Motor running time depends on different things: number of door openings, amount of food stored, temperature of the room, setting of the controls.

And, your new refrigerator may be larger than your old one so it has more space to be cooled. It also has a regular freezer instead of a frozen food compartment. All this means better refrigeration and may require more running time than your old one.

# 2. If you need assistance\*...

# Call Whirlpool COOL-LINE<sup>®</sup> service assistance telephone number. Dial free from:

Continental U.S	(800) 253-1301
Michigan	(800) 632-2243
Alaska & Hawaii	(800) 253-1121

and talk with one of our trained Consultants. The Consultant can instruct you in how to obtain satisfactory operation from your appliance or, if service is necessary, recommend a qualified service company in your area.

# 3. If you need service\*...



Whirlpool has a nationwide network of franchised TECH-CARE® Service Companies. TECH-CARE service technicians are trained to fulfill the product warranty and provide after-warranty service, anywhere in the United States. To locate TECHllour COOL LINE service

CARE service in your area, call our COOL LINE service assistance telephone number (see Step 2) or look in your telephone directory Yellow Pages under:



# 4. If you have a problem\*...

Call our COOL-LINE service assistance telephone number (see Step 2) and talk with one of our Consultants, or if you prefer, write to:

Mr. Robert Stanley Division Vice President Whirlpool Corporation 2000 US-33, North Benton Harbor, MI 49022

"If you must call or write, please provide: model number, serial number, date of purchase, and a complete description of the problem. This information is needed in order to better respond to your request for assistance.



FSP is a registered trademark of Whirlpooi Corporation for quality parts. Look for this symbol of quality whenever you need a replacement part for your Whirlpool appliance FSP replacement parts will fit right and work right, because they are made to the same exacting specifications used to build every new Whirlpool appliance






Making your world a little easier.

Part No. 1110163 © 1986 Whirlpool Corporation

Printed in U.S.A.

a an an an air an Ai

e Makers, Dishwashers, Built-In Ovens, and Surface Units, Ranges, Microwave Ovens, Trash Compactors, Room Air Conditioners, Dehumidifiers, Automatic Washers, Clothes big.



Download from Www.Somanuals.com. All Manuals Search And Download.

Free Manuals Download Website <u>http://myh66.com</u> <u>http://usermanuals.us</u> <u>http://www.somanuals.com</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.com</u> <u>http://www.404manual.com</u> <u>http://www.luxmanual.com</u> <u>http://aubethermostatmanual.com</u> Golf course search by state

http://golfingnear.com Email search by domain

http://emailbydomain.com Auto manuals search

http://auto.somanuals.com TV manuals search

http://tv.somanuals.com