

Vent-Free Heaters

Three attractive, inexpensive solutions for assured, on-command home heating!

Power heating in a compact package!

Get quick efficient warmth, without the need for venting or electricity. Relax in comfort created by these 99.9% efficient heaters with low fuel consumption and quiet operation.

For additional money-saving efficiency, install one of our optional blowers.



Blue Flame Heaters

Distributes heat evenly throughout your room. This heater's cheerful blue-flame is visible from behind the safety glass. (Shown with floor base)

creates a fireplace-look – perfect as a mini

Design Features

hearth!

- No electricity required
- ☐ Simple top-mounted controls and "Matchless" pilot igniter
- ☐ Easy-to-install practically anywhere
- ☐ Mounts to wall or optional floor mounting base
- 99.9% heat efficiency keeps all the heat in the room
- ☐ Temperature and safety controls
- ☐ Natural and propane gas models



Infrared Heaters A

Provides direct radiant heat. Ceramic plaques behind the grille gives this heater its' warm glow.

Vent-Free Heaters

Model	Fuel Type	Btu/hr Input	Thermal Efficiency Percentage	Dimensions			Type of Control	Shipping Weight
				Width	Depth	Height	Type of Control	(lbs.)
INFRARED M	ODEL							
* 0556542	Natural	5,000	99.9	13¾	5½	191//8	— Manual	15
* 0556541	Propane					1978		
1856542	Natural	18,000		181//8	- 71%	24-11/16		25
1556541	Propane	15,000						
1856512	Natural	18,000					Built-In Thermostat	
1556511	Propane	15,000					Duilt iii Thermostat	
3056542	Natural	30,000		26-3/16			Manual	30
2506541	Propane	25,000					Mariaar	
3056512	Natural	30,000					Built-In Thermostat	30
2556511	Propane	25,000					Duit in memostat	
BLUE-FLAME	MODELS							
* 0606542.9	Natural	6,000	99.9	13¾		19⅓	Manual	15
* 0656541.9	Propane				5½			
* 1006542.9	Natural	10,000						
* 1056541.9	Propane							
* 1056512.9	Natural						Built-In Thermostat	
* 1056511.9	Propane							
2056512.9	Natural	20,000		18½	71/8	24-11/16		25
1806511.9	Propane	18,000		10/8				
3056512.9	Natural	30,000		26-3/16	//8			32
3056511.9	Propane			20 3/10				
FIREPLACE-LO	ООК							
2556512.6	Natural	25,000	99.9	23⅓	6 ⁷ / ₈	181/8	Built-In Thermostat	35
2556511.6	Propane				078			

^{*} Optional blower and floor mounting base not available for these models.

Accessories

Blower

A heavy-duty, quiet blower is available for larger rooms, where faster heat circulation is desired.

Floor Mounting Base

Soft-white sturdy metal bases are available where freestanding operation of the heater is desired.



Model



White, Large Floor Base

Black, Large Floor Base





Features

- · Contemporary, powder-coat scratch-resistant finish to complement any décor
- . Oxygen depletion Sensor (ODS) monitors room oxygen levels for safe operation
- . Top-mounted controls
- . "Matchless" pilot igniter
- . Easy to install -- placement is virtually unlimited
- . No electricity or venting required





Description **Application** Weight (lbs.) Number 2204 **Automatic Blower** 180 and 250 Series 2205 **Automatic Blower** 155, 185, 205, 255 and 305 Series 2206 Manual Blower 155, 185, 205, 255 and 305 Series 4219 White, Medium Floor Base 180 Series 4287 White, Medium Floor Base 155 & 185 Series 4 4220 White, Large Floor Base 250 Series 3



250 West Laurel Street · Colton, California 92324 USA (909) 825-0993 · Fax: (909) 370-0581 or (909) 824-8009

Consumer Line: (888) 256-6465 Homeowner Assistance: (909) 426-0978

www.e-wfc.com

205, 255 & 305 Series

255 Fireplace-Look Series

Recommended Minimum Clearances

6" from side of wall, floor or carpeting 36" from top of appliance to ceiling or other obstruction

Important

- Read owner's manual before using/installing.
- Not for use in recreational vehicles.
- Photographs are representative only.
- Check local codes and ordinances for permitted uses.
- Consult installation manual for clearances prior to installation.
- We reserve the right to amend product specifications without notice. Installation and servicing recommended by a qualified service person.
- Use with adequate air (ventilation) only. Refer to owner's manual for
- Operating heater at elevations above 4,500 feet could result in nuisance outages.
- Specify propane or natural gas when ordering. Units are not intended for conversion between fuel types.
- Please read the warranty for any limitations or disclaimers. All parts carry a one-year limited warranty.

© 2008 Williams Furnace Co. Printed in U.S.A. All Rights Reserved Subject to Change without Notice L1138 5/08

Shipping

Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com