

L Series 36" Built-In Single Oven

Its unframed door design gives the Wolf L series 36" built-in single oven a contemporary look. Dual convection delivers superior results and faster cooking; the temperature probe gives you fine control. The easy-to-use electronic control panel rotates into position. When not in use, it's hidden behind a stainless steel panel.



FEATURES

- Unframed door style in stainless steel finish.
- Dual convection logic control system.
- Ten cooking modes bake, roast, broil, convection bake, convection roast, convection broil, convection, bake stone (accessory required), dehydrate (accessory required) and proof.
- Rotating glass touch control panel.
- Cobalt blue porcelain oven interior.
- Five-level rack guides with three adjustable oven racks; one full-extension easy glide, one full-extension door glide and one standard.
- Large viewing triple-pane window.
- Dual interior halogen lighting.
- Hidden bake element and recessed broil element.
- Temperature probe and receptacle.
- Self-clean, delayed start and Sabbath feature.
- Spring and damper door hinge system for smooth opening and closing.

MODEL OPTIONS

Door Style

ACCESSORIES

- Bake stone accessory, includes stone, rack and peel.
- Two-piece broiler pan and temperature probe.
- Set of three standard oven racks.
- One full-extension easy glide rack.
- Dehydration racks with door stop.

Accessories are available through your authorized Wolf dealer. For local dealer information, visit the find a showroom section of our website, wolfappliance.com.



SO36U/S Unframed

Model SO36U/S Unframed Door Style

This appliance is certified by Star-K to meet strict religious regulations in conjunction with specific instructions found on www.star-k.org.




Rotating glass touch control panel.

OVERALL DIMENSIONS



L Series 36" Built-In Single Oven




Dimensions in parentheses are in millimeters unless otherwise specified.

SPECIFICATIONS


Overall Width	35 ⁵ /8"
Overall Height	24 ³ /8"
Overall Depth	24"
Oven Door Clearance	17 ³ /4"
Overall Oven Interior Capa	city 4.4 cu ft
Oven Interior Dimensions $30"~W~x~13^{1}\!/_{4}"~H~x~19"~D$	
Minimum Cabinet Width	36"
Minimum Cabinet Depth	24"
Minimum Base Support	250 lbs
Opening Width	34 ¹ /2"
Opening Height	24 ¹ /16"
Electrical Requirements 60	240/208 V AC Hz, 30 amp circuit
Conduit	3' flexible 4-wire
Electrical Rating	5.1 kW at 240 V 3.8 kW at 208 V
Total Amps	21
Shipping Weight	288 lbs

INSTALLATION SPECIFICATIONS

Wall Application



Undercounter Installation



*Dimension must accommodate height of oven trim.

IMPORTANT NOTE: Unless you are using cabinets deeper than 24", it is recommended that the electrical supply be placed in an adjacent cabinet within reach of the conduit. Choose the location shown in the illustrations that best suits your installation.

INSTALLATION NOTES

Complete installation specifications can be found on our website, wolfappliance.com.

Free Manuals Download Website <u>http://myh66.com</u> <u>http://usermanuals.us</u> <u>http://www.somanuals.com</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.cc</u> <u>http://www.4manuals.com</u> <u>http://www.404manual.com</u> <u>http://www.luxmanual.com</u> <u>http://aubethermostatmanual.com</u> Golf course search by state

http://golfingnear.com Email search by domain

http://emailbydomain.com Auto manuals search

http://auto.somanuals.com TV manuals search

http://tv.somanuals.com