



## Pro Island Ventilation Hoods

With standard features like heat sentry and dual setting halogen lighting, Wolf pro island hoods provide the ultimate in ventilation. Pro island hoods are available in four widths.



Model PI423418 shown.

### FEATURES

- Stainless steel finish.
- Heavy-duty, 16-gauge brushed stainless steel with continually welded seams, hemmed edges and sides.
- Stainless steel enclosed liner.
- Recessed easy-access controls.
- Infinite-speed blower control.
- Heat sentry feature automatically turns unit on when heat is sensed and automatically adjusts blower speed.
- Halogen lighting with two settings.
- Removable, dishwasher-safe, restaurant-grade stainless steel baffle filters.
- Transition with backdraft damper included.

### MODEL OPTIONS

Model	PI363418	PI423418	PI543418	PI663418
Overall Width	36"	42"	54"	66"

### BLOWER OPTIONS

CFM	INTERNAL				IN-LINE		REMOTE			
	500	600	900	1200	600	1100	600	900	1200	1500
PI363418 PI423418		•	•	•		•		•	•	•
PI543418			•	•		•		•	•	•
PI663418				•		•			•	•

### ACCESSORIES

- Internal, in-line and remote blowers (refer to chart above).
- 6", 12", 18" and 24" stainless steel duct covers.

Accessories are available through your authorized Wolf dealer. For local dealer information, visit the find a showroom section of our website, [wolfappliance.com](http://wolfappliance.com).



Model PI543418 Pro Island Hood



Recessed controls.




Baffle filters.



## Pro Island Ventilation Hoods

### OVERALL DIMENSIONS




Unit dimensions may vary by  $\pm 1/8$ ".

### SPECIFICATIONS

Exterior Finish	Stainless Steel
Overall Widths	36", 42", 54" and 66"
Overall Height	18"
Overall Depth	34"
Bottom of Hood to Countertop	30" to 36"
Discharge	Vertical
Duct Size	10" Round
Electrical Requirements	110/120 V AC 60 Hz, 15 amp dedicated circuit
Shipping Weight	95-168 lbs

### INSTALLATION SPECIFICATIONS



VERTICAL DISCHARGE ONLY FOR ISLAND HOODS.

### INSTALLATION NOTES

Pro island hoods are sold as a shell only. An internal, in-line or remote blower is required. For blower recommendations, visit our website, [wolfappliance.com](http://wolfappliance.com).

Pro island ventilation hoods are recommended for use with all Wolf cooking appliances.

Complete installation specifications can be found on our website, [wolfappliance.com](http://wolfappliance.com).

Dimensions in parentheses are in millimeters unless otherwise specified.

## Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>