



XM7 Series

VERSATILE AND WIDE



XM7 series design concept results from our popular XA7 and XAP series. It emphasizes the versatile use and business applications. XM7 series has **XShield optical glass filter to protect the panel with the solid 8H hardness.**

And we'd present you the new unique **XInput Technology**. The feature allows concurrent connecting PC and another sources such as DVD, game console or another PC/NoteBook. You can have a more flexible use of XM7 series and save your investment on displays.

XM7 series has **wide-screen high resolution to give the additional computing space for use.** You can see more columns and rows of the spreadsheet in a view. Put Messenger and word processor side by side with the switching ease. Have more windows to check the stock quotations. With XM7 series, you win the performance desired and deserved!

Remarkable Features Deliver Outstanding Performance

XShield Protective Glass No More scratched panels

XShield provides extra LCD protection with sophisticated visual flair. XShield is as hard as quartz (8H hardness) to protect the panel from scratch and enhance the display quality.

Multimedia Enhanced Speakers Enjoyment with media center

It brings multimedia and saves the desktop space. XM7 series has two built-in 2w stereo speakers and are well integrated into the stylish design.

HDMI/HDCP Solution for HD content (OPTIONAL)

HDCP has been implemented across DVI interface. The HDCP specification provides a cost-effective and transparent method for receiving the highest quality digital entertainment content from HDMI compliant video sources.
(Specified for HDCP models)

XInput Signal Selection Capable and convenient (OPTIONAL)

XInput provides one digital and two analog video ports. (PC, Notebook, DVD or game console) share the same one display with simple pressing for switching. No more remove and attach cables all the time.

Rapid Video Response Live action images stable

Fast action media such as gaming, DVD and video conferencing will playback smoothly thanks to the very fast video response time of the LCD panel.

High Brightness & Contrast Bringing images to life

Vibrant colors, and dark black levels will improve your graphics, photos, or presentations making them life-like and realistic. High contrast levels further define picture detail providing rich saturated images.



16:10 wide screen




4:3 conventional

Complete Enjoyment.

XM7 series perfectly presents the original 16:9 film* details. No more unbearable big black bar.

Wide Vision.



View applications side by side and reduce toggling between them.

Specifications



See more columns in a view.

Configurations

Series No.	XM7-19w	XM7-22w
Model No.	XM7-19wB / XM7-19wF / XM7-19wH *	XM7-22wB / XM7-22wH *
LCD PANEL SIZE	19" WIDE TFT LCD	22" WIDE TFT LCD
DISPLAY AREA (mm)	410.0x256.0	473.76x296.1
MAX. RESOLUTION	1440x900	1680x1050
DISPLAY COLORS	16.2M	16.7M
RESPONSE TIME	5ms	5ms
BRIGHTNESS (cd/m ²)	300	300
CONTRAST	800:1	700:1
VIEW ANGLE: H	85/85	85/85
VIEW ANGLE: V	80/80	80/80
DOT PITCH (mm)	0.285x0.285	0.282x0.282
PANEL SURFACE	ANTI-GLARE	ANTI-GLARE
HORIZONTAL FREQ.	30~82KHz	30~82KHz
VERTICAL FREQ.	56~75Hz	56~76Hz
BANDWIDTH (MHz)	137MHz	146.25MHz
I/O PORT		
COMPATIBILITY	PC/MAC	PC/MAC
ANALOG INPUT	D-SUB x2	D-SUB x2
DIGITAL INPUT	DVI-D (OPTIONAL)	DVI-D (OPTIONAL)
PC AUDIO LINE-IN	YES	YES
OTHER SPEC		
PROTECTIVE GLASS	YES	YES
BUILT-IN SPEAKERS	YES	YES
STAND	Aluminium stand	Aluminium stand
VESA MOUNT (mm)	75x75	75x75
POWER		
CONSUMPTION	60W	60W
VOLTAGE	AC100-240V~ 50-60Hz	AC100-240V~ 50-60Hz
OFF MODE	<= 1W	<= 1W
POWER TYPE	BUILT-IN	BUILT-IN
REGULATION		
	FCC, UL/cUL, CE, CB,GOST, TUV/BAUART	FCC, UL/cUL, CE, CB, TUV/BAUART
PACKING INFO		
MONITOR WxHxD (mm)	457 x 371 x 210 mm	523.7 x 404.1x 220 mm
PACKING WxHxD (mm)	532 x500 x140 mm	580 x 500 x 145
NET WEIGHT (KG)	4.8kg	6.9kg
GROSS WEIGHT (KG)	5.5kg	8.5kg
CONTENT	AC Power Cord, D-sub Cable, User's Guide CD, Quick Guide, Warranty Card	AC Power Cord, D-sub Cable, User's Guide CD, Quick Guide, Warranty Card

NOTE:

- To get the effective wide-screen resolution, you need to select the accurate setting in your **Display Property** of Windows®system (in **Control Panels**).
- Effective wide resolution requests VGA card driver supports the setting in the computing environment. If you can't find an appropriate setting, please contact your VGA supplier to update the driver
- ★B: D-Sub x 2, F: D-Sub x 2 + DVI, H: D-Sub x 2 + DVI + HDCP

Copyright © 2006PTI. All rights reserved.Contents of this publication may not be reproduced in any form without the expressed permission of PTI. XEROX ® is a registered trademark of Xerox Corporation and is used under license in the US and / or other countries by PTI.

All other trademarks are the property of their respective owners. All information in this publication is subject to change without notice.

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>